






2




3




13



223





453



653



	
1	23400
2	46300
3	69000
4	91500
5	113300
6	135100
7	156500
8	177500
9	198200
10	218700
11	238800
12	258400
13	278000
14	298000



21.40

	T	--	 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 8,800 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 8,800 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 lbs	 29 x 18 ft	 360°		

21.40

21.40

	T	--	 8,800 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 8,800 lbs	 29 x 18 ft	 360°		

21.40

	T	--	 lbs	 29 x 18 ft	 360°		

21.40

The diagram shows a horizontal beam with the following specifications from left to right:

- A rectangular box containing the letter **T**.
- A rectangular box divided into two equal empty sections.
- A downward-pointing arrow labeled **8,800** with the unit **lbs** below it.
- A horizontal beam segment with a length of **29** and the unit **ft** below it. A small **x** is at the right end. Two upward-pointing arrows are located at the ends of this segment, with the number **18** between them.
- A curved arrow indicating a counter-clockwise rotation, labeled **360°** below it.
- Two empty rectangular boxes.

21.40


	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40







	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		



070225

21.40

	ft > < lbs		CODE > 0216 < L151 0440 .x(x)							
	197	44	58	72	86	100	114	128	142	142
10										
12										
14										
16										
18										
21		37,000	37,900							
24		34,800	37,100	35,900						
27		32,300	34,700	35,400	35,100					
30		30,600	32,600	33,500	34,800	33,500				
33		29,300	31,000	32,100	33,200	33,400				
36		28,400	29,600	30,700	31,600	32,200	32,900			
39		26,900	29,200	29,500	30,600	31,200	31,700	31,500		
45	12,000	24,500	26,800	27,900	28,900	29,200	29,600	29,800	30,600	29,800
51	10,600	22,600	24,700	26,000	27,200	27,700	28,000	28,200	26,300	28,300
57	9,100	21,000	23,000	24,400	25,500	26,200	26,500	25,800	22,000	24,800
63	7,800	19,700	21,600	22,900	24,100	24,400	23,900	22,600	18,400	21,200
69	6,600	18,800	20,400	21,500	22,300	21,800	20,800	19,500	15,400	18,200
75	5,600		18,700	19,400	19,700	19,000	18,100	16,800	12,800	15,600
81	4,600		16,300	16,700	17,100	16,500	15,800	14,500	10,600	13,400
87				14,300	14,800	14,400	13,700	12,500	8,600	11,500
93				12,200	12,700	12,500	11,900	10,800	6,900	9,800
99					10,900	10,700	10,400	9,300	5,400	8,300
105					9,400	9,100	9,000	7,900		6,900
111					8,000	7,800	7,600	6,700		5,800
117						6,600	6,400	5,600		4,700
123						5,400	5,300	4,600		3,700
129							4,300	3,700		
135							3,500			
141										
* n *	1	2	2	2	2	2	2	2	2	2
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	430	437	437	437	437	437	437	437	437	437



21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

Diagram of a 29' x 18' table with a 57,300 lbs capacity and 360-degree rotation.

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

Technical drawing showing dimensions and specifications:

- Material: T
- Finish: NZK xx°
- Height: 40ft
- Weight: 57,300 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°

21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		


21.40


	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40







[illegible]



070225

21.40

		ft > < lbs		CODE > 0217 < L151 0540 .x(x)							
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	33,500										
33	33,400										
36	32,200	32,900									
39	31,200	31,700	29,800								
45	29,200	29,600	27,600	29,800				31,500	18,800		
51	27,700	28,000	25,600	28,600	19,300	28,400		30,200	17,400	29,100	16,700
57	26,200	26,500	22,000	27,000	18,200	27,100		28,100	15,800	27,500	15,600
63	24,900	25,400	19,800	25,900	16,800	24,100		24,800	14,400	24,300	14,200
69	23,700	24,400	18,600	23,900	15,600	20,800		21,300	13,200	20,900	12,900
75	21,700	23,000	17,500	21,100	14,400	18,000		18,200	12,000	18,000	11,700
81	19,500	21,000	16,500	18,500	13,400	15,500		15,700	11,000	15,500	10,700
87	18,400	18,600	15,600	16,200	12,500	13,400		13,400	10,000	13,200	9,700
93	16,700	16,500	14,700	14,300	11,600	11,500		11,400	9,100	11,300	8,800
99	14,700	14,500	13,600	12,500	10,800	9,800		9,600	7,900	9,600	7,900
105	12,900	12,700	12,000	11,000	9,600	8,300		8,100	6,400	8,000	6,400
111	11,300	11,100	10,500	9,600	8,200	7,000		6,700	5,000	6,700	5,100
117	9,900	9,800	9,100	8,300	7,000	5,800		5,400	3,800	5,500	3,900
123	8,600	8,500	7,900	7,200	5,900	4,700		4,300		4,300	
129	7,400	7,400	6,800	6,200	4,900	3,700					
135		6,300	5,700	5,200	4,000						
141		5,400	4,800	4,300							
147			3,900	3,400							
153			3,100								
* n *	2	2	2	2	1	2		2	1	2	1
xx	22.5	22.5	22.5	22.5	22.5	22.5		22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-		46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+		92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+		92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+		46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+		46+	46+	46+	46+
ft / s	23	23	23	23	23	23		23	23	23	23
TAB 151	436	436	436	436	436	436		436	436	436	436



21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

Diagram showing the scale's dimensions and rotation:

- Top section: T, NZK xx°, 40ft
- Scale weight: 79,400 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		


21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

[illegible]

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		


21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

Diagram of the table showing dimensions and weight:






- Table dimensions: 29' x 18' ft
- Table weight: 83,800 lbs
- Table height: 40ft
- Table material: NZK xx°
- Table type: T
- Table rotation: 360°



070225

21.40

 ft		ft > < lbs		CODE > 0219 < L151 0740 .x(x)							
		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,100		
27		46,300	46,300	46,300	46,300	46,300	46,300	43,300	44,000	39,500	
30		46,200	46,300	46,300	46,300	46,300	46,300	42,700	43,800	39,500	41,000
33		45,500	46,300	46,300	46,300	46,300	46,300	42,300	43,400	39,500	40,800
36		41,400	46,300	46,300	46,300	46,300	46,100	41,700	43,000	39,500	40,400
39		37,700	45,900	46,300	46,300	44,400	44,400	40,900	42,600	39,100	40,000
45		32,700	39,200	41,700	43,800	40,400	40,900	38,700	42,000	38,300	39,500
51		28,600	34,500	37,300	40,100	36,700	37,700	36,200	37,500	36,200	34,800
57		25,300	30,500	33,800	36,700	33,500	34,800	33,700	32,400	33,800	29,800
63		22,700	27,400	30,700	33,600	30,700	32,100	31,200	28,000	30,900	25,600
69		20,500	24,800	28,000	30,900	28,200	29,800	28,700	24,300	27,600	22,000
75			22,500	25,800	28,200	26,100	27,400	25,900	21,100	24,400	18,900
81			20,700	23,800	25,200	24,200	24,500	23,000	18,400	21,600	16,300
87				21,900	22,500	22,100	21,800	20,500	16,000	19,200	14,000
93				19,900	20,100	19,700	19,400	18,400	14,000	17,100	11,900
99					18,100	17,600	17,300	16,500	12,100	15,300	10,100
105					16,200	15,700	15,400	14,600	10,500	13,600	8,600
111					14,600	14,100	13,800	12,900	9,100	12,200	7,100
117					13,300	12,600	12,300	11,500	7,800	10,800	5,900
123						11,400	11,000	10,200	6,600	9,500	4,700
129						10,200	9,800	9,000	5,500	8,300	3,700
135							8,800	7,900	4,500	7,200	
141							7,900	7,000	3,600	6,300	
147								6,100		5,400	
153								5,400		4,600	
159										3,900	
165										3,300	
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		427	427	427	427	427	427	427	427	427	427




21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		

21.40






	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		



070225


21.40

				ft > < lbs		CODE > 0219 <		L151 0740 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			37,000	37,900							
24			34,800	37,100	35,900						
27			32,300	34,700	35,400	35,100					
30			30,600	32,600	33,500	34,800	33,500				
33			29,300	31,000	32,100	33,200	33,400				
36			28,400	29,600	30,700	31,600	32,200	32,900			
39			26,900	29,200	29,500	30,600	31,200	31,700	31,500		
45	12,000	24,500	26,800	27,900	28,900	29,200	29,600	29,800	31,500	29,800	
51	10,600	22,600	24,700	26,000	27,200	27,700	28,000	28,200	30,200	28,600	
57	9,100	21,000	23,000	24,400	25,500	26,200	26,500	27,000	28,700	27,000	
63	7,800	19,700	21,600	22,900	24,100	24,900	25,400	25,900	27,600	25,900	
69	6,600	18,800	20,400	21,700	22,900	23,700	24,400	24,900	26,200	25,100	
75	5,600		19,500	20,700	21,800	22,600	23,400	23,900	23,700	24,300	
81	4,600		18,800	19,800	20,900	21,700	22,500	22,900	20,700	23,100	
87				19,200	20,100	20,800	21,600	21,700	18,200	21,000	
93				18,700	19,500	19,900	20,600	19,900	15,900	18,800	
99					18,800	18,600	18,400	17,800	13,900	16,700	
105					16,900	16,600	16,500	15,900	12,100	15,000	
111					15,100	14,900	14,700	14,100	10,500	13,400	
117							13,200	13,100	12,500	9,100	11,900
123							11,800	11,700	11,000	7,800	10,500
129								10,400	9,800	6,600	9,200
135								9,200	8,600	5,500	8,100
141									7,500	4,400	7,000
147									6,600	3,500	6,000
153											5,200
159											4,300
165											3,600
* n *		1	2	2	2	2	2	2	2	2	2
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		427	434	434	434	434	434	434	434	434	434




21.40






	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		




070225

21.40

 ft	CODE > 0219 < L151 0740 .x(x)									
	100	114	128	142	157	171	142	157	157	171
10										
12										
14										
16										
18										
21										
24										
27										
30	33,500									
33	33,400									
36	32,200	32,900								
39	31,200	31,700	29,800							
45	29,200	29,600	27,600	29,800			31,500	18,800		
51	27,700	28,000	25,600	28,600	19,300	28,400	30,200	17,400	29,100	16,700
57	26,200	26,500	22,000	27,000	18,200	27,500	28,700	15,800	28,200	15,600
63	24,900	25,400	19,800	25,900	16,800	26,600	27,600	14,400	27,000	14,200
69	23,700	24,400	18,600	25,100	15,600	25,400	26,200	13,200	25,600	12,900
75	21,700	23,400	17,500	24,300	14,400	23,300	23,700	12,000	23,300	11,700
81	19,500	22,500	16,500	23,100	13,400	20,500	20,700	11,000	20,500	10,700
87	18,700	21,600	15,600	21,000	12,500	18,000	18,200	10,000	17,900	9,700
93	17,900	20,600	14,700	18,800	11,600	15,800	15,900	9,100	15,700	8,800
99	17,300	18,400	14,000	16,700	10,800	13,900	13,900	8,300	13,800	8,000
105	16,600	16,500	13,300	15,000	10,100	12,200	12,100	7,600	12,000	7,200
111	14,900	14,700	12,600	13,400	9,400	10,700	10,500	6,900	10,500	6,500
117	13,200	13,100	12,100	11,900	8,800	9,300	9,100	6,300	9,100	5,900
123	11,800	11,700	11,000	10,500	8,200	8,100	7,800	5,700	7,800	5,300
129	10,500	10,400	9,800	9,200	7,700	6,900	6,600	4,900	6,600	4,800
135		9,200	8,600	8,100	7,000	5,900	5,500	3,900	5,500	4,000
141		8,100	7,500	7,000	6,100	4,900	4,400		4,600	
147			6,600	6,000	5,200	4,000	3,500		3,700	
153			5,700	5,200	4,300	3,200				
159				4,300	3,500					
165				3,600						
* n *	2	2	2	2	1	2	2	1	2	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
 %	1	0+	0+	0+	0+	46-	46-	92-	46-	92-
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+
 ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	434	434	434	434	434	434	434	434	434	434









070225

21.40

		ft > < lbs		CODE > 0219 < L151 0740 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				23,400							
33				23,400	23,400						
36				23,400	23,400	23,400					
39				23,400	23,400	23,400	23,400				
45				22,300	23,000	23,300	23,400	23,400	23,400		
51				21,200	22,000	22,500	22,900	23,100	23,300	23,300	23,400
57	15,000			20,400	21,200	21,700	22,200	22,400	22,700	22,800	23,400
63	14,100	8,500		20,100	20,600	21,000	21,500	21,800	22,100	22,300	23,000
69	12,800	7,800			20,200	20,600	21,000	21,300	21,600	21,800	22,400
75	11,600	6,700			20,100	20,200	20,600	20,900	21,100	21,300	22,000
81	10,600	5,700				20,100	20,300	20,500	20,800	21,000	21,300
87	9,600	4,800				20,100	20,100	20,200	20,500	20,600	19,900
93	8,700	3,900					19,900	19,700	20,100	20,000	17,400
99	7,900						19,200	19,000	19,200	18,700	15,200
105	7,100							17,100	17,100	16,700	13,300
111	6,400							15,200	15,200	14,800	11,500
117	5,800							13,400	13,500	13,100	10,000
123	5,200								11,900	11,500	8,500
129	4,700								10,500	10,100	7,200
135	4,100									8,800	6,000
141	3,400									7,700	4,800
147											3,700
153											
159											
165											
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		434	434	441	441	441	441	441	441	441	441



21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		



070225

21.40

		ft > < lbs		CODE > 0220 <							L151 0840 .x(x)	
ft		197	44	58	72	86	100	114	128	142	142	
10												
12												
14												
16												
18												
21			37,000	37,900								
24			34,800	37,100	35,900							
27			32,300	34,700	35,400	35,100						
30			30,600	32,600	33,500	34,800	33,500					
33			29,300	31,000	32,100	33,200	33,400					
36			28,400	29,600	30,700	31,600	32,200	32,900				
39			26,900	29,200	29,500	30,600	31,200	31,700	31,500			
45	12,000	24,500	26,800	27,900	28,900	29,200	29,600	29,800	31,500	29,800		
51	10,600	22,600	24,700	26,000	27,200	27,700	28,000	28,200	30,200	28,600		
57	9,100	21,000	23,000	24,400	25,500	26,200	26,500	27,000	28,700	27,000		
63	7,800	19,700	21,600	22,900	24,100	24,900	25,400	25,900	27,600	25,900		
69	6,600	18,800	20,400	21,700	22,900	23,700	24,400	24,900	26,500	25,100		
75	5,600		19,500	20,700	21,800	22,600	23,400	23,900	24,600	24,300		
81	4,600		18,800	19,800	20,900	21,700	22,500	22,900	21,700	23,400		
87				19,200	20,100	20,800	21,600	21,900	19,100	22,000		
93				18,700	19,500	20,000	20,700	20,700	16,800	19,600		
99					18,800	19,100	19,200	18,600	14,700	17,600		
105					17,600	17,400	17,200	16,600	12,900	15,800		
111					15,800	15,500	15,400	14,800	11,200	14,100		
117							13,900	13,800	13,100	9,800	12,600	
123							12,400	12,300	11,700	8,500	11,100	
129								11,000	10,400	7,200	9,800	
135								9,800	9,200	6,100	8,600	
141									8,100	5,000	7,500	
147									7,100	4,000	6,600	
153										3,100	5,600	
159											4,800	
165											4,000	
* n *		1	2	2	2	2	2	2	2	2	2	
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+	
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+	
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+	
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+	
		ft /s	23	23	23	23	23	23	23	23	23	
TAB 151			426	433	433	433	433	433	433	433	433	




21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		

21.40






	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		



070225

21.40

		ft > < lbs		CODE > 0220 < L151 0840 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				23,400							
33				23,400	23,400						
36				23,400	23,400	23,400					
39				23,400	23,400	23,400	23,400				
45				22,300	23,000	23,300	23,400	23,400	23,400		
51				21,200	22,000	22,500	22,900	23,100	23,300	23,300	23,400
57	15,000			20,400	21,200	21,700	22,200	22,400	22,700	22,800	23,400
63	14,100	8,500		20,100	20,600	21,000	21,500	21,800	22,100	22,300	23,000
69	12,800	7,800			20,200	20,600	21,000	21,300	21,600	21,800	22,400
75	11,600	6,700			20,100	20,200	20,600	20,900	21,100	21,300	22,000
81	10,600	5,700				20,100	20,300	20,500	20,800	21,000	21,500
87	9,600	4,800				20,100	20,100	20,200	20,500	20,600	20,600
93	8,700	3,900					20,100	19,700	20,200	20,100	18,300
99	7,900						19,900	19,100	19,600	19,400	16,100
105	7,100							17,800	17,800	17,400	14,100
111	6,400							15,900	15,900	15,500	12,300
117	5,800							14,100	14,200	13,700	10,700
123	5,200								12,600	12,100	9,200
129	4,700								11,100	10,700	7,900
135	4,100									9,400	6,600
141	3,700									8,200	5,400
147											4,300
153											3,200
159											
165											
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		433	433	440	440	440	440	440	440	440	440



21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 18 ft	 360°		


21.40

Diagram showing the dimensions and weight of the table:

- Table height: 29 x
- Table width: 18 ft
- Table weight: 105,800 lbs
- Table label: NZK xx° 40ft
- Table rotation: 360°

21.40







	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		




070225

21.40

		ft > < lbs		CODE > 0221 <							L151 0940 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								46,300	46,300	46,300		
18								46,300	46,300	46,300	45,200	
21								46,300	46,300	46,300	44,300	
24								46,300	46,000	46,300	42,300	
27	39,700							46,300	45,100	46,300	40,400	
30	39,700	36,800						46,300	43,400	46,300	38,700	
33	39,500	36,800						46,300	41,800	46,300	37,100	
36	39,300	36,800	35,100	33,300				46,300	40,400	46,300	35,700	
39	39,000	36,200	34,900	33,100	29,800			45,900	39,100	46,300	34,300	
45	38,200	35,600	34,600	32,900	29,600	25,800		39,200	36,800	43,800	31,900	
51	37,400	34,600	34,200	32,500	29,200	25,600	34,500	34,700	40,100	29,800		
57	36,100	32,900	33,500	31,800	28,800	25,300	30,500	32,900	36,700	27,900		
63	34,000	31,000	31,700	30,500	28,300	24,900	27,400	30,600	33,600	26,300		
69	30,800	29,200	28,500	28,900	27,200	24,200	24,800	28,000	30,900	24,800		
75	27,200	27,600	25,000	26,800	25,000	23,200	22,500	25,800	28,600	22,500		
81	24,100	25,700	22,000	24,100	22,100	21,400	20,700	23,800	26,400	20,100		
87	21,400	23,200	19,400	21,500	19,500	18,900		22,000	24,700	19,200		
93	19,100	20,800	17,100	19,100	17,300	16,700		20,500	23,100	18,400		
99	17,000	18,700	15,000	17,100	15,300	14,700			21,700	17,700		
105	15,100	16,800	13,200	15,300	13,500	12,900			20,500	17,100		
111	13,400	15,100	11,600	13,600	11,900	11,400			18,800	16,600		
117	12,000	13,600	10,100	12,200	10,400	10,000			17,300	15,600		
123	10,600	12,200	8,800	10,800	9,100	8,700					13,800	
129	9,400	10,900	7,600	9,600	7,900	7,500					11,900	
135	8,200	9,700	6,500	8,500	6,800	6,400						
141	7,100	8,500	5,500	7,500	5,800	5,400						
147	6,100	7,500	4,600	6,600	4,900	4,500						
153	5,100	6,600	3,700	5,600	4,100	3,700						
159	4,300	5,800		4,800	3,300							
165	3,500	5,000		4,000								
171	2,800	4,300		3,300								
177	2,200	3,600		2,600								
183		3,000										
* n *	2	2	2	2	2	2	2	2	2	2	2	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	425	425	425	425	425	425	425	425	425	425	425	











070225

21.40

 ft	CODE > 0221 < L151 0940 .x(x)									
	114	128	142	157	171	142	157	157	171	185
16										
18										
21	46,300									
24	46,300	37,000				44,100				
27	46,300	36,500	39,500			44,000	27,700	39,700		
30	46,300	34,800	39,500	29,300		43,800	27,400	39,700		
33	46,300	33,200	39,500	29,200		43,400	25,900	39,500		
36	46,100	31,800	39,500	27,700	33,300	43,000	24,500	39,300	24,100	
39	44,400	30,400	39,100	26,400	33,100	42,600	20,400	39,000	20,100	19,500
45	40,900	28,000	38,300	24,000	32,900	42,000	18,200	38,200	17,800	17,700
51	37,700	25,900	36,200	20,000	32,500	41,600	16,500	37,400	16,200	16,000
57	34,800	24,000	33,800	17,800	31,800	39,600	15,000	36,100	14,600	14,500
63	32,100	20,900	31,600	16,400	30,500	35,600	13,600	34,000	13,300	13,200
69	29,800	18,700	29,600	15,200	28,900	31,300	12,400	30,800	12,000	11,900
75	27,800	17,500	27,600	14,100	26,800	27,600	11,300	27,200	10,900	10,800
81	25,900	16,500	25,800	13,000	24,100	24,500	10,300	24,100	9,900	9,800
87	24,300	15,600	24,300	12,100	21,500	21,700	9,400	21,400	9,000	8,900
93	22,800	14,800	22,500	11,300	19,100	19,300	8,500	19,100	8,100	8,000
99	21,300	14,000	20,300	10,500	17,100	17,200	7,800	17,000	7,400	7,200
105	19,800	13,300	18,400	9,800	15,300	15,300	7,100	15,100	6,600	6,500
111	18,000	12,700	16,500	9,100	13,600	13,600	6,400	13,400	6,000	5,900
117	16,300	12,100	14,800	8,500	12,200	12,000	5,900	12,000	5,400	5,300
123	14,800	11,600	13,300	8,000	10,800	10,600	5,300	10,600	4,800	4,700
129	13,400	10,800	11,900	7,500	9,600	9,200	4,800	9,400	4,300	4,200
135	12,200	9,600	10,700	7,000	8,500	8,000	4,400	8,200	3,800	3,700
141	11,200	8,400	9,600	6,300	7,500	6,900	3,900	7,100	3,400	3,200
147		7,200	8,600	5,300	6,600	5,900		6,100		
153		6,000	7,600	4,300	5,600	5,000		5,100		
159			6,800	3,400	4,800	4,100		4,300		
165			6,000		4,000	3,400		3,500		
171					3,300			2,800		
177					2,600			2,200		
183										
* n *	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	425	425	425	425	425	425	425	425	425	425











070225

21.40

 ft	CODE > 0221 < L151 0940 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30		30,600	32,600	33,500	34,800	33,500				
33		29,300	31,000	32,100	33,200	33,400				
36		28,400	29,600	30,700	31,600	32,200	32,900			
39		26,900	29,200	29,500	30,600	31,200	31,700	31,500		
45	12,000	24,500	26,800	27,900	28,900	29,200	29,600	29,800	31,500	29,800
51	10,600	22,600	24,700	26,000	27,200	27,700	28,000	28,200	30,200	28,600
57	9,100	21,000	23,000	24,400	25,500	26,200	26,500	27,000	28,700	27,000
63	7,800	19,700	21,600	22,900	24,100	24,900	25,400	25,900	27,600	25,900
69	6,600	18,800	20,400	21,700	22,900	23,700	24,400	24,900	26,500	25,100
75	5,600		19,500	20,700	21,800	22,600	23,400	23,900	25,400	24,300
81	4,600		18,800	19,800	20,900	21,700	22,500	22,900	24,500	23,500
87				19,200	20,100	20,800	21,600	21,900	23,200	22,700
93				18,700	19,500	20,000	20,800	20,900	21,200	21,700
99					18,900	19,100	20,100	19,900	18,900	20,700
105					18,600	18,100	19,300	18,900	16,900	19,700
111					18,300	17,100	18,500	17,900	15,100	17,800
117						16,200	17,100	16,400	13,400	15,900
123						15,400	15,500	14,800	11,800	14,300
129							14,000	13,400	10,300	12,800
135							12,600	12,000	8,900	11,500
141								10,800	7,700	10,300
147								9,700	6,600	9,200
153									5,600	8,200
159									4,600	7,200
165										6,400
171										
177										
183										
* n *	1	2	2	2	2	2	2	2	2	2
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	425	432	432	432	432	432	432	432	432	432



21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40






	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		



070225

21.40

		ft > < lbs		CODE > 0221 < L151 0940 .x(x)							
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45		23,400	23,400	23,400							
51		22,900	23,100	23,300	23,300				23,400		
57		22,200	22,400	22,700	21,500	22,300	18,100		23,400	16,000	22,900
63		21,500	21,800	22,100	19,800	22,000	17,200	22,300	23,000	15,100	22,700
69		21,000	21,000	21,600	18,600	21,600	15,900	22,000	22,400	13,800	22,200
75		20,600	20,100	21,100	17,500	21,300	14,800	21,600	22,000	12,600	21,700
81		20,300	19,200	20,800	16,500	21,100	13,700	21,400	21,500	11,500	21,500
87		20,100	18,400	20,500	15,600	20,900	12,800	21,300	21,200	10,500	21,300
93		20,100	17,700	20,200	14,700	20,600	11,900	20,900	20,900	9,600	20,900
99		20,100	17,000	19,700	14,000	20,100	11,000	20,200	20,300	8,700	20,200
105		20,100	16,500	19,100	13,300	19,400	10,300	18,200	18,100	8,000	18,000
111		18,900	16,000	18,500	12,600	18,400	9,600	16,300	16,100	7,300	16,100
117			15,700	17,400	12,000	16,700	9,000	14,600	14,300	6,600	14,300
123			14,100	15,700	11,500	14,900	8,400	13,000	12,500	6,000	12,700
129				14,100	11,100	13,300	7,800	11,600	10,900	5,400	11,300
135				12,600	10,300	11,900	7,300	10,300	9,400	4,900	9,900
141					9,100	10,600	6,800	9,100	8,100	4,400	8,600
147					7,700	9,400	6,300	8,000	6,900	4,000	7,300
153						8,300	5,400	6,900	5,700	3,400	6,200
159							4,300	5,900			5,200
165							3,300	4,900			4,200
171								4,100			
177								3,200			
183								2,500			
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
	2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
	3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
	4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
	5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
		23	23	23	23	23	23	23	23	23	23
TAB 151		439	439	439	439	439	439	439	439	439	439



21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

Diagram illustrating the dimensions and weight of the lighting fixture:

- Weight: 172,000 lbs
- Height: 29 ft
- Width: 18 ft
- Rotation: 360°

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40


	T	NZK xx° 40ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40







	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		




070225

21.40

		ft > < lbs		CODE > 0245 < L151 0C40.x(x)							
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					44,100				
27	46,300	36,500	39,500				44,000	27,700	39,700		
30	46,300	34,800	39,500	29,300			43,800	27,400	39,700		
33	46,300	33,200	39,500	29,200			43,400	25,900	39,500		
36	46,100	31,800	39,500	27,700	33,300		43,000	24,500	39,300	24,100	
39	44,400	30,400	39,100	26,400	33,100		42,600	20,400	39,000	20,100	19,500
45	40,900	28,000	38,300	24,000	32,900		37,000	18,200	35,600	17,800	17,700
51	37,700	25,900	34,300	20,000	29,400		30,900	16,500	30,200	16,200	16,000
57	33,300	24,000	29,500	17,800	25,100		25,900	15,000	25,300	14,600	14,500
63	28,900	20,900	25,300	16,400	21,200		21,700	13,600	21,300	13,300	13,200
69	25,100	18,700	21,800	15,200	18,000		18,300	12,400	18,000	12,000	11,900
75	21,900	17,500	18,800	14,100	15,200		15,400	11,300	15,100	10,900	10,800
81	19,200	16,500	16,300	13,000	12,900		12,900	10,200	12,700	9,900	9,800
87	16,900	15,300	14,100	12,000	10,800		10,800	8,700	10,700	8,700	8,700
93	14,900	13,500	12,300	10,700	9,100		8,900	6,900	8,800	6,900	7,200
99	12,900	11,800	10,600	9,000	7,500		7,300	5,300	7,200	5,400	5,700
105	11,200	10,300	9,100	7,600	6,100		5,900		5,800		
111	9,700	8,900	7,800	6,300	4,900		4,600		4,600		
117	8,400	7,600	6,700	5,200	3,800						
123	7,300	6,400	5,600	4,200							
129	6,300	5,400	4,700								
135	5,400	4,500	3,800								
141	4,600	3,700									
147		2,900									
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	404	404	404	404	404	404	404	404	404	404	404












070225

21.40

				ft > < lbs		CODE > 0245 < L151 0C40.x(x)					
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21		37,000	37,900								
24		34,800	37,100	35,900							
27		32,300	34,700	35,400	35,100						
30		30,600	32,600	33,500	34,800	33,500					
33		29,300	31,000	32,100	33,200	33,400					
36		28,400	29,600	30,700	31,600	32,200	32,900				
39		26,900	29,200	29,500	30,600	31,200	31,700	31,500			
45	12,000	24,500	26,800	27,900	28,900	29,200	29,600	29,800	31,500	29,800	
51	10,600	22,600	24,700	26,000	27,200	27,700	28,000	28,200	30,200	28,600	
57	9,100	21,000	23,000	24,400	25,500	26,200	26,500	27,000	28,400	27,000	
63	7,800	19,700	21,600	22,900	24,100	24,900	25,400	25,900	25,100	25,900	
69	6,600	18,800	20,400	21,700	22,900	23,700	24,400	24,600	21,300	24,000	
75	5,600		19,500	20,700	21,800	22,600	23,000	22,500	18,100	21,100	
81	4,600		18,800	19,800	20,700	21,200	21,000	19,700	15,400	18,400	
87				18,600	19,100	18,900	18,500	17,200	13,000	16,000	
93				16,300	16,800	16,500	16,300	15,100	10,900	14,000	
99					14,600	14,400	14,200	13,200	9,100	12,100	
105					12,700	12,500	12,300	11,600	7,500	10,500	
111					11,100	10,900	10,700	10,000	6,100	9,100	
117						9,400	9,300	8,600	4,800	7,800	
123						8,100	8,000	7,300	3,700	6,700	
129							6,800	6,200		5,600	
135							5,800	5,200		4,600	
141								4,200		3,700	
147								3,400			
* n *	1	2	2	2	2	2	2	2	2	2	2
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151		404	413	413	413	413	413	413	413	413	413












070225

21.40

	CODE > 0245 < L151 0C40.x(x)									
	157	157	157	171	171	185	197	58	72	86
10										
12										
14										
16										
18										
21								37,900		
24								37,100	35,900	
27								34,700	35,400	35,100
30								32,600	33,500	34,800
33								31,000	32,100	33,200
36								29,600	30,700	31,600
39								29,200	29,500	30,600
45	32,000							26,800	27,900	28,900
51	30,400	29,100	28,200	29,800	28,400			24,700	26,000	27,200
57	26,900	27,800	27,300	26,500	27,400	24,800		23,000	24,400	25,500
63	22,800	24,600	25,500	22,500	24,400	22,300	20,000	21,600	22,900	24,100
69	19,200	20,900	22,600	18,900	20,800	18,900	18,200	20,400	21,700	22,900
75	16,100	17,800	19,500	15,900	17,800	16,000	15,400	19,500	20,700	21,800
81	13,400	15,200	16,800	13,300	15,200	13,500	12,900	18,800	19,800	20,700
87	11,100	12,900	14,500	11,100	13,000	11,300	10,800		18,600	19,100
93	9,100	10,800	12,500	9,100	11,000	9,400	8,900		16,300	16,800
99	7,300	9,100	10,700	7,400	9,300	7,700	7,200			14,600
105	5,800	7,500	9,200	5,800	7,800	6,200	5,800			12,700
111	4,400	6,100	7,700	4,500	6,400	4,800	4,400			11,100
117		4,900	6,500		5,200	3,600				
123		3,700	5,400		4,100					
129			4,300							
135			3,400							
141										
147										
* n *	2	2	2	2	2	2	1	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	413	413	413	413	413	413	413	413	413	413











070225

21.40

		ft > < lbs		CODE > 0245 < L151 0C40.x(x)							
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	33,500										
33	33,400										
36	32,200	32,900									
39	31,200	31,700	29,800								
45	29,200	29,600	27,600	29,800				31,500	18,800		
51	27,700	28,000	25,600	28,600	19,300	28,400		30,200	17,400	29,100	16,700
57	26,200	26,500	22,000	27,000	18,200	27,400		28,400	15,800	27,800	15,600
63	24,900	25,400	19,800	25,900	16,800	24,400		25,100	14,400	24,600	14,200
69	23,700	24,400	18,600	24,000	15,600	20,800		21,300	13,200	20,900	12,900
75	21,700	23,000	17,500	21,100	14,400	17,800		18,100	12,000	17,800	11,700
81	19,500	21,000	16,500	18,400	13,400	15,200		15,400	11,000	15,200	10,700
87	18,400	18,500	15,600	16,000	12,500	13,000		13,000	10,000	12,900	9,700
93	16,500	16,300	14,600	14,000	11,600	11,000		10,900	9,000	10,800	8,700
99	14,400	14,200	13,200	12,100	10,700	9,300		9,100	7,300	9,100	7,400
105	12,500	12,300	11,600	10,500	9,200	7,800		7,500	5,800	7,500	5,800
111	10,900	10,700	10,000	9,100	7,700	6,400		6,100	4,400	6,100	4,500
117	9,400	9,300	8,600	7,800	6,500	5,200		4,800		4,900	
123	8,100	8,000	7,300	6,700	5,400	4,100		3,700		3,700	
129	6,900	6,800	6,200	5,600	4,300						
135		5,800	5,200	4,600	3,400						
141		4,800	4,200	3,700							
147			3,400								
* n *	2	2	2	2	1	2		2	1	2	1
xx	22.5	22.5	22.5	22.5	22.5	22.5		22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-		46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+		92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+		92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+		46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+		46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23		23	23	23	23
TAB 151	413	413	413	413	413	413		413	413	413	413



21.40

	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 40ft	 35,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40


	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0246 <		L151 0D40.x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	40,900	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	36,200	36,200	33,400	34,500	31,600	27,800		33,500	32,900	40,300	27,900
63	31,100	32,800	28,600	30,900	28,500	26,500		30,100	31,300	36,900	26,300
69	26,800	28,700	24,500	26,700	24,500	23,800		27,200	30,000	34,000	24,800
75	23,200	25,100	21,000	23,200	21,100	20,500		24,800	28,300	31,400	22,500
81	20,200	22,000	18,100	20,200	18,200	17,600		22,800	26,200	28,800	20,100
87	17,500	19,400	15,500	17,700	15,700	15,200			24,200	26,300	19,200
93	15,200	17,100	13,300	15,400	13,500	13,000			22,500	23,600	18,400
99	13,200	15,000	11,300	13,400	11,600	11,100				21,000	17,700
105	11,400	13,200	9,600	11,700	9,900	9,400				18,700	17,100
111	9,900	11,600	8,000	10,200	8,400	7,900				16,800	16,100
117	8,500	10,200	6,700	8,800	7,000	6,600				15,200	14,500
123	7,200	9,000	5,400	7,500	5,800	5,400					13,000
129	6,100	7,800	4,300	6,400	4,700	4,300					11,700
135	5,000	6,700		5,300	3,700						
141	4,100	5,800		4,400							
147	3,200	4,900		3,600							
153		4,000									
159		3,200									
165											
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	506	506	506	506	506	506	506	506	506	506	506

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

Diagram of a table with dimensions and weight:

- Table top: 29 x 27 ft
- Table height: 40 ft
- Table weight: 57,300 lbs
- Table rotation: 360°


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0246 <		L151 0D40.x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	28,900	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	26,300	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	22,900	25,400	
87				21,100	22,100	22,900	23,800	23,800	20,000	23,000	
93				20,500	21,400	22,000	22,700	21,700	17,400	20,500	
99					20,700	21,000	20,600	19,300	15,200	18,200	
105					19,500	19,200	18,500	17,300	13,200	16,200	
111					17,300	17,100	16,700	15,600	11,500	14,500	
117						15,200	15,000	13,900	9,900	12,900	
123						13,500	13,300	12,500	8,500	11,500	
129							11,800	11,100	7,200	10,200	
135							10,400	9,800	6,100	9,100	
141								8,500	4,900	7,900	
147								7,400	3,900	6,800	
153										5,800	
159										4,800	
165										4,000	
* n *		1	2	2	2	2	2	2	2	2	2
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
		ft /s	23	23	23	23	23	23	23	23	23
TAB 151			506	513	513	513	513	513	513	513	513

	T	NZK xx° 40ft					


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0246 <					L151 0D40.x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
10												
12												
14												
16												
18												
21									41,700			
24									40,800	39,500		
27									38,200	39,000	38,600	
30									35,900	36,900	38,300	
33									34,100	35,300	36,500	
36									32,500	33,800	34,700	
39									32,100	32,400	33,600	
45	35,200								29,400	30,700	31,800	
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900	
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000	
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500	
69	27,700	28,300	27,800	27,700	28,200	27,000	25,100	22,400	23,900	25,200		
75	24,200	26,000	26,400	24,000	25,900	24,000	23,300	21,400	22,800	24,000		
81	20,900	22,600	24,300	20,800	22,700	20,800	20,300	20,700	21,800	23,000		
87	18,000	19,800	21,500	18,000	19,900	18,100	17,600		21,100	22,100		
93	15,600	17,300	19,000	15,500	17,400	15,700	15,200		20,500	21,400		
99	13,400	15,100	16,800	13,400	15,300	13,600	13,200			20,700		
105	11,400	13,200	14,800	11,500	13,400	11,800	11,300				19,500	
111	9,700	11,400	13,100	9,800	11,700	10,100	9,700				17,300	
117	8,200	9,900	11,600	8,300	10,200	8,600	8,300					
123	6,800	8,500	10,200	6,900	8,800	7,300	6,900					
129	5,500	7,300	8,900	5,700	7,600	6,100	5,700					
135	4,400	6,100	7,700	4,500	6,500	4,900	4,600					
141	3,300	5,100	6,700	3,500	5,400	3,900	3,600					
147		4,100	5,700		4,500							
153		3,200	4,800		3,600							
159			3,800									
165			3,000									
* n *		2	2	2	2	2	2	2	2	2	2	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		513	513	513	513	513	513	513	513	513	513	

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,100	37,200	41,200
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	39,900	34,800	37,200
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	34,900	32,600	32,400
75			24,800	28,300	31,400	28,700	30,500	29,400	30,700	30,400	28,300
81			22,800	26,200	29,100	26,700	28,500	27,500	27,100	28,400	24,800
87				24,200	27,200	24,800	26,700	25,600	24,000	26,700	21,800
93				22,600	25,400	23,100	25,100	23,900	21,300	24,600	19,100
99					23,800	21,700	23,500	22,600	18,900	22,200	16,800
105					22,500	20,200	22,200	21,100	16,800	20,000	14,700
111					21,300	19,000	20,800	19,400	14,900	18,100	12,900
117					19,800	18,000	18,800	17,700	13,200	16,500	11,300
123						16,900	17,000	16,100	11,700	14,900	9,800
129						15,800	15,400	14,500	10,400	13,600	8,500
135							14,000	13,000	9,100	12,200	7,300
141							12,800	11,700	7,800	10,900	6,200
147								10,600	6,700	9,800	5,100
153								9,600	5,600	8,700	4,100
159									4,700	7,700	3,100
165									3,800	6,800	
171											
177											
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2		0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3		0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4		0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5		0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		505	505	505	505	505	505	505	505	505	505



T	NZK xx° 40ft





85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	37,800	34,100	35,300	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	34,400	32,100	32,000	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	30,300	30,400	28,100	29,600	28,000	25,700		24,800	28,300	31,400	22,500
81	26,800	28,300	24,600	26,800	24,700	23,900		22,800	26,200	29,100	20,100
87	23,700	25,600	21,600	23,800	21,800	21,200			24,200	27,200	19,200
93	21,000	22,900	19,000	21,200	19,200	18,600			22,600	25,400	18,400
99	18,700	20,500	16,700	18,900	17,000	16,400				23,800	17,700
105	16,600	18,400	14,700	16,800	14,900	14,400				22,500	17,100
111	14,800	16,600	12,900	15,000	13,200	12,700				21,300	16,600
117	13,100	14,900	11,300	13,400	11,600	11,100				19,800	15,600
123	11,700	13,400	9,800	11,900	10,200	9,700					13,800
129	10,300	12,000	8,500	10,600	8,900	8,400					11,900
135	9,100	10,800	7,300	9,400	7,700	7,200					
141	8,000	9,700	6,200	8,300	6,600	6,200					
147	6,900	8,600	5,200	7,300	5,600	5,200					
153	5,900	7,500	4,300	6,300	4,700	4,300					
159	4,900	6,500	3,400	5,400	3,800	3,400					
165	4,000	5,600		4,500	3,100						
171	3,200	4,800		3,700							
177	2,500	4,100		2,900							
183		3,400		2,200							
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		505	505	505	505	505	505	505	505	505	505

	T	NZK xx° 40ft					


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0247 <	L151 0E40 .x(x)				
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,100	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		39,900	13,600	37,800	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		34,900	12,400	34,400	12,000	11,900
75	30,500	17,500	30,400	14,100	29,600		30,700	11,300	30,300	10,900	10,800
81	28,500	16,500	28,400	13,000	26,800		27,100	10,300	26,800	9,900	9,800
87	26,700	15,600	26,700	12,100	23,800		24,000	9,400	23,700	9,000	8,900
93	25,100	14,800	24,600	11,300	21,200		21,300	8,500	21,000	8,100	8,000
99	23,500	14,000	22,200	10,500	18,900		18,900	7,800	18,700	7,400	7,200
105	22,200	13,300	20,000	9,800	16,800		16,800	7,100	16,600	6,600	6,500
111	20,800	12,700	18,100	9,100	15,000		14,900	6,400	14,800	6,000	5,900
117	18,800	12,100	16,500	8,500	13,400		13,200	5,900	13,100	5,400	5,300
123	17,000	11,600	14,900	8,000	11,900		11,700	5,300	11,700	4,800	4,700
129	15,400	10,800	13,600	7,500	10,600		10,400	4,800	10,300	4,300	4,200
135	14,000	9,600	12,200	7,000	9,400		9,100	4,400	9,100	3,800	3,700
141	12,800	8,400	10,900	6,300	8,300		7,800	3,900	8,000	3,400	3,200
147		7,200	9,800	5,300	7,300		6,700		6,900		
153		6,000	8,700	4,300	6,300		5,600		5,900		
159			7,700	3,400	5,400		4,700		4,900		
165			6,800		4,500		3,800		4,000		
171					3,700				3,200		
177					2,900				2,500		
183					2,200						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	505	505	505	505	505	505	505	505	505	505	505

	T	NZK xx° 40ft					
			79,400 lbs	29 x 27 ft	360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900	
87				21,100	22,100	22,900	23,800	24,100	25,600	24,900	
93				20,500	21,400	22,000	22,900	23,000	23,300	23,900	
99					20,800	21,000	22,100	21,900	20,800	22,800	
105					20,500	19,900	21,300	20,800	18,500	21,500	
111					20,200	18,800	20,400	19,700	16,400	19,500	
117						17,800	19,400	18,500	14,600	17,600	
123						16,900	17,800	17,000	13,000	16,000	
129							16,100	15,400	11,500	14,500	
135							14,500	13,800	10,200	13,100	
141								12,400	8,800	11,800	
147								11,100	7,500	10,500	
153									6,300	9,300	
159									5,300	8,200	
165										7,200	
171											
177											
183											
* n *	1	2	2	2	2	2	2	2	2	2	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	505	512	512	512	512	512	512	512	512	512	

	T	NZK xx° 40ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	
81	26,800	26,900	26,100	26,700	26,600	26,100	23,300	20,700	21,800	23,000	
87	24,300	25,600	25,100	24,100	25,300	24,200	22,400		21,100	22,100	
93	21,400	23,100	24,100	21,300	23,200	21,400	20,900		20,500	21,400	
99	18,900	20,600	22,300	18,800	20,700	19,000	18,500			20,800	
105	16,600	18,300	20,000	16,600	18,500	16,800	16,400			20,500	
111	14,600	16,400	18,000	14,600	16,600	14,900	14,500			20,200	
117	12,900	14,600	16,200	12,900	14,800	13,200	12,800				
123	11,200	13,000	14,600	11,300	13,200	11,600	11,200				
129	9,800	11,500	13,100	9,900	11,800	10,200	9,800				
135	8,400	10,200	11,800	8,600	10,500	8,900	8,600				
141	7,200	9,000	10,600	7,300	9,300	7,800	7,400				
147	6,100	7,800	9,400	6,300	8,200	6,700	6,300				
153	5,000	6,700	8,300	5,200	7,200	5,700	5,300				
159	3,900	5,600	7,200	4,300	6,200	4,700	4,400				
165		4,600	6,200	3,400	5,300	3,900	3,600				
171		3,700	5,300		4,400	3,100					
177		2,900	4,400		3,500	2,300					
183			3,600		2,700						
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	512	512	512	512	512	512	512	512	512



T	NZK xx° 40ft




85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,300	25,600	10,000	25,600	9,700	
93	17,900	22,900	14,700	23,900	11,600	23,200	23,300	9,100	23,100	8,800	
99	17,300	22,100	14,000	22,800	10,800	20,700	20,800	8,300	20,600	8,000	
105	16,700	21,300	13,300	21,500	10,100	18,500	18,500	7,600	18,300	7,200	
111	16,200	20,400	12,600	19,500	9,400	16,600	16,400	6,900	16,400	6,500	
117	15,800	19,400	12,100	17,600	8,800	14,800	14,600	6,300	14,600	5,900	
123	14,300	17,800	11,500	16,000	8,200	13,200	13,000	5,700	13,000	5,300	
129	12,300	16,100	11,100	14,500	7,700	11,800	11,500	5,200	11,500	4,800	
135		14,500	10,200	13,100	7,200	10,500	10,200	4,700	10,200	4,300	
141		13,000	8,900	11,800	6,700	9,300	8,800	4,300	9,000	3,800	
147			7,700	10,500	6,100	8,200	7,500	3,800	7,800	3,400	
153			6,500	9,300	5,100	7,200	6,300		6,700		
159				8,200	4,100	6,200	5,300		5,600		
165				7,200	3,200	5,300			4,600		
171						4,400			3,700		
177						3,500			2,900		
183						2,700					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	512	512	512	512	512	512	512	512	512	512	



T	NZK xx° 40ft




85%

T	NZK xx° 40ft

070225

21.40

 ft	 ft > < lbs CODE > 0247 < L151 0E40 .x(x)									
	185	197	44	58	72	86	100	114	128	142
10										
12										
14										
16										
18										
21										
24										
27										
30			25,700							
33			25,700	25,700						
36			25,700	25,700	25,700					
39			25,700	25,700	25,700	25,700				
45			24,500	25,300	25,700	25,700	25,700	25,700		
51			23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000		22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500	22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800		22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700		22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700			22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800			22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900				22,100	21,600	22,200	22,100	22,900
99	7,900					22,100	21,100	21,700	21,500	22,200
105	7,100						20,100	21,000	20,800	19,800
111	6,400						19,100	20,300	19,700	17,600
117	5,800						18,100	19,500	18,700	15,600
123	5,200							18,000	17,400	13,800
129	4,700							16,200	15,800	12,200
135	4,100								14,100	10,700
141	3,700								12,500	9,300
147	3,200									7,800
153										6,500
159										
165										
171										
177										
183										
* n *	1	1	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
 ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	512	512	519	519	519	519	519	519	519

	T	NZK xx° 40ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft


070225

21.40

				ft > < lbs		CODE > 0247 <		L151 0E40 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	22,900	23,000	22,700	22,900	23,000	22,700	20,800		22,100	
99	22,100	20,500	22,100	22,200	20,500	22,200	20,600	19,900			
105	21,300	18,100	19,700	21,200	18,100	19,900	18,300	17,900			
111	20,300	15,900	17,600	19,100	16,000	17,800	16,300	15,900			
117	18,500	14,000	15,600	17,200	14,100	15,900	14,400	14,000			
123	16,700	12,200	13,900	15,500	12,400	14,200	12,700	12,400			
129	15,100	10,600	12,300	13,900	10,800	12,700	11,200	10,900			
135	13,600	9,200	10,900	12,500	9,400	11,300	9,800	9,500			
141	12,100	7,900	9,600	11,200	8,100	10,000	8,500	8,200			
147	10,700	6,600	8,300	9,900	6,900	8,800	7,400	7,100			
153	9,400	5,400	7,100	8,600	5,800	7,700	6,300	6,000			
159		4,200	5,900	7,500	4,700	6,600	5,300	5,000			
165			4,800	6,300	3,700	5,600	4,300	4,100			
171						4,600	3,500	3,200			
177						3,600	2,600	2,400			
183						2,700					
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519

	T	NZK xx° 40ft					
			79,400 lbs	29 x 27 ft	360°		







85%



070225

21.40

		ft > < lbs		CODE > 0247 < L151 0E40 .x(x)							
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700								
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	22,900	9,600	23,000	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,200	22,200	8,700	22,100	
105	22,100	16,500	21,000	13,300	21,300	10,300	19,900	19,800	8,000	19,700	
111	21,900	16,000	20,300	12,600	20,300	9,600	17,800	17,600	7,300	17,600	
117		15,700	19,500	12,000	18,500	9,000	15,900	15,600	6,600	15,600	
123		14,100	18,000	11,500	16,700	8,400	14,200	13,800	6,000	13,900	
129			16,200	11,100	15,100	7,800	12,700	12,200	5,400	12,300	
135			14,400	10,300	13,600	7,300	11,300	10,700	4,900	10,900	
141				9,100	12,100	6,800	10,000	9,300	4,400	9,600	
147				7,700	10,700	6,300	8,800	7,800	4,000	8,300	
153					9,400	5,400	7,700	6,500	3,400	7,100	
159						4,300	6,600			5,900	
165						3,300	5,600			4,800	
171							4,600				
177							3,600				
183							2,700				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	519	519	519	519	519	519	519	519	519	519	




85%

T	NZK xx° 40ft

070225


21.40

 ft	 ft > < lbs			CODE > 0247 < L151 0E40 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	519	519	519							





T	NZK xx° 40ft

 79,400 lbs

 29 x 27 ft

 360°




85%

T	NZK xx° 40ft

070225


21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,400	37,200	41,600
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	40,900	34,800	38,200
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	36,300	32,600	33,800
75			24,800	28,300	31,400	28,700	30,500	29,400	32,000	30,400	29,600
81			22,800	26,200	29,100	26,700	28,500	27,500	28,400	28,400	26,100
87				24,200	27,200	24,800	26,700	25,600	25,200	26,800	23,000
93				22,600	25,400	23,100	25,100	23,900	22,400	25,100	20,300
99					23,800	21,700	23,500	22,600	20,000	23,300	17,900
105					22,500	20,200	22,200	21,100	17,800	21,100	15,700
111					21,300	19,000	21,000	19,800	15,900	19,100	13,900
117					20,400	18,000	19,600	18,600	14,200	17,400	12,200
123						16,900	17,900	16,900	12,600	15,800	10,700
129						16,100	16,300	15,300	11,200	14,400	9,300
135							14,800	13,800	9,900	13,000	8,100
141							13,500	12,500	8,600	11,700	6,900
147								11,300	7,400	10,500	5,800
153								10,200	6,300	9,400	4,800
159									5,400	8,400	3,800
165									4,500	7,500	
171											
177											
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2		0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3		0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4		0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5		0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		504	504	504	504	504	504	504	504	504	504

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	38,200	34,100	35,900	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	35,400	32,100	33,100	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	31,600	30,400	29,300	30,200	28,500	25,700		24,800	28,300	31,400	22,500
81	28,000	28,600	25,900	28,000	25,900	24,300		22,800	26,200	29,100	20,100
87	24,900	26,600	22,800	25,000	23,000	22,300			24,200	27,200	19,200
93	22,200	24,000	20,100	22,300	20,300	19,700			22,600	25,400	18,400
99	19,800	21,600	17,800	19,900	18,000	17,400				23,800	17,700
105	17,600	19,400	15,700	17,800	15,900	15,400				22,500	17,100
111	15,700	17,500	13,800	15,900	14,100	13,600				21,300	16,600
117	14,000	15,800	12,200	14,300	12,500	12,000				20,400	15,600
123	12,500	14,300	10,700	12,800	11,000	10,500					13,800
129	11,100	12,900	9,300	11,400	9,700	9,200					11,900
135	9,900	11,600	8,100	10,200	8,400	8,000					
141	8,700	10,400	7,000	9,000	7,300	6,900					
147	7,600	9,300	5,900	8,000	6,300	5,900					
153	6,500	8,200	5,000	7,000	5,400	5,000					
159	5,500	7,200	4,100	6,100	4,500	4,100					
165	4,600	6,300	3,200	5,200	3,700	3,300					
171	3,800	5,400		4,300							
177	3,000	4,700		3,500							
183		4,000		2,800							
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504





T	NZK xx° 40ft

83,800 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,400	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		40,900	13,600	38,200	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		36,300	12,400	35,400	12,000	11,900
75	30,500	17,500	30,400	14,100	30,200		32,000	11,300	31,600	10,900	10,800
81	28,500	16,500	28,400	13,000	28,000		28,400	10,300	28,000	9,900	9,800
87	26,700	15,600	26,800	12,100	25,000		25,200	9,400	24,900	9,000	8,900
93	25,100	14,800	25,100	11,300	22,300		22,400	8,500	22,200	8,100	8,000
99	23,500	14,000	23,300	10,500	19,900		20,000	7,800	19,800	7,400	7,200
105	22,200	13,300	21,100	9,800	17,800		17,800	7,100	17,600	6,600	6,500
111	21,000	12,700	19,100	9,100	15,900		15,900	6,400	15,700	6,000	5,900
117	19,600	12,100	17,400	8,500	14,300		14,200	5,900	14,000	5,400	5,300
123	17,900	11,600	15,800	8,000	12,800		12,600	5,300	12,500	4,800	4,700
129	16,300	10,800	14,400	7,500	11,400		11,200	4,800	11,100	4,300	4,200
135	14,800	9,600	13,000	7,000	10,200		9,900	4,400	9,900	3,800	3,700
141	13,500	8,400	11,700	6,300	9,000		8,600	3,900	8,700	3,400	3,200
147		7,200	10,500	5,300	8,000		7,400		7,600		
153		6,000	9,400	4,300	7,000		6,300		6,500		
159			8,400	3,400	6,100		5,400		5,500		
165			7,500		5,200		4,500		4,600		
171					4,300				3,800		
177					3,500				3,000		
183					2,800						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900	
87				21,100	22,100	22,900	23,800	24,100	25,800	24,900	
93				20,500	21,400	22,000	22,900	23,000	24,500	23,900	
99					20,800	21,000	22,100	21,900	21,800	22,800	
105					20,500	19,900	21,300	20,800	19,500	21,700	
111					20,200	18,800	20,400	19,700	17,400	20,400	
117						17,800	19,400	18,500	15,600	18,600	
123						16,900	18,400	17,600	13,900	16,900	
129							16,900	16,200	12,400	15,400	
135							15,300	14,600	11,000	13,900	
141								13,100	9,600	12,500	
147								11,800	8,300	11,200	
153									7,000	10,000	
159									5,900	8,900	
165										7,800	
171											
177											
183											
* n *	1	2	2	2	2	2	2	2	2	2	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+	
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+	
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+	
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	504	511	511	511	511	511	511	511	511	511	





	T	NZK xx° 40ft					
			83,800 lbs	29 x 27 ft	360°		

85%

T	NZK xx° 40ft


070225

21.40

	CODE > 0248 < L151 0F40 .x(x)									
	197	44	58	72	86	100	114	128	142	142
	189									
	* n *	1	2	2	2	2	2	2	2	2
	xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+
	ft /s	23	23	23	23	23	23	23	23	23
	TAB 151	504	511	511	511	511	511	511	511	511



	T	NZK xx° 40ft	83,800 lbs	29 x 27 ft	360°		


85%



070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	25,200
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	24,000
81	27,200	26,900	26,100	27,100	26,600	26,400	23,300	20,700	21,800	23,000	23,000
87	25,400	25,900	25,100	25,300	25,600	25,100	22,600		21,100	22,100	22,100
93	22,500	24,200	24,200	22,400	24,300	22,500	21,600		20,500	21,400	21,400
99	19,900	21,700	23,100	19,900	21,800	20,100	19,500			20,800	20,800
105	17,600	19,400	21,000	17,600	19,500	17,800	17,300			20,500	20,500
111	15,600	17,300	19,000	15,600	17,500	15,900	15,400			20,200	20,200
117	13,800	15,500	17,100	13,800	15,700	14,100	13,700				
123	12,100	13,800	15,500	12,200	14,100	12,500	12,100				
129	10,600	12,300	14,000	10,700	12,600	11,000	10,600				
135	9,200	11,000	12,600	9,300	11,300	9,700	9,300				
141	8,000	9,700	11,400	8,100	10,100	8,500	8,100				
147	6,800	8,600	10,200	7,000	8,900	7,400	7,000				
153	5,700	7,400	9,000	5,900	7,900	6,300	6,000				
159	4,600	6,300	7,900	5,000	6,900	5,400	5,100				
165	3,600	5,300	6,900	4,000	5,900	4,500	4,200				
171		4,300	5,900	3,100	5,000	3,700	3,400				
177		3,400	5,000	2,200	4,100	2,800	2,600				
183			4,200		3,300						
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511



T	NZK xx° 40ft

21.40

Diagram of the 29' x 27' table. The table is shown with its dimensions: 29' x 27'. The weight is indicated as 83,800 lbs. The table is shown with a 360° rotation arrow.


85%

T	NZK xx° 40ft

070225

21.40

		ft > < lbs					CODE > 0248 < L151 0F40 .x(x)				
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,600	25,800	10,000	25,900	9,700	
93	17,900	22,900	14,700	23,900	11,600	24,300	24,500	9,100	24,200	8,800	
99	17,300	22,100	14,000	22,800	10,800	21,800	21,800	8,300	21,700	8,000	
105	16,700	21,300	13,300	21,700	10,100	19,500	19,500	7,600	19,400	7,200	
111	16,200	20,400	12,600	20,400	9,400	17,500	17,400	6,900	17,300	6,500	
117	15,800	19,400	12,100	18,600	8,800	15,700	15,600	6,300	15,500	5,900	
123	14,300	18,400	11,500	16,900	8,200	14,100	13,900	5,700	13,800	5,300	
129	12,300	16,900	11,100	15,400	7,700	12,600	12,400	5,200	12,300	4,800	
135		15,300	10,200	13,900	7,200	11,300	11,000	4,700	11,000	4,300	
141		13,800	8,900	12,500	6,700	10,100	9,600	4,300	9,700	3,800	
147			7,700	11,200	6,100	8,900	8,300	3,800	8,600	3,400	
153			6,500	10,000	5,100	7,900	7,000		7,400		
159				8,900	4,100	6,900	5,900		6,300		
165				7,800	3,200	5,900			5,300		
171						5,000			4,300		
177						4,100			3,400		
183						3,300					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	511	511	511	511	511	511	511	511	511	511	

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40


	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				25,700							
33				25,700	25,700						
36				25,700	25,700	25,700					
39				25,700	25,700	25,700	25,700				
45				24,500	25,300	25,700	25,700	25,700	25,700		
51				23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000			22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500		22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800			22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700			22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700				22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800				22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900					22,100	21,600	22,200	22,100	23,000
99	7,900						22,100	21,100	21,700	21,500	22,600
105	7,100							20,100	21,000	20,800	20,800
111	6,400							19,100	20,300	19,700	18,600
117	5,800							18,100	19,500	18,700	16,500
123	5,200								18,700	17,700	14,700
129	4,700								17,000	16,500	13,100
135	4,100									14,900	11,500
141	3,700									13,300	10,000
147	3,200										8,500
153											7,200
159											
165											
171											
177											
183											
* n *	1	1	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151		511	511	518	518	518	518	518	518	518	518



T	NZK xx° 40ft

 83,800 lbs

29 x  27 ft

 360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	23,000	23,100	22,700	23,100	23,000	22,900	20,800		22,100	
99	22,100	21,600	22,700	22,200	21,500	22,300	21,700	20,000			
105	21,300	19,100	20,700	21,700	19,100	20,900	19,300	18,900			
111	20,500	16,900	18,500	20,000	16,900	18,800	17,200	16,800			
117	19,300	14,900	16,600	18,100	15,000	16,800	15,300	14,900			
123	17,600	13,100	14,800	16,300	13,200	15,100	13,600	13,200			
129	16,000	11,500	13,200	14,700	11,600	13,500	12,000	11,700			
135	14,400	10,000	11,700	13,300	10,200	12,100	10,600	10,300			
141	12,900	8,600	10,300	11,900	8,900	10,700	9,300	9,000			
147	11,400	7,400	9,000	10,600	7,600	9,500	8,100	7,800			
153	10,100	6,100	7,800	9,300	6,500	8,400	7,000	6,700			
159		4,900	6,500	8,100	5,400	7,300	5,900	5,700			
165		3,700	5,400	7,000	4,400	6,200	5,000	4,700			
171					3,300	5,200	4,100	3,900			
177					2,300	4,200	3,200	3,000			
183						3,300	2,300	2,300			
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518


	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		






85%



070225

21.40

				ft > < lbs		CODE > 0248 <		L151 0F40 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700	25,700							
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	23,000	9,600	23,100	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,300	22,600	8,700	22,700	
105	22,100	16,500	21,000	13,300	21,300	10,300	20,900	20,800	8,000	20,700	
111	22,100	16,000	20,300	12,600	20,500	9,600	18,800	18,600	7,300	18,500	
117		15,700	19,500	12,000	19,300	9,000	16,800	16,500	6,600	16,600	
123		14,100	18,700	11,500	17,600	8,400	15,100	14,700	6,000	14,800	
129			17,000	11,100	16,000	7,800	13,500	13,100	5,400	13,200	
135			15,200	10,300	14,400	7,300	12,100	11,500	4,900	11,700	
141				9,100	12,900	6,800	10,700	10,000	4,400	10,300	
147				7,700	11,400	6,300	9,500	8,500	4,000	9,000	
153					10,100	5,400	8,400	7,200	3,400	7,800	
159						4,300	7,300			6,500	
165						3,300	6,200			5,400	
171							5,200				
177							4,200				
183							3,300				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	518	518	518	518	518	518	518	518	518	518	



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

 ft	 ft > < lbs			CODE > 0248 < L151 0F40 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	518	518	518							

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,400	37,200	41,600
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	42,500	34,800	40,400
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	40,300	32,600	38,300
75			24,800	28,300	31,400	28,700	30,500	29,400	37,200	30,400	34,800
81			22,800	26,200	29,100	26,700	28,500	27,500	33,200	28,400	30,900
87				24,200	27,200	24,800	26,700	25,600	29,700	26,800	27,500
93				22,600	25,400	23,100	25,100	23,900	26,700	25,200	24,500
99					23,800	21,700	23,500	22,600	24,100	23,600	21,900
105					22,500	20,200	22,200	21,100	21,700	22,400	19,600
111					21,300	19,000	21,000	19,800	19,600	21,200	17,600
117					20,400	18,000	19,900	18,700	17,800	20,100	15,800
123						16,900	18,900	17,700	16,100	19,000	14,100
129						16,100	18,000	16,700	14,500	17,600	12,600
135							17,100	15,800	13,000	16,100	11,200
141							16,200	15,000	11,600	14,600	10,000
147								14,000	10,300	13,300	8,700
153								12,900	9,100	12,100	7,500
159									8,000	11,000	6,400
165									7,000	10,000	5,400
171											4,500
177											3,700
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2		0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3		0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4		0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5		0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	38,200	34,100	35,900	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	36,400	32,100	34,800	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	34,400	30,400	33,200	30,200	29,100	25,700		24,800	28,300	31,400	22,500
81	32,100	28,600	30,600	28,700	28,000	24,500		22,800	26,200	29,100	20,100
87	29,400	26,900	27,300	27,200	26,500	23,400			24,200	27,200	19,200
93	26,400	25,300	24,400	25,700	24,500	22,300			22,600	25,400	18,400
99	23,800	23,800	21,800	23,900	22,000	21,200				23,800	17,700
105	21,500	22,400	19,500	21,600	19,800	19,200				22,500	17,100
111	19,400	21,000	17,500	19,600	17,800	17,200				21,300	16,600
117	17,600	19,300	15,700	17,800	16,000	15,500				20,400	15,600
123	15,900	17,600	14,100	16,100	14,400	13,900					13,800
129	14,400	16,100	12,600	14,600	12,900	12,400					11,900
135	13,100	14,800	11,300	13,300	11,600	11,100					
141	11,800	13,400	10,000	12,000	10,300	9,900					
147	10,500	12,100	8,900	10,900	9,200	8,800					
153	9,300	10,900	7,800	9,800	8,200	7,800					
159	8,200	9,800	6,800	8,700	7,200	6,800					
165	7,200	8,800	5,700	7,700	6,300	5,900					
171	6,300	7,900	4,800	6,800	5,400	5,100					
177	5,400	7,000	4,000	5,900	4,500	4,300					
183		6,300	3,200	5,100	3,700	3,500					
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft



070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,400	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		42,500	13,600	38,200	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		40,300	12,400	36,400	12,000	11,900
75	30,500	17,500	30,400	14,100	30,200		37,200	11,300	34,400	10,900	10,800
81	28,500	16,500	28,400	13,000	28,700		33,200	10,300	32,100	9,900	9,800
87	26,700	15,600	26,800	12,100	27,200		29,700	9,400	29,400	9,000	8,900
93	25,100	14,800	25,200	11,300	25,700		26,700	8,500	26,400	8,100	8,000
99	23,500	14,000	23,600	10,500	23,900		24,100	7,800	23,800	7,400	7,200
105	22,200	13,300	22,400	9,800	21,600		21,700	7,100	21,500	6,600	6,500
111	21,000	12,700	21,200	9,100	19,600		19,600	6,400	19,400	6,000	5,900
117	19,900	12,100	20,100	8,500	17,800		17,800	5,900	17,600	5,400	5,300
123	18,900	11,600	19,000	8,000	16,100		16,100	5,300	15,900	4,800	4,700
129	18,000	10,800	17,600	7,500	14,600		14,500	4,800	14,400	4,300	4,200
135	17,100	9,600	16,100	7,000	13,300		13,000	4,400	13,100	3,800	3,700
141	16,200	8,400	14,600	6,300	12,000		11,600	3,900	11,800	3,400	3,200
147		7,200	13,300	5,300	10,900		10,300		10,500		
153		6,000	12,100	4,300	9,800		9,100		9,300		
159			11,000	3,400	8,700		8,000		8,200		
165			10,000		7,700		7,000		7,200		
171					6,800				6,300		
177					5,900				5,400		
183					5,100						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	503	503	503	503	503	503	503	503	503	503	503



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900	
87				21,100	22,100	22,900	23,800	24,100	25,900	24,900	
93				20,500	21,400	22,000	22,900	23,000	25,100	23,900	
99					20,800	21,000	22,100	21,900	24,300	22,800	
105					20,500	19,900	21,300	20,800	23,400	21,700	
111					20,200	18,800	20,400	19,700	21,100	20,700	
117						17,800	19,400	18,500	19,100	19,700	
123						16,900	18,600	17,600	17,300	18,700	
129							17,800	16,700	15,700	17,800	
135							17,000	15,800	14,100	16,800	
141								15,000	12,500	15,400	
147								14,200	11,100	14,000	
153									9,800	12,700	
159									8,600	11,500	
165										10,400	
171											
177											
183											
* n *	1	2	2	2	2	2	2	2	2	2	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	503	510	510	510	510	510	510	510	510	510	



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	
81	27,400	26,900	26,100	27,300	26,600	26,400	23,300	20,700	21,800	23,000	
87	26,500	26,000	25,100	26,400	25,600	25,600	22,600		21,100	22,100	
93	25,500	25,200	24,200	25,500	24,600	24,500	21,800		20,500	21,400	
99	24,000	24,300	23,200	23,800	23,500	23,400	20,800			20,800	
105	21,500	23,200	22,100	21,400	22,500	21,600	20,000			20,500	
111	19,300	21,000	21,000	19,200	21,100	19,500	18,900			20,200	
117	17,300	19,000	19,800	17,300	19,200	17,600	17,100				
123	15,500	17,200	18,700	15,500	17,500	15,800	15,400				
129	13,900	15,600	17,200	13,900	15,900	14,300	13,800				
135	12,400	14,100	15,700	12,500	14,400	12,800	12,400				
141	11,100	12,800	14,400	11,200	13,100	11,500	11,100				
147	9,800	11,500	13,000	9,900	11,800	10,300	9,900				
153	8,500	10,200	11,700	8,800	10,700	9,200	8,800				
159	7,300	8,900	10,500	7,700	9,600	8,100	7,800				
165	6,100	7,800	9,400	6,600	8,500	7,200	6,800				
171	5,100	6,800	8,400	5,500	7,400	6,200	5,900				
177	4,100	5,800	7,400	4,600	6,500	5,300	5,100				
183			6,500	3,700	5,600	4,400	4,300				
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	510	510	510	510	510	510	510	510	510



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40


		ft > < lbs					CODE > 0249 < L151 1040 .x(x)				
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,600	25,900	10,000	26,000	9,700	
93	17,900	22,900	14,700	23,900	11,600	24,600	25,100	9,100	25,200	8,800	
99	17,300	22,100	14,000	22,800	10,800	23,500	24,300	8,300	24,300	8,000	
105	16,700	21,300	13,300	21,700	10,100	22,500	23,400	7,600	23,200	7,200	
111	16,200	20,400	12,600	20,700	9,400	21,100	21,100	6,900	21,000	6,500	
117	15,800	19,400	12,100	19,700	8,800	19,200	19,100	6,300	19,000	5,900	
123	14,300	18,600	11,500	18,700	8,200	17,500	17,300	5,700	17,200	5,300	
129	12,300	17,800	11,100	17,800	7,700	15,900	15,700	5,200	15,600	4,800	
135		17,000	10,200	16,800	7,200	14,400	14,100	4,700	14,100	4,300	
141		16,300	8,900	15,400	6,700	13,100	12,500	4,300	12,800	3,800	
147			7,700	14,000	6,100	11,800	11,100	3,800	11,500	3,400	
153			6,500	12,700	5,100	10,700	9,800		10,200		
159				11,500	4,100	9,600	8,600		8,900		
165				10,400	3,200	8,500			7,800		
171						7,400			6,800		
177						6,500			5,800		
183						5,600					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	510	510	510	510	510	510	510	510	510	510	



T	NZK xx° 40ft

101,400 lbs

29 x 27 ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				25,700							
33				25,700	25,700						
36				25,700	25,700	25,700					
39				25,700	25,700	25,700	25,700				
45				24,500	25,300	25,700	25,700	25,700	25,700		
51				23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000			22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500		22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800			22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700			22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700				22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800				22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900					22,100	21,600	22,200	22,100	23,000
99	7,900						22,100	21,100	21,700	21,500	22,700
105	7,100							20,100	21,000	20,800	22,500
111	6,400							19,100	20,300	19,700	22,100
117	5,800							18,100	19,500	18,700	20,100
123	5,200								18,700	17,700	18,200
129	4,700								18,000	16,900	16,400
135	4,100									16,000	14,700
141	3,700									15,200	13,000
147	3,200										11,400
153											9,900
159											
165											
171											
177											
183											
* n *	1	1	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
	%										
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		510	510	517	517	517	517	517	517	517	517

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	23,300	23,100	22,700	23,300	23,000	23,000	20,800		22,100	
99	22,100	23,000	22,800	22,200	23,100	22,300	22,400	20,000			
105	21,300	22,700	22,500	21,700	22,900	21,700	21,700	19,200			
111	20,500	20,600	22,000	20,800	20,600	20,900	20,700	18,500			
117	19,600	18,500	20,100	19,900	18,500	20,100	18,800	17,900			
123	18,700	16,500	18,200	19,000	16,600	18,400	16,900	16,500			
129	17,800	14,800	16,400	17,800	14,900	16,700	15,300	14,900			
135	17,000	13,200	14,800	16,400	13,300	15,200	13,700	13,400			
141	15,800	11,700	13,400	14,900	11,900	13,700	12,300	12,000			
147	14,200	10,300	11,900	13,500	10,600	12,400	11,000	10,700			
153	12,800	8,900	10,500	12,000	9,300	11,200	9,800	9,500			
159		7,500	9,200	10,700	8,100	10,000	8,700	8,400			
165		6,300	8,000	9,500	6,900	8,800	7,600	7,300			
171					5,800	7,700	6,600	6,400			
177					4,700	6,600	5,500	5,500			
183					3,700	5,600	4,600	4,600			
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0249 <		L151 1040 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700	25,700							
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	23,000	9,600	23,100	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,300	22,700	8,700	22,800	
105	22,100	16,500	21,000	13,300	21,300	10,300	21,700	22,500	8,000	22,500	
111	22,100	16,000	20,300	12,600	20,500	9,600	20,900	22,100	7,300	22,000	
117		15,700	19,500	12,000	19,600	9,000	20,100	20,100	6,600	20,100	
123		14,100	18,700	11,500	18,700	8,400	18,400	18,200	6,000	18,200	
129			18,000	11,100	17,800	7,800	16,700	16,400	5,400	16,400	
135			17,500	10,300	17,000	7,300	15,200	14,700	4,900	14,800	
141				9,100	15,800	6,800	13,700	13,000	4,400	13,400	
147				7,700	14,200	6,300	12,400	11,400	4,000	11,900	
153					12,800	5,400	11,200	9,900	3,400	10,500	
159						4,300	10,000			9,200	
165						3,300	8,800			8,000	
171							7,700				
177							6,600				
183							5,600				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	517	517	517	517	517	517	517	517	517	517	




T	NZK xx° 40ft

101,400 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

 ft	 ft > < lbs			CODE > 0249 < L151 1040 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	517	517	517							


	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 101,400 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

		ft > < lbs CODE > 0250 < L151 1140 .x(x)									
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,400	37,200	41,600
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	42,500	34,800	40,400
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	40,300	32,600	39,000
75			24,800	28,300	31,400	28,700	30,500	29,400	37,700	30,400	36,000
81			22,800	26,200	29,100	26,700	28,500	27,500	34,400	28,400	32,000
87				24,200	27,200	24,800	26,700	25,600	30,800	26,800	28,600
93				22,600	25,400	23,100	25,100	23,900	27,700	25,200	25,600
99					23,800	21,700	23,500	22,600	25,000	23,600	22,900
105					22,500	20,200	22,200	21,100	22,600	22,400	20,500
111					21,300	19,000	21,000	19,800	20,500	21,200	18,400
117					20,400	18,000	19,900	18,700	18,600	20,100	16,600
123						16,900	18,900	17,700	16,900	19,000	14,900
129						16,100	18,000	16,700	15,300	18,100	13,400
135							17,100	15,800	13,700	16,800	12,000
141							16,400	15,000	12,300	15,300	10,700
147								14,200	10,900	14,000	9,400
153								13,400	9,700	12,700	8,200
159									8,600	11,600	7,000
165									7,600	10,600	6,000
171											5,100
177											4,200
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3	0+	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+	46+
5	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		502	502	502	502	502	502	502	502	502	502



T	NZK xx° 40ft

21.40


	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	38,200	34,100	35,900	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	36,400	32,100	34,800	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	34,400	30,400	33,400	30,200	29,100	25,700		24,800	28,300	31,400	22,500
81	32,300	28,600	31,400	28,700	28,000	24,500		22,800	26,200	29,100	20,100
87	30,000	26,900	28,400	27,200	26,700	23,400			24,200	27,200	19,200
93	27,400	25,300	25,400	25,700	25,300	22,300			22,600	25,400	18,400
99	24,800	23,800	22,800	24,300	22,900	21,300				23,800	17,700
105	22,400	22,400	20,400	22,500	20,600	20,100				22,500	17,100
111	20,300	21,000	18,400	20,500	18,600	18,100				21,300	16,600
117	18,400	19,900	16,500	18,600	16,800	16,300				20,400	15,600
123	16,700	18,400	14,900	16,900	15,100	14,700					13,800
129	15,200	16,900	13,300	15,400	13,600	13,200					11,900
135	13,800	15,500	12,000	14,000	12,300	11,800					
141	12,400	14,100	10,700	12,700	11,000	10,600					
147	11,200	12,800	9,500	11,600	9,900	9,400					
153	9,900	11,600	8,400	10,500	8,800	8,400					
159	8,800	10,400	7,300	9,300	7,800	7,400					
165	7,800	9,400	6,300	8,300	6,900	6,500					
171	6,800	8,400	5,400	7,300	5,900	5,700					
177	6,000	7,600	4,500	6,400	5,100	4,800					
183		6,800	3,700	5,700	4,200	4,000					
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151		502	502	502	502	502	502	502	502	502	502

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,400	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		42,500	13,600	38,200	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		40,300	12,400	36,400	12,000	11,900
75	30,500	17,500	30,400	14,100	30,200		37,700	11,300	34,400	10,900	10,800
81	28,500	16,500	28,400	13,000	28,700		34,400	10,300	32,300	9,900	9,800
87	26,700	15,600	26,800	12,100	27,200		30,800	9,400	30,000	9,000	8,900
93	25,100	14,800	25,200	11,300	25,700		27,700	8,500	27,400	8,100	8,000
99	23,500	14,000	23,600	10,500	24,300		25,000	7,800	24,800	7,400	7,200
105	22,200	13,300	22,400	9,800	22,500		22,600	7,100	22,400	6,600	6,500
111	21,000	12,700	21,200	9,100	20,500		20,500	6,400	20,300	6,000	5,900
117	19,900	12,100	20,100	8,500	18,600		18,600	5,900	18,400	5,400	5,300
123	18,900	11,600	19,000	8,000	16,900		16,900	5,300	16,700	4,800	4,700
129	18,000	10,800	18,100	7,500	15,400		15,300	4,800	15,200	4,300	4,200
135	17,100	9,600	16,800	7,000	14,000		13,700	4,400	13,800	3,800	3,700
141	16,400	8,400	15,300	6,300	12,700		12,300	3,900	12,400	3,400	3,200
147		7,200	14,000	5,300	11,600		10,900		11,200		
153		6,000	12,700	4,300	10,500		9,700		9,900		
159			11,600	3,400	9,300		8,600		8,800		
165			10,600		8,300		7,600		7,800		
171					7,300				6,800		
177					6,400				6,000		
183					5,700						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502	502

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900	
87				21,100	22,100	22,900	23,800	24,100	25,900	24,900	
93				20,500	21,400	22,000	22,900	23,000	25,100	23,900	
99					20,800	21,000	22,100	21,900	24,300	22,800	
105					20,500	19,900	21,300	20,800	23,500	21,700	
111					20,200	18,800	20,400	19,700	22,000	20,700	
117						17,800	19,400	18,500	20,000	19,700	
123						16,900	18,600	17,600	18,100	18,700	
129							17,800	16,700	16,400	17,800	
135							17,000	15,800	14,800	17,000	
141								15,000	13,200	16,000	
147								14,200	11,800	14,600	
153									10,400	13,300	
159									9,200	12,100	
165										10,900	
171											
177											
183											
* n *	1	2	2	2	2	2	2	2	2	2	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	502	509	509	509	509	509	509	509	509	509	



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft



070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	
81	27,400	26,900	26,100	27,300	26,600	26,400	23,300	20,700	21,800	23,000	
87	26,500	26,000	25,100	26,400	25,600	25,600	22,600		21,100	22,100	
93	25,600	25,200	24,200	25,600	24,600	24,500	21,800		20,500	21,400	
99	24,600	24,400	23,200	24,700	23,500	23,500	20,800			20,800	
105	22,400	23,700	22,100	22,300	22,500	22,500	20,000			20,500	
111	20,200	21,800	21,000	20,100	21,500	20,300	19,100			20,200	
117	18,100	19,800	19,800	18,100	20,000	18,400	17,800				
123	16,300	18,000	18,900	16,300	18,200	16,600	16,200				
129	14,600	16,400	17,800	14,700	16,600	15,000	14,600				
135	13,100	14,900	16,500	13,200	15,100	13,500	13,100				
141	11,800	13,500	15,100	11,800	13,700	12,200	11,800				
147	10,400	12,100	13,700	10,600	12,500	10,900	10,600				
153	9,100	10,800	12,300	9,400	11,300	9,800	9,400				
159	7,900	9,500	11,100	8,300	10,200	8,700	8,400				
165	6,700	8,400	10,000	7,200	9,000	7,700	7,400				
171	5,600	7,300	8,900	6,100	8,000	6,800	6,500				
177	4,700	6,400	7,900	5,100	7,000	5,800	5,600				
183			7,000	4,200	6,100	4,900	4,800				
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	509	509	509	509	509	509	509	509	509



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,600	25,900	10,000	26,000	9,700	
93	17,900	22,900	14,700	23,900	11,600	24,600	25,100	9,100	25,200	8,800	
99	17,300	22,100	14,000	22,800	10,800	23,500	24,300	8,300	24,400	8,000	
105	16,700	21,300	13,300	21,700	10,100	22,500	23,500	7,600	23,700	7,200	
111	16,200	20,400	12,600	20,700	9,400	21,500	22,000	6,900	21,800	6,500	
117	15,800	19,400	12,100	19,700	8,800	20,000	20,000	6,300	19,800	5,900	
123	14,300	18,600	11,500	18,700	8,200	18,200	18,100	5,700	18,000	5,300	
129	12,300	17,800	11,100	17,800	7,700	16,600	16,400	5,200	16,400	4,800	
135		17,000	10,200	17,000	7,200	15,100	14,800	4,700	14,900	4,300	
141		16,500	8,900	16,000	6,700	13,700	13,200	4,300	13,500	3,800	
147			7,700	14,600	6,100	12,500	11,800	3,800	12,100	3,400	
153			6,500	13,300	5,100	11,300	10,400		10,800		
159				12,100	4,100	10,200	9,200		9,500		
165				10,900	3,200	9,000			8,400		
171						8,000			7,300		
177						7,000			6,400		
183						6,100					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	509	509	509	509	509	509	509	509	509	509	

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				25,700							
33				25,700	25,700						
36				25,700	25,700	25,700					
39				25,700	25,700	25,700	25,700				
45				24,500	25,300	25,700	25,700	25,700	25,700		
51				23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000			22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500		22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800			22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700			22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700				22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800				22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900					22,100	21,600	22,200	22,100	23,000
99	7,900						22,100	21,100	21,700	21,500	22,700
105	7,100							20,100	21,000	20,800	22,500
111	6,400							19,100	20,300	19,700	22,400
117	5,800							18,100	19,500	18,700	20,900
123	5,200								18,700	17,700	19,000
129	4,700								18,000	16,900	17,100
135	4,100									16,000	15,400
141	3,700									15,200	13,600
147	3,200										12,100
153											10,600
159											
165											
171											
177											
183											
* n *	1	1	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	516	516	516	516	516	516	516	516	516

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 40ft
- Weight: 105,800 lbs
- Dimensions: 29 x 27 ft
- Rotation: 360°


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	23,300	23,100	22,700	23,300	23,000	23,000	20,800		22,100	
99	22,100	23,000	22,800	22,200	23,100	22,300	22,400	20,000			
105	21,300	22,700	22,500	21,700	22,900	21,700	21,700	19,200			
111	20,500	21,400	22,100	20,800	21,400	20,900	20,900	18,500			
117	19,600	19,300	20,800	19,900	19,300	20,100	19,500	17,900			
123	18,700	17,300	19,000	19,000	17,400	19,000	17,700	17,000			
129	17,800	15,500	17,200	18,000	15,600	17,500	16,000	15,600			
135	17,100	13,900	15,600	16,900	14,000	15,900	14,400	14,100			
141	16,200	12,400	14,100	15,600	12,600	14,400	13,000	12,600			
147	14,900	10,900	12,600	14,100	11,200	13,100	11,600	11,300			
153	13,400	9,500	11,100	12,700	9,900	11,800	10,400	10,100			
159		8,100	9,800	11,300	8,700	10,600	9,300	9,000			
165		6,900	8,500	10,100	7,500	9,300	8,200	7,900			
171					6,300	8,200	7,100	7,000			
177					5,300	7,100	6,100	6,000			
183					4,200	6,100	5,100	5,100			
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516





T	NZK xx° 40ft

105,800 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0250 <		L151 1140 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700	25,700							
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	23,000	9,600	23,100	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,300	22,700	8,700	22,800	
105	22,100	16,500	21,000	13,300	21,300	10,300	21,700	22,500	8,000	22,500	
111	22,100	16,000	20,300	12,600	20,500	9,600	20,900	22,400	7,300	22,100	
117		15,700	19,500	12,000	19,600	9,000	20,100	20,900	6,600	20,800	
123		14,100	18,700	11,500	18,700	8,400	19,000	19,000	6,000	19,000	
129			18,000	11,100	17,800	7,800	17,500	17,100	5,400	17,200	
135			17,500	10,300	17,100	7,300	15,900	15,400	4,900	15,600	
141				9,100	16,200	6,800	14,400	13,600	4,400	14,100	
147				7,700	14,900	6,300	13,100	12,100	4,000	12,600	
153					13,400	5,400	11,800	10,600	3,400	11,100	
159						4,300	10,600			9,800	
165						3,300	9,300			8,500	
171							8,200				
177							7,100				
183							6,100				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	516	516	516	516	516	516	516	516	516	516	

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225


21.40

 ft	 ft > < lbs			CODE > 0250 < L151 1140 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	516	516	516							

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

		 ft > < lbs						CODE > 0250 <				L151 1140 .x(x)
	ft	171	185	197								
	189											
	195											
* n *		1	1	1								
xx		45.0	45.0	45.0								
	1	92-	92-	100-								
	2	92+	92-	100-								
	3	92+	92-	100-								
	4	92+	92-	100-								
	5	46+	92-	100-								
%												
	ft /s	23	23	23								
TAB 151		516	516	516								

	T	NZK xx° 40ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,400	37,200	41,600
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	42,500	34,800	40,400
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	40,300	32,600	39,000
75			24,800	28,300	31,400	28,700	30,500	29,400	38,200	30,400	37,300
81			22,800	26,200	29,100	26,700	28,500	27,500	36,000	28,400	35,600
87				24,200	27,200	24,800	26,700	25,600	33,900	26,800	33,500
93				22,600	25,400	23,100	25,100	23,900	31,800	25,200	30,800
99					23,800	21,700	23,500	22,600	29,700	23,600	27,800
105					22,500	20,200	22,200	21,100	27,300	22,400	25,200
111					21,300	19,000	21,000	19,800	25,000	21,200	22,900
117					20,400	18,000	19,900	18,700	22,800	20,100	20,800
123						16,900	18,900	17,700	20,900	19,000	18,900
129						16,100	18,000	16,700	19,100	18,100	17,200
135							17,100	15,800	17,400	17,200	15,600
141							16,400	15,000	15,800	16,400	14,200
147								14,200	14,300	15,600	12,700
153								13,400	12,900	14,900	11,400
159									11,700	14,200	10,100
165									10,500	13,500	9,000
171											7,900
177											7,000
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2		0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3		0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4		0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5		0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		501	501	501	501	501	501	501	501	501	501




T	NZK xx° 40ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

Diagram illustrating the 127,900 lb. 29' x 27' ft. 360° rotating platform. The diagram shows a rectangular platform with dimensions 29' x 27' ft. and a weight of 127,900 lbs. The platform is labeled with 'T' and 'NZK xx° 40ft'. A circular arrow indicates a 360° rotation.


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	38,200	34,100	35,900	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	36,400	32,100	34,800	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	34,400	30,400	33,400	30,200	29,100	25,700		24,800	28,300	31,400	22,500
81	32,300	28,600	31,900	28,700	28,000	24,500		22,800	26,200	29,100	20,100
87	30,300	26,900	30,200	27,200	26,700	23,400			24,200	27,200	19,200
93	28,600	25,300	28,600	25,700	25,500	22,300			22,600	25,400	18,400
99	27,000	23,800	27,000	24,400	24,300	21,300				23,800	17,700
105	25,400	22,400	25,000	23,100	23,000	20,200				22,500	17,100
111	23,900	21,000	22,700	21,900	22,000	19,200				21,300	16,600
117	22,500	19,900	20,700	20,700	20,800	18,300				20,400	15,600
123	20,700	18,800	18,800	19,600	19,100	17,400					13,800
129	19,000	17,800	17,100	18,700	17,400	16,600					11,900
135	17,500	16,800	15,600	17,500	15,900	15,400					
141	16,000	15,900	14,200	16,200	14,500	14,000					
147	14,500	15,100	12,900	14,900	13,200	12,700					
153	13,100	14,200	11,700	13,600	12,000	11,500					
159	11,900	13,400	10,400	12,400	10,900	10,500					
165	10,700	12,300	9,200	11,200	9,800	9,500					
171	9,700	11,300	8,200	10,100	8,800	8,500					
177	8,700	10,300	7,200	9,200	7,800	7,600					
183		9,400	6,300	8,300	6,900	6,700					
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		501	501	501	501	501	501	501	501	501	501





T	NZK xx° 40ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

		 ft > < lbs CODE > 0251 < L151 1240 .x(x)									
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,400	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		42,500	13,600	38,200	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		40,300	12,400	36,400	12,000	11,900
75	30,500	17,500	30,400	14,100	30,200		38,200	11,300	34,400	10,900	10,800
81	28,500	16,500	28,400	13,000	28,700		36,000	10,300	32,300	9,900	9,800
87	26,700	15,600	26,800	12,100	27,200		33,900	9,400	30,300	9,000	8,900
93	25,100	14,800	25,200	11,300	25,700		31,800	8,500	28,600	8,100	8,000
99	23,500	14,000	23,600	10,500	24,400		29,700	7,800	27,000	7,400	7,200
105	22,200	13,300	22,400	9,800	23,100		27,300	7,100	25,400	6,600	6,500
111	21,000	12,700	21,200	9,100	21,900		25,000	6,400	23,900	6,000	5,900
117	19,900	12,100	20,100	8,500	20,700		22,800	5,900	22,500	5,400	5,300
123	18,900	11,600	19,000	8,000	19,600		20,900	5,300	20,700	4,800	4,700
129	18,000	10,800	18,100	7,500	18,700		19,100	4,800	19,000	4,300	4,200
135	17,100	9,600	17,200	7,000	17,500		17,400	4,400	17,500	3,800	3,700
141	16,400	8,400	16,400	6,300	16,200		15,800	3,900	16,000	3,400	3,200
147		7,200	15,600	5,300	14,900		14,300		14,500		
153		6,000	14,900	4,300	13,600		12,900		13,100		
159			14,200	3,400	12,400		11,700		11,900		
165			13,500		11,200		10,500		10,700		
171					10,100				9,700		
177					9,200				8,700		
183					8,300						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	501	501	501	501	501	501	501	501	501	501	501

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

 ft	 ft > < lbs CODE > 0251 < L151 1240 .x(x)									
	197	44	58	72	86	100	114	128	142	142
10										
12										
14										
16										
18										
21		40,700	41,700							
24		38,300	40,800	39,500						
27		35,600	38,200	39,000	38,600					
30		33,600	35,900	36,900	38,300	36,900				
33		32,200	34,100	35,300	36,500	36,800				
36		31,200	32,500	33,800	34,700	35,500	36,100			
39		29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900
87				21,100	22,100	22,900	23,800	24,100	25,900	24,900
93				20,500	21,400	22,000	22,900	23,000	25,100	23,900
99					20,800	21,000	22,100	21,900	24,300	22,800
105					20,500	19,900	21,300	20,800	23,500	21,700
111					20,200	18,800	20,400	19,700	22,900	20,700
117						17,800	19,400	18,500	22,400	19,700
123						16,900	18,600	17,600	21,800	18,700
129							17,800	16,700	20,300	17,800
135							17,000	15,800	18,500	17,000
141								15,000	16,700	16,300
147								14,200	15,100	15,500
153									13,600	14,900
159									12,200	14,200
165										13,600
171										
177										
183										
* n *	1	2	2	2	2	2	2	2	2	2
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	501	508	508	508	508	508	508	508	508	508





T	NZK xx° 40ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	
81	27,400	26,900	26,100	27,300	26,600	26,400	23,300	20,700	21,800	23,000	
87	26,500	26,000	25,100	26,400	25,600	25,600	22,600		21,100	22,100	
93	25,600	25,200	24,200	25,600	24,600	24,500	21,800		20,500	21,400	
99	24,700	24,400	23,200	24,900	23,500	23,500	20,800			20,800	
105	24,100	23,700	22,100	24,100	22,500	22,500	20,000			20,500	
111	23,400	23,000	21,000	23,300	21,500	21,600	19,100			20,200	
117	22,200	22,300	19,800	22,100	20,500	20,700	18,300				
123	20,300	21,300	18,900	20,300	19,500	19,800	17,400				
129	18,500	20,000	17,900	18,500	18,600	18,600	16,600				
135	16,800	18,500	16,900	16,800	17,800	17,100	15,900				
141	15,300	17,000	16,000	15,300	16,900	15,600	15,000				
147	13,800	15,400	15,200	13,900	15,900	14,300	13,900				
153	12,300	14,000	14,400	12,600	14,500	13,000	12,600				
159	10,900	12,600	13,600	11,300	13,200	11,800	11,400				
165	9,700	11,300	12,900	10,100	12,000	10,700	10,400				
171	8,500	10,200	11,700	8,900	10,800	9,600	9,400				
177	7,400	9,100	10,700	7,900	9,700	8,500	8,400				
183			9,700	6,900	8,700	7,500	7,400				
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,600	25,900	10,000	26,000	9,700	
93	17,900	22,900	14,700	23,900	11,600	24,600	25,100	9,100	25,200	8,800	
99	17,300	22,100	14,000	22,800	10,800	23,500	24,300	8,300	24,400	8,000	
105	16,700	21,300	13,300	21,700	10,100	22,500	23,500	7,600	23,700	7,200	
111	16,200	20,400	12,600	20,700	9,400	21,500	22,900	6,900	23,000	6,500	
117	15,800	19,400	12,100	19,700	8,800	20,500	22,400	6,300	22,300	5,900	
123	14,300	18,600	11,500	18,700	8,200	19,500	21,800	5,700	21,300	5,300	
129	12,300	17,800	11,100	17,800	7,700	18,600	20,300	5,200	20,000	4,800	
135		17,000	10,200	17,000	7,200	17,800	18,500	4,700	18,500	4,300	
141		16,500	8,900	16,300	6,700	16,900	16,700	4,300	17,000	3,800	
147			7,700	15,500	6,100	15,900	15,100	3,800	15,400	3,400	
153			6,500	14,900	5,100	14,500	13,600		14,000		
159				14,200	4,100	13,200	12,200		12,600		
165				13,600	3,200	12,000			11,300		
171						10,800			10,200		
177						9,700			9,100		
183						8,700					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	508	508	508	508	508	508	508	508	508	508	

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

Diagram of a 29' x 27' ft table with a 127,900 lbs capacity and 360° rotation.


85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				25,700							
33				25,700	25,700						
36				25,700	25,700	25,700					
39				25,700	25,700	25,700	25,700				
45				24,500	25,300	25,700	25,700	25,700	25,700		
51				23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000			22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500		22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800			22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700			22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700				22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800				22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900					22,100	21,600	22,200	22,100	23,000
99	7,900						22,100	21,100	21,700	21,500	22,700
105	7,100							20,100	21,000	20,800	22,500
111	6,400							19,100	20,300	19,700	22,400
117	5,800							18,100	19,500	18,700	21,900
123	5,200								18,700	17,700	21,800
129	4,700								18,000	16,900	20,700
135	4,100									16,000	19,000
141	3,700									15,200	17,100
147	3,200										15,400
153											13,700
159											
165											
171											
177											
183											
* n *	1	1	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	515	515	515	515	515	515	515	515	515



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 40ft
- Weight: 127,900 lbs
- Dimensions: 29 x 27 ft
- Rotation: 360°


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	23,300	23,100	22,700	23,300	23,000	23,000	20,800		22,100	
99	22,100	23,000	22,800	22,200	23,100	22,300	22,400	20,000			
105	21,300	22,700	22,500	21,700	22,900	21,700	21,700	19,200			
111	20,500	22,600	22,100	20,800	22,700	20,900	20,900	18,500			
117	19,600	22,500	21,700	19,900	22,000	20,100	20,100	17,900			
123	18,700	21,200	21,200	19,000	21,100	19,400	19,400	17,200			
129	17,800	19,400	20,300	18,000	19,500	18,500	18,600	16,500			
135	17,100	17,600	19,100	17,100	17,700	17,800	17,700	15,800			
141	16,400	15,900	17,600	16,200	16,100	17,000	16,400	15,100			
147	15,700	14,300	15,900	15,400	14,600	16,100	15,000	14,300			
153	15,000	12,700	14,300	14,600	13,200	15,000	13,600	13,300			
159		11,200	12,900	13,800	11,800	13,600	12,400	12,100			
165		9,800	11,500	13,000	10,400	12,300	11,200	10,900			
171					9,200	11,000	10,000	9,800			
177					8,000	9,900	8,800	8,800			
183					6,900	8,800	7,700	7,700			
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		515	515	515	515	515	515	515	515	515	515

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40


	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0251 <		L151 1240 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700	25,700							
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	23,000	9,600	23,100	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,300	22,700	8,700	22,800	
105	22,100	16,500	21,000	13,300	21,300	10,300	21,700	22,500	8,000	22,500	
111	22,100	16,000	20,300	12,600	20,500	9,600	20,900	22,400	7,300	22,100	
117		15,700	19,500	12,000	19,600	9,000	20,100	21,900	6,600	21,700	
123		14,100	18,700	11,500	18,700	8,400	19,400	21,800	6,000	21,200	
129			18,000	11,100	17,800	7,800	18,500	20,700	5,400	20,300	
135			17,500	10,300	17,100	7,300	17,800	19,000	4,900	19,100	
141				9,100	16,400	6,800	17,000	17,100	4,400	17,600	
147				7,700	15,700	6,300	16,100	15,400	4,000	15,900	
153					15,000	5,400	15,000	13,700	3,400	14,300	
159						4,300	13,600			12,900	
165						3,300	12,300			11,500	
171							11,000				
177							9,900				
183							8,800				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	515	515	515	515	515	515	515	515	515	515	





T	NZK xx° 40ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225


21.40

 ft	 ft > < lbs			CODE > 0251 < L151 1240 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	515	515	515							





T	NZK xx° 40ft

 127,900 lbs

 29 x 27 ft

 360°



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 127,900 lbs	 29 x 27 ft	 360°		



85%

T	NZK xx° 40ft

070225

21.40

		 ft > < lbs CODE > 0252 < L151 1340 .x(x)									
ft		44	58	72	86	100	114	128	142	142	157
10		46,300	46,300								
12		46,300	46,300	46,300							
14		46,300	46,300	46,300							
16		46,300	46,300	46,300	46,300						
18		46,300	46,300	46,300	46,300	46,300					
21		46,300	46,300	46,300	46,300	46,300	46,300				
24		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300		
27		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	
30		46,300	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	45,100
33		46,200	46,300	46,300	46,300	46,300	46,300	46,300	46,300	43,400	44,800
36		45,400	46,300	46,300	46,300	46,300	46,300	45,900	46,300	43,400	44,400
39		41,500	46,300	46,300	46,300	46,300	46,300	45,000	46,300	43,000	44,000
45		36,000	42,600	45,200	46,300	44,200	44,600	42,600	46,100	42,100	43,500
51		31,400	38,000	41,000	43,800	40,400	41,500	39,800	45,700	39,800	42,600
57		27,800	33,500	37,100	40,300	36,800	38,300	37,000	44,400	37,200	41,600
63		24,900	30,100	33,700	36,900	33,800	35,300	34,300	42,500	34,800	40,400
69		22,500	27,200	30,800	34,000	31,000	32,800	31,700	40,300	32,600	39,000
75			24,800	28,300	31,400	28,700	30,500	29,400	38,200	30,400	37,300
81			22,800	26,200	29,100	26,700	28,500	27,500	36,000	28,400	35,600
87				24,200	27,200	24,800	26,700	25,600	33,900	26,800	33,800
93				22,600	25,400	23,100	25,100	23,900	31,800	25,200	32,100
99					23,800	21,700	23,500	22,600	29,800	23,600	30,500
105					22,500	20,200	22,200	21,100	28,200	22,400	28,800
111					21,300	19,000	21,000	19,800	26,600	21,200	27,300
117					20,400	18,000	19,900	18,700	25,100	20,100	25,900
123						16,900	18,900	17,700	23,700	19,000	24,600
129						16,100	18,000	16,700	22,500	18,100	23,300
135							17,100	15,800	21,400	17,200	21,900
141							16,400	15,000	20,300	16,400	20,200
147								14,200	19,200	15,600	18,500
153								13,400	18,300	14,900	17,000
159									17,000	14,200	15,600
165									14,900	13,600	14,300
171											13,100
177											12,000
183											
* n *		2	2	2	2	2	2	2	2	2	2
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
	TAB 151	500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft




070225

21.40

				ft > < lbs		CODE > 0252 < L151 1340 .x(x)					
ft		157	157	171	171	185	197	58	72	86	100
10								46,300			
12								46,300	46,300		
14								46,300	46,300		
16								46,300	46,300	46,300	
18								46,300	46,300	46,300	45,200
21								46,300	46,300	46,300	44,300
24								46,300	46,000	46,300	42,300
27	43,700							46,300	45,100	46,300	40,400
30	43,600	40,500						46,300	43,400	46,300	38,700
33	43,400	40,500						46,300	41,800	46,300	37,100
36	43,300	40,500	38,600	36,600				46,300	40,400	46,300	35,700
39	42,900	39,900	38,300	36,400	32,700			46,300	39,100	46,300	34,300
45	42,100	39,100	38,100	36,200	32,500	28,400		42,600	36,800	46,300	31,900
51	41,100	38,100	37,600	35,800	32,100	28,200		38,000	34,700	43,800	29,800
57	39,700	36,200	36,900	35,000	31,700	27,800		33,500	32,900	40,300	27,900
63	38,200	34,100	35,900	33,500	31,100	27,400		30,100	31,300	36,900	26,300
69	36,400	32,100	34,800	31,800	30,200	26,700		27,200	30,000	34,000	24,800
75	34,400	30,400	33,400	30,200	29,100	25,700		24,800	28,300	31,400	22,500
81	32,300	28,600	31,900	28,700	28,000	24,500		22,800	26,200	29,100	20,100
87	30,300	26,900	30,200	27,200	26,700	23,400			24,200	27,200	19,200
93	28,600	25,300	28,600	25,700	25,500	22,300			22,600	25,400	18,400
99	27,000	23,800	27,100	24,400	24,300	21,300				23,800	17,700
105	25,400	22,400	25,800	23,100	23,000	20,200				22,500	17,100
111	23,900	21,000	24,400	21,900	22,000	19,200				21,300	16,600
117	22,700	19,900	23,200	20,700	21,000	18,300				20,400	15,600
123	21,500	18,800	22,100	19,600	20,000	17,400					13,800
129	20,300	17,800	21,000	18,700	19,000	16,600					11,900
135	19,300	16,800	20,000	17,800	18,200	15,700					
141	18,400	15,900	19,000	16,900	17,400	14,900					
147	17,400	15,100	18,100	16,000	16,600	14,300					
153	16,500	14,200	17,100	15,300	15,800	13,600					
159	15,700	13,400	15,800	14,600	15,100	12,900					
165	15,000	12,800	14,500	13,900	14,500	12,300					
171	14,300	12,100	13,300	13,200	13,800	11,700					
177	13,500	11,400	12,200	12,600	12,600	11,200					
183		10,800	11,200	12,100	11,600	10,700					
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
 ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
10											
12											
14											
16											
18											
21	46,300										
24	46,300	37,000					46,300				
27	46,300	36,500	43,400				46,300	27,700	43,700		
30	46,300	34,800	43,400	29,300			46,300	27,400	43,600		
33	46,300	33,200	43,400	29,200			46,300	25,900	43,400		
36	46,300	31,800	43,400	27,700	36,600		46,300	24,500	43,300	24,100	
39	46,300	30,400	43,000	26,400	36,400		46,300	20,400	42,900	20,100	19,500
45	44,600	28,000	42,100	24,000	36,200		46,100	18,200	42,100	17,800	17,700
51	41,500	25,900	39,800	20,000	35,800		45,700	16,500	41,100	16,200	16,000
57	38,300	24,000	37,200	17,800	35,000		44,400	15,000	39,700	14,600	14,500
63	35,300	20,900	34,800	16,400	33,500		42,500	13,600	38,200	13,300	13,200
69	32,800	18,700	32,600	15,200	31,800		40,300	12,400	36,400	12,000	11,900
75	30,500	17,500	30,400	14,100	30,200		38,200	11,300	34,400	10,900	10,800
81	28,500	16,500	28,400	13,000	28,700		36,000	10,300	32,300	9,900	9,800
87	26,700	15,600	26,800	12,100	27,200		33,900	9,400	30,300	9,000	8,900
93	25,100	14,800	25,200	11,300	25,700		31,800	8,500	28,600	8,100	8,000
99	23,500	14,000	23,600	10,500	24,400		29,800	7,800	27,000	7,400	7,200
105	22,200	13,300	22,400	9,800	23,100		28,200	7,100	25,400	6,600	6,500
111	21,000	12,700	21,200	9,100	21,900		26,600	6,400	23,900	6,000	5,900
117	19,900	12,100	20,100	8,500	20,700		25,100	5,900	22,700	5,400	5,300
123	18,900	11,600	19,000	8,000	19,600		23,700	5,300	21,500	4,800	4,700
129	18,000	10,800	18,100	7,500	18,700		22,500	4,800	20,300	4,300	4,200
135	17,100	9,600	17,200	7,000	17,800		21,400	4,400	19,300	3,800	3,700
141	16,400	8,400	16,400	6,300	16,900		20,300	3,900	18,400	3,400	3,200
147		7,200	15,600	5,300	16,000		19,200		17,400		
153		6,000	14,900	4,300	15,300		18,300		16,500		
159			14,200	3,400	14,600		17,000		15,700		
165			13,600		13,900		14,900		15,000		
171					13,200				14,300		
177					12,600				13,500		
183					12,100						
* n *	2	2	2	2	2	2	2	2	2	2	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
10											
12											
14											
16											
18											
21			40,700	41,700							
24			38,300	40,800	39,500						
27			35,600	38,200	39,000	38,600					
30			33,600	35,900	36,900	38,300	36,900				
33			32,200	34,100	35,300	36,500	36,800				
36			31,200	32,500	33,800	34,700	35,500	36,100			
39			29,600	32,100	32,400	33,600	34,300	34,800	34,700		
45	12,000	26,900	29,400	30,700	31,800	32,100	32,600	32,800	34,700	32,700	
51	10,600	24,800	27,200	28,600	29,900	30,400	30,800	31,000	33,200	31,400	
57	9,100	23,100	25,300	26,800	28,000	28,900	29,200	29,700	31,600	29,700	
63	7,800	21,700	23,700	25,200	26,500	27,300	28,000	28,500	30,400	28,500	
69	6,600	20,700	22,400	23,900	25,200	26,000	26,900	27,300	29,200	27,700	
75	5,600		21,400	22,800	24,000	24,900	25,700	26,300	28,000	26,800	
81	4,600		20,700	21,800	23,000	23,800	24,700	25,200	26,900	25,900	
87				21,100	22,100	22,900	23,800	24,100	25,900	24,900	
93				20,500	21,400	22,000	22,900	23,000	25,100	23,900	
99					20,800	21,000	22,100	21,900	24,300	22,800	
105					20,500	19,900	21,300	20,800	23,500	21,700	
111					20,200	18,800	20,400	19,700	22,900	20,700	
117						17,800	19,400	18,500	22,400	19,700	
123						16,900	18,600	17,600	21,900	18,700	
129							17,800	16,700	21,300	17,800	
135							17,000	15,800	20,600	17,000	
141								15,000	19,800	16,300	
147								14,200	19,100	15,500	
153									18,400	14,900	
159									17,400	14,200	
165										13,700	
171											
177											
183											
* n *	1	2	2	2	2	2	2	2	2	2	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	500	507	507	507	507	507	507	507	507	507	



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

Diagram illustrating the dimensions and specifications of the lighting fixture:

- Fixture Type: T
- Mounting: NZK xx°
- Height: 40ft
- Weight: 172,000 lbs
- Arm Length: 29 x 27 ft
- Rotation: 360°


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
10											
12											
14											
16											
18											
21									41,700		
24									40,800	39,500	
27									38,200	39,000	38,600
30									35,900	36,900	38,300
33									34,100	35,300	36,500
36									32,500	33,800	34,700
39									32,100	32,400	33,600
45	35,200								29,400	30,700	31,800
51	33,500	32,000	31,000	32,700	31,300				27,200	28,600	29,900
57	31,700	31,000	30,000	31,600	30,300	29,100			25,300	26,800	28,000
63	30,200	29,700	28,900	30,300	29,200	28,800	25,500		23,700	25,200	26,500
69	29,200	28,600	27,800	29,300	28,200	28,000	25,100	22,400	23,900	25,200	
75	28,400	27,700	26,800	28,300	27,300	27,100	24,200	21,400	22,800	24,000	
81	27,400	26,900	26,100	27,300	26,600	26,400	23,300	20,700	21,800	23,000	
87	26,500	26,000	25,100	26,400	25,600	25,600	22,600		21,100	22,100	
93	25,600	25,200	24,200	25,600	24,600	24,500	21,800		20,500	21,400	
99	24,700	24,400	23,200	24,900	23,500	23,500	20,800			20,800	
105	24,100	23,700	22,100	24,100	22,500	22,500	20,000			20,500	
111	23,400	23,000	21,000	23,300	21,500	21,600	19,100			20,200	
117	22,800	22,300	19,800	22,500	20,500	20,700	18,300				
123	22,400	21,300	18,900	21,600	19,500	19,800	17,400				
129	21,900	20,300	17,900	20,700	18,600	18,900	16,600				
135	21,500	19,300	16,900	19,900	17,800	18,000	15,900				
141	20,800	18,400	16,000	19,000	16,900	17,300	15,100				
147	19,500	17,500	15,200	18,100	16,100	16,500	14,300				
153	17,800	16,600	14,400	17,300	15,300	15,900	13,700				
159	16,300	15,800	13,600	16,500	14,700	15,200	13,100				
165	14,900	15,100	12,900	15,300	14,000	14,500	12,400				
171	13,600	14,400	12,300	14,000	13,300	13,900	11,800				
177	12,400	13,800	11,600	12,800	12,700	13,300	11,300				
183			11,000	11,600	12,200	12,200	10,800				
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	507	507	507	507	507	507	507	507	507

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
10											
12											
14											
16											
18											
21											
24											
27											
30	35,500										
33	35,500										
36	34,100	36,100									
39	32,900	34,800	29,800								
45	30,600	32,600	27,600	32,700				34,700	18,800		
51	28,600	30,800	25,600	31,400	19,300	31,300	33,200	17,400	32,000	16,700	
57	26,900	29,200	22,000	29,700	18,200	30,300	31,600	15,800	31,000	15,600	
63	25,300	28,000	19,800	28,500	16,800	29,200	30,400	14,400	29,700	14,200	
69	23,900	26,900	18,600	27,700	15,600	28,200	29,200	13,200	28,600	12,900	
75	21,800	25,700	17,500	26,800	14,400	27,300	28,000	12,000	27,700	11,700	
81	19,500	24,700	16,500	25,900	13,400	26,600	26,900	11,000	26,900	10,700	
87	18,700	23,800	15,600	24,900	12,500	25,600	25,900	10,000	26,000	9,700	
93	17,900	22,900	14,700	23,900	11,600	24,600	25,100	9,100	25,200	8,800	
99	17,300	22,100	14,000	22,800	10,800	23,500	24,300	8,300	24,400	8,000	
105	16,700	21,300	13,300	21,700	10,100	22,500	23,500	7,600	23,700	7,200	
111	16,200	20,400	12,600	20,700	9,400	21,500	22,900	6,900	23,000	6,500	
117	15,800	19,400	12,100	19,700	8,800	20,500	22,400	6,300	22,300	5,900	
123	14,300	18,600	11,500	18,700	8,200	19,500	21,900	5,700	21,300	5,300	
129	12,300	17,800	11,100	17,800	7,700	18,600	21,300	5,200	20,300	4,800	
135		17,000	10,200	17,000	7,200	17,800	20,600	4,700	19,300	4,300	
141		16,500	8,900	16,300	6,700	16,900	19,800	4,300	18,400	3,800	
147			7,700	15,500	6,100	16,100	19,100	3,800	17,500	3,400	
153			6,500	14,900	5,100	15,300	18,400		16,600		
159				14,200	4,100	14,700	17,400		15,800		
165				13,700	3,200	14,000			15,100		
171						13,300			14,400		
177						12,700			13,800		
183						12,200					
* n *	2	2	2	2	1	2	2	1	2	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	507	507	507	507	507	507	507	507	507	507	

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
10											
12											
14											
16											
18											
21											
24											
27											
30				25,700							
33				25,700	25,700						
36				25,700	25,700	25,700					
39				25,700	25,700	25,700	25,700				
45				24,500	25,300	25,700	25,700	25,700	25,700		
51				23,300	24,200	24,800	25,200	25,400	25,600	25,700	25,700
57	15,000			22,500	23,300	23,900	24,400	24,700	25,000	25,100	25,700
63	14,100	8,500		22,100	22,600	23,100	23,600	24,000	24,300	24,500	25,300
69	12,800	7,800			22,200	22,600	23,100	23,400	23,700	23,900	24,700
75	11,600	6,700			22,100	22,200	22,600	22,900	23,300	23,500	24,200
81	10,600	5,700				22,100	22,300	22,600	22,900	23,100	23,700
87	9,600	4,800				22,100	22,100	22,200	22,500	22,700	23,300
93	8,700	3,900					22,100	21,600	22,200	22,100	23,000
99	7,900						22,100	21,100	21,700	21,500	22,700
105	7,100							20,100	21,000	20,800	22,500
111	6,400							19,100	20,300	19,700	22,400
117	5,800							18,100	19,500	18,700	21,900
123	5,200								18,700	17,700	21,800
129	4,700								18,000	16,900	21,800
135	4,100									16,000	21,300
141	3,700									15,200	20,400
147	3,200										19,500
153											18,600
159											
165											
171											
177											
183											
* n *	1	1	2	2	2	2	2	2	2	2	2
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	514	514	514	514	514	514	514	514	514

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft





070225

21.40

				ft > < lbs		CODE > 0252 <		L151 1340 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
10											
12											
14											
16											
18											
21											
24											
27											
30											
33										25,700	
36										25,700	25,700
39										25,700	25,700
45										25,300	25,700
51										24,200	24,800
57	24,500	25,500	25,200	25,000						23,300	23,900
63	24,200	25,200	24,900	24,500	25,000	24,500				22,600	23,100
69	23,800	24,600	24,400	24,000	24,800	24,200	24,300	23,500	22,200	22,600	
75	23,400	24,200	23,900	23,700	24,400	23,800	24,000	23,100	22,100	22,200	
81	23,200	23,900	23,700	23,500	24,000	23,500	23,700	22,200		22,100	
87	23,000	23,500	23,400	23,100	23,600	23,400	23,500	21,400		22,100	
93	22,700	23,300	23,100	22,700	23,300	23,000	23,000	20,800		22,100	
99	22,100	23,000	22,800	22,200	23,100	22,300	22,400	20,000			
105	21,300	22,700	22,500	21,700	22,900	21,700	21,700	19,200			
111	20,500	22,600	22,100	20,800	22,700	20,900	20,900	18,500			
117	19,600	22,500	21,700	19,900	22,000	20,100	20,100	17,900			
123	18,700	22,200	21,200	19,000	21,300	19,400	19,400	17,200			
129	17,800	21,900	20,300	18,000	20,500	18,500	18,600	16,500			
135	17,100	21,500	19,400	17,100	19,800	17,800	17,900	15,800			
141	16,400	20,900	18,500	16,200	19,000	17,000	17,200	15,100			
147	15,700	19,800	17,600	15,400	18,200	16,200	16,500	14,500			
153	15,000	18,200	16,800	14,600	17,400	15,500	15,900	13,800			
159		16,600	16,000	13,800	16,600	14,800	15,200	13,200			
165		15,100	15,200	13,100	15,500	14,100	14,600	12,600			
171					14,200	13,500	14,000	12,000			
177					12,900	12,900	13,400	11,400			
183					11,700	12,300	12,400	10,900			
* n *	2	2	2	2	2	2	2	2	2	2	2
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514



T	NZK xx° 40ft



T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225

21.40

				ft > < lbs		CODE > 0252 <	L151 1340 .x(x)				
ft		86	100	114	128	142	157	171	142	157	157
10											
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39	25,700										
45	25,700	25,700	25,700								
51	25,200	25,400	25,600	24,900					25,700		
57	24,400	24,700	25,000	21,900	24,500	18,100			25,700	16,000	25,200
63	23,600	24,000	24,300	19,800	24,200	17,200	24,500	25,300	15,100	24,900	
69	23,100	22,100	23,700	18,600	23,800	15,900	24,200	24,700	13,800	24,400	
75	22,600	20,100	23,300	17,500	23,400	14,800	23,800	24,200	12,600	23,900	
81	22,300	19,200	22,900	16,500	23,200	13,700	23,500	23,700	11,500	23,700	
87	22,100	18,400	22,500	15,600	23,000	12,800	23,400	23,300	10,500	23,400	
93	22,100	17,700	22,200	14,700	22,700	11,900	23,000	23,000	9,600	23,100	
99	22,100	17,000	21,700	14,000	22,100	11,000	22,300	22,700	8,700	22,800	
105	22,100	16,500	21,000	13,300	21,300	10,300	21,700	22,500	8,000	22,500	
111	22,100	16,000	20,300	12,600	20,500	9,600	20,900	22,400	7,300	22,100	
117		15,700	19,500	12,000	19,600	9,000	20,100	21,900	6,600	21,700	
123		14,100	18,700	11,500	18,700	8,400	19,400	21,800	6,000	21,200	
129			18,000	11,100	17,800	7,800	18,500	21,800	5,400	20,300	
135			17,500	10,300	17,100	7,300	17,800	21,300	4,900	19,400	
141				9,100	16,400	6,800	17,000	20,400	4,400	18,500	
147				7,700	15,700	6,300	16,200	19,500	4,000	17,600	
153					15,000	5,400	15,500	18,600	3,400	16,800	
159						4,300	14,800			16,000	
165						3,300	14,100			15,200	
171							13,500				
177							12,900				
183							12,300				
* n *	2	2	2	2	2	1	2	2	1	2	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	514	514	514	514	514	514	514	514	514	514	

	T	NZK xx° 40ft					

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 40ft

070225


21.40

 ft	 ft > < lbs			CODE > 0252 < L151 1340 .x(x)						
	171	185	197							
10										
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	14,300									
69	13,600	12,800	8,100							
75	12,300	12,300	7,600							
81	11,300	11,200	6,500							
87	10,300	10,200	5,600							
93	9,300	9,300	4,700							
99	8,500	8,400	3,900							
105	7,700	7,600								
111	6,900	6,900								
117	6,300	6,200								
123	5,600	5,600								
129	5,100	5,000								
135	4,500	4,400								
141	4,000	3,900								
147	3,600	3,500								
153	3,100	3,000								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	514	514	514							

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 40ft

21.40

	T	NZK xx° 40ft	 172,000 lbs	 29 x 27 ft	 360°		

21.40


	T	NZK xx° 72ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40







	T	NZK xx° 72ft	 57,300 lbs	 29 x 18 ft	 360°		




070225

21.40


 ft	CODE > 0223 < L151 0441 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		16,900								
45	11,900	15,800	16,100	15,900						
51	10,600	15,000	15,400	15,400	15,200	15,000				
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,000	12,700
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	11,600	12,500
93		10,900	11,500	11,800	12,000	12,100	12,300	12,200	9,800	12,000
99		10,600	11,100	11,400	11,700	11,800	11,900	11,400	8,200	10,400
105			10,800	11,100	11,400	11,500	11,000	10,000	6,800	9,000
111			10,400	10,500	10,700	10,300	9,700	8,700	5,600	7,800
117			9,100	9,200	9,400	9,100	8,500	7,600	4,400	6,700
123				8,000	8,200	7,900	7,500	6,500		5,600
129				6,900	7,200	6,800	6,500	5,600		4,700
135					6,200	5,800	5,600	4,700		3,900
141					5,200	5,000	4,700	3,900		
147						4,100	3,900	3,100		
153						3,400	3,200			
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	430	437	437	437	437	437	437	437	437	437












070225

21.40

				ft > < lbs		CODE > 0223 < L151 0441 .x(x)					
		157	157	157	171	171	185	197	58	72	86
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45								16,100	15,900	
	51								15,400	15,400	15,200
	57								14,800	14,800	14,800
	63	13,900	13,700	13,500					14,200	14,200	14,300
	69	13,800	13,600	13,300	13,200	12,600	12,400		13,500	13,700	13,900
	75	13,300	13,300	13,000	12,900	12,600	12,300	11,500	12,900	13,100	13,300
	81	12,000	12,700	12,700	11,800	12,300	11,600	10,900	12,400	12,600	12,900
	87	10,000	11,300	12,100	9,900	11,300	9,900	9,400	11,900	12,200	12,400
	93	8,300	9,600	10,800	8,200	9,600	8,200	7,800	11,500	11,800	12,000
	99	6,700	8,100	9,300	6,600	8,100	6,700	6,300	11,100	11,400	11,700
	105	5,400	6,700	7,900	5,300	6,700	5,400	5,000	10,800	11,100	11,400
	111	4,100	5,400	6,700	4,100	5,500	4,200	3,800	10,400	10,500	10,700
	117		4,300	5,500		4,400			9,100	9,200	9,400
	123			4,500		3,400				8,000	8,200
	129			3,600						6,900	7,200
	135										6,200
	141										5,200
	147										
	153										
											
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
	ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	437	437	437	437	437	437	437	437	437	437











070225

21.40


		CODE > 0223 < L151 0441 .x(x)									
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	15,000										
57	14,700	14,300	14,100					14,600			
63	14,300	14,200	13,800	13,500	13,500			14,400	13,900	13,700	
69	13,800	13,900	13,600	13,300	13,300	12,600		14,100	13,500	13,600	12,900
75	13,400	13,400	13,300	13,000	13,000	12,600		13,700	12,600	13,300	12,300
81	12,900	13,000	12,900	12,700	12,700	12,300		13,000	11,400	12,700	11,200
87	12,500	12,600	12,600	12,500	12,100	11,300		11,600	10,000	11,300	9,900
93	12,100	12,300	12,200	12,000	10,800	9,600		9,800	8,300	9,600	8,200
99	11,800	11,900	11,400	10,400	9,300	8,100		8,200	6,700	8,100	6,600
105	11,500	11,000	10,000	9,000	7,900	6,700		6,800	5,400	6,700	5,300
111	10,300	9,700	8,700	7,800	6,700	5,500		5,600	4,100	5,400	4,100
117	9,100	8,500	7,600	6,700	5,500	4,400		4,400		4,300	
123	7,900	7,500	6,500	5,600	4,500	3,400					
129	6,800	6,500	5,600	4,700	3,600						
135	5,800	5,600	4,700	3,900							
141	5,000	4,700	3,900								
147	4,100	3,900	3,100								
153	3,400	3,200									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	437	437	437	437	437	437	437	437	437	437	437




21.40

	T	NZK xx° 72ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40







[illegible]



070225

21.40


 ft		ft > < lbs		CODE > 0223 < L151 0441 .x(x)							
ft		86	100	114	128	142	157	171	142	157	157
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63										
	69	11,400	11,200								
	75	11,300	11,200	11,100	11,100				11,000		
	81	11,000	11,000	11,000	11,000	10,600	10,600		11,000	10,800	10,600
	87	10,800	10,800	10,800	10,800	10,600	10,500	10,400	10,800	10,800	10,500
	93	10,600	10,600	10,600	10,600	10,500	10,400	10,300	10,800	10,500	10,400
	99	10,500	10,500	10,500	10,500	10,400	10,400	10,100	10,500	9,700	10,300
	105	10,400	10,400	10,400	10,400	10,300	10,200	9,200	9,300	8,100	9,200
	111	10,300	10,300	10,300	10,300	9,700	8,800	7,800	7,800	6,600	7,700
	117	10,100	10,000	9,800	9,200	8,400	7,500	6,500	6,500	5,300	6,400
	123	9,000	8,900	8,700	8,000	7,300	6,300	5,400	5,200	4,000	5,200
	129	7,700	7,600	7,600	6,800	6,200	5,200	4,300	4,100		4,100
	135	6,400	6,500	6,500	5,800	5,100	4,200	3,300			
	141		5,400	5,400	4,800	4,200	3,300				
	147		4,300	4,500	4,000	3,300					
	153			3,500							
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
	2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
	3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
	4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
	5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
 ft / s											
	TAB 151	444	444	444	444	444	444	444	444	444	444



21.40

Diagram illustrating the dimensions and weight of the table:






- Table height: 29 x
- Table width: 18 ft
- Table weight: 57,300 lbs
- Table rotation: 360°




070225

21.40

		ft > < lbs		CODE > 0224 < L151 0541 .x(x)							
ft		44	58	72	86	100	114	128	142	142	157
12	22,200										
14	22,100	22,300									
16	22,100	22,100	20,900								
18	22,100	22,100	20,900	20,500							
21	22,000	22,100	20,900	20,400	19,600						
24	21,800	22,000	20,900	20,300	19,600	19,000					
27	21,400	21,900	20,900	20,200	19,600	18,900	18,100	18,700	17,400		
30	21,000	21,500	20,700	20,000	19,400	18,700	18,100	18,700	17,400	17,900	
33	20,500	21,200	20,600	19,800	19,400	18,700	17,900	18,700	17,400	17,900	
36	20,100	20,800	20,300	19,800	19,200	18,500	17,900	18,700	17,400	17,900	
39	19,600	20,400	20,000	19,700	19,100	18,500	17,900	18,700	17,400	17,900	
45	18,600	19,500	19,300	19,200	18,600	18,300	17,700	18,400	17,300	17,700	
51	17,500	18,600	18,600	18,500	18,100	17,900	17,300	18,000	17,000	17,400	
57	16,400	17,600	17,800	17,900	17,600	17,400	17,000	17,600	16,600	17,100	
63	15,400	16,700	17,000	17,200	17,100	17,000	16,600	17,200	16,300	16,700	
69	14,500	15,800	16,200	16,600	16,500	16,500	16,100	16,800	15,900	16,200	
75	13,600	15,000	15,500	15,900	16,000	16,000	15,700	16,000	15,600	14,700	
81	12,800	14,100	14,800	15,200	15,400	15,500	15,300	14,500	15,200	12,500	
87	11,900	13,400	14,100	14,600	14,800	15,000	14,800	12,500	14,600	10,600	
93	11,000	12,600	13,400	14,000	14,200	14,500	14,300	10,700	13,400	8,900	
99	10,200	11,800	12,800	13,400	13,700	13,900	13,000	9,200	11,900	7,300	
105		11,000	12,100	12,900	13,200	12,900	11,600	7,800	10,500	6,000	
111		10,300	11,500	12,300	12,100	11,600	10,300	6,600	9,200	4,800	
117		9,600	10,800	11,300	10,800	10,300	9,200	5,500	8,100	3,700	
123			10,200	10,200	9,600	9,200	8,100	4,500	7,100		
129			9,300	9,200	8,600	8,100	7,200	3,500	6,100		
135				8,200	7,600	7,200	6,300		5,300		
141				7,400	6,800	6,300	5,500		4,500		
147					6,000	5,500	4,700		3,800		
153					5,300	4,800	4,000		3,100		
159					4,700	4,200	3,300				
165						3,600	2,700				
171						3,000					
177						2,600					
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		429	429	429	429	429	429	429	429	429	429












070225

21.40


		ft > < lbs		CODE > 0224 <							L151 0541 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								22,300				
16								22,100	20,900			
18								22,100	20,900	20,500		
21								22,100	20,900	20,400	19,600	
24								22,000	20,900	20,300	19,600	
27								21,900	20,900	20,200	19,600	
30	17,600							21,500	20,700	20,000	19,400	
33	17,600							21,200	20,600	19,800	19,400	
36	17,400	16,500	16,500	15,900				20,800	20,300	19,800	19,200	
39	17,400	16,300	16,500	15,700				20,400	20,000	19,700	19,100	
45	17,000	16,300	16,400	15,700	14,600	13,200		19,500	19,300	19,200	18,600	
51	16,900	16,300	16,100	15,500	14,600	13,200		18,600	18,600	18,500	18,100	
57	16,700	16,100	16,000	15,400	14,600	13,200		17,600	17,800	17,900	17,600	
63	16,400	15,800	15,800	15,300	14,500	13,100		16,700	17,000	17,200	17,100	
69	16,000	15,500	15,500	15,000	14,400	13,000		15,800	16,200	16,600	16,500	
75	15,400	15,200	14,300	14,700	13,700	12,700		15,000	15,500	15,900	16,000	
81	14,100	14,700	12,200	13,900	12,200	11,600		14,100	14,800	15,200	15,400	
87	12,200	13,700	10,300	12,100	10,400	9,800		13,400	14,100	14,600	14,800	
93	10,500	11,900	8,700	10,500	8,800	8,200		12,600	13,400	14,000	14,200	
99	8,900	10,400	7,200	9,000	7,300	6,800		11,800	12,800	13,400	13,700	
105	7,600	9,000	5,900	7,600	6,000	5,500		11,000	12,100	12,900	13,200	
111	6,400	7,800	4,700	6,400	4,800	4,400		10,300	11,500	12,300	12,100	
117	5,300	6,700	3,600	5,400	3,800			9,600	10,800	11,300	10,800	
123	4,300	5,700		4,400					10,200	10,200	9,600	
129	3,400	4,800		3,500					9,300	9,200	8,600	
135		4,000								8,200	7,600	
141		3,200								7,400	6,800	
147											6,000	
153											5,300	
159											4,700	
165												
171												
177												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
%												
ft / s		23	23	23	23	23	23	23	23	23	23	
TAB 151		429	429	429	429	429	429	429	429	429	429	












070225

21.40

				ft > < lbs		CODE > 0224 < L151 0541 .x(x)					
ft		114	128	142	157	171	142	157	157	171	185
	12										
	14										
	16										
	18										
	21										
	24	19,000									
	27	18,900	18,100	17,400			18,700				
	30	18,700	18,100	17,400			18,700	17,900	17,600		
	33	18,700	17,900	17,400			18,700	17,900	17,600		
	36	18,500	17,900	17,400	16,500	15,900	18,700	17,900	17,400	16,500	
	39	18,500	17,900	17,400	16,300	15,700	18,700	17,900	17,400	16,500	
	45	18,300	17,700	17,300	16,300	15,700	18,400	17,700	17,000	16,400	14,600
	51	17,900	17,300	17,000	16,300	15,500	18,000	16,300	16,900	15,800	14,600
	57	17,400	17,000	16,600	16,100	15,400	17,600	14,800	16,700	14,500	14,100
	63	17,000	16,600	16,300	15,700	15,300	17,200	13,500	16,400	13,200	13,000
	69	16,500	16,100	15,900	14,800	15,000	16,800	12,300	16,000	12,000	11,800
	75	16,000	15,700	15,600	13,700	14,700	16,000	11,200	15,400	10,900	10,700
	81	15,500	15,300	15,200	12,700	13,900	14,500	10,200	14,100	9,900	9,700
	87	15,000	14,700	14,600	11,700	12,100	12,500	9,300	12,200	8,900	8,800
	93	14,500	13,900	13,400	10,900	10,500	10,700	8,400	10,500	8,100	8,000
	99	13,900	13,000	11,900	10,100	9,000	9,200	7,300	8,900	7,200	7,100
	105	12,900	11,600	10,500	9,000	7,600	7,800	6,000	7,600	5,900	6,000
	111	11,600	10,300	9,200	7,800	6,400	6,600	4,800	6,400	4,700	4,800
	117	10,300	9,200	8,100	6,700	5,400	5,500	3,700	5,300	3,600	3,800
	123	9,200	8,100	7,100	5,700	4,400	4,500		4,300		
	129	8,100	7,200	6,100	4,800	3,500	3,500		3,400		
	135	7,200	6,300	5,300	4,000						
	141	6,300	5,500	4,500	3,200						
	147	5,500	4,700	3,800							
	153	4,800	4,000	3,100							
	159	4,200	3,300								
	165	3,600	2,700								
	171	3,000									
	177	2,600									
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		429	429	429	429	429	429	429	429	429	429







070225

21.40

 ft	CODE > 0224 < L151 0541 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		16,900								
45	11,900	15,800	16,100	15,900						
51	10,600	15,000	15,400	15,400	15,200	15,000				
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600
93		10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300
99		10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,200	12,000
105			10,800	11,100	11,400	11,500	11,600	11,700	10,700	11,700
111			10,600	10,800	11,100	11,200	11,400	11,400	9,300	11,400
117			10,600	10,600	10,800	11,000	11,100	11,000	8,000	10,200
123				10,400	10,600	10,800	10,600	9,900	6,800	9,100
129				9,700	10,000	9,800	9,600	8,800	5,700	8,000
135					9,000	8,700	8,500	7,800	4,700	7,000
141					8,000	7,700	7,500	6,900	3,700	6,100
147						6,700	6,500	6,000		5,200
153						5,900	5,700	5,100		4,400
159							4,900	4,300		3,700
165							4,100	3,600		3,000
171								2,900		
177								2,200		
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
 %	1	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+
 ft /s	TAB 151	429	436	436	436	436	436	436	436	436












070225

21.40

 ft	ft > < lbs			CODE > 0224 < L151 0541 .x(x)						
	157	157	157	171	171	185	197	58	72	86
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45								16,100	15,900	
51								15,400	15,400	15,200
57								14,800	14,800	14,800
63	13,900	13,700	13,500					14,200	14,200	14,300
69	13,800	13,600	13,300	13,200	12,600	12,400		13,500	13,700	13,900
75	13,500	13,300	13,000	13,100	12,600	12,300	11,500	12,900	13,100	13,300
81	13,200	13,000	12,700	12,800	12,500	12,200	11,500	12,400	12,600	12,900
87	12,900	12,700	12,400	12,500	12,200	11,900	11,400	11,900	12,200	12,400
93	12,300	12,400	12,100	12,000	12,000	11,600	11,100	11,500	11,800	12,000
99	10,800	12,000	11,900	10,700	11,700	10,700	10,200	11,100	11,400	11,700
105	9,200	10,500	11,600	9,100	10,600	9,200	8,700	10,800	11,100	11,400
111	7,800	9,100	10,300	7,700	9,200	7,800	7,400	10,600	10,800	11,100
117	6,500	7,800	9,100	6,400	7,900	6,600	6,200	10,600	10,600	10,800
123	5,300	6,700	7,900	5,300	6,800	5,400	5,000		10,400	10,600
129	4,200	5,600	6,800	4,200	5,700	4,400	4,000		9,700	10,000
135		4,600	5,800		4,700	3,400				9,000
141		3,700	4,900		3,800					8,000
147			4,100							
153			3,300							
159										
165										
171										
177										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	436	436	436	436	436	436	436	436	436	436












070225

21.40

		ft > < lbs		CODE > 0224 < L151 0541 .x(x)							
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	15,000										
57	14,700	14,300	14,100					14,600			
63	14,300	14,200	13,800	13,500	13,500			14,400	13,900	13,700	
69	13,800	13,900	13,600	13,300	13,300	12,600		14,100	13,500	13,600	12,900
75	13,400	13,400	13,300	13,000	13,000	12,600		13,700	12,600	13,300	12,300
81	12,900	13,000	12,900	12,700	12,700	12,500		13,300	11,500	13,000	11,300
87	12,500	12,600	12,600	12,600	12,300	12,200		13,000	10,500	12,700	10,300
93	12,100	12,300	12,300	12,300	11,600	12,000		12,600	9,600	12,400	9,400
99	11,800	11,900	12,000	12,000	10,800	11,700		12,200	8,800	12,000	8,500
105	11,500	11,600	11,700	11,700	10,100	10,600		10,700	8,100	10,500	7,800
111	11,200	11,400	11,400	11,400	9,400	9,200		9,300	7,300	9,100	7,100
117	11,000	11,100	11,000	10,200	8,700	7,900		8,000	6,400	7,800	6,300
123	10,800	10,600	9,900	9,100	7,800	6,800		6,800	5,300	6,700	5,300
129	9,800	9,600	8,800	8,000	6,800	5,700		5,700	4,200	5,600	4,200
135	8,700	8,500	7,800	7,000	5,800	4,700		4,700		4,600	
141	7,700	7,500	6,900	6,100	4,900	3,800		3,700		3,700	
147	6,700	6,500	6,000	5,200	4,100						
153	5,900	5,700	5,100	4,400	3,300						
159		4,900	4,300	3,700							
165		4,100	3,600	3,000							
171			2,900								
177			2,200								
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1		0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2		0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3		0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4		92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5		92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		436	436	436	436	436	436	436	436	436	436











070225

21.40

		ft > < lbs		CODE > 0224 < L151 0541 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				11,700	11,700	11,700					
69	12,400			11,300	11,500	11,500	11,400	11,200			
75	12,000	7,100	11,000	11,200	11,300	11,300	11,200	11,100	11,100	11,000	11,000
81	11,200	6,700	10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000
87	10,200	5,800	10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800	10,800
93	9,300	4,900	10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,600	10,800
99	8,500	4,100		10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,600
105	7,700	3,400		10,500	10,400	10,400	10,400	10,400	10,400	10,400	10,500
111	7,000	2,800		10,500	10,400	10,300	10,300	10,300	10,300	10,300	10,400
117	6,300				10,400	10,300	10,300	10,300	10,200	10,200	9,900
123	5,400					10,300	10,300	10,300	10,200	10,100	8,700
129	4,400					10,200	10,200	10,200	10,100	9,800	7,400
135	3,400						9,200	9,300	9,300	9,000	6,200
141								8,100	8,200	7,800	5,100
147								6,900	7,100	6,700	4,100
153									6,000	5,700	
159									5,000	4,800	
165										3,900	
171										3,000	
177										2,100	
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	436	436	443	443	443	443	443	443	443	443












070225

21.40


				ft > < lbs		CODE > 0224 <		L151 0541 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63									11,700	11,700
	69									11,500	11,500
	75									11,200	11,300
81	10,600	10,800	10,600	10,600					11,000	11,000	
87	10,600	10,800	10,500	10,500	10,600	10,400	10,100		10,700	10,800	
93	10,500	10,600	10,400	10,400	10,500	10,300	10,100	9,900	10,500	10,600	
99	10,400	10,500	10,400	10,400	10,400	10,100	10,100	9,900	10,500	10,500	
105	10,300	10,400	10,400	10,300	10,300	10,100	10,100	9,900	10,500	10,400	
111	10,200	10,200	10,200	10,200	10,100	10,100	10,000	9,800	10,500	10,400	
117	10,200	8,800	9,800	10,100	8,800	9,800	8,800	8,500		10,400	
123	10,100	7,400	8,600	9,500	7,400	8,700	7,600	7,200		10,400	
129	9,400	6,100	7,300	8,500	6,200	7,500	6,300	6,000			
135	8,300	5,000	6,200	7,300	5,000	6,400	5,200	4,900			
141	7,200	3,900	5,100	6,300	3,900	5,300	4,200	3,900			
147	6,200		4,100	5,300		4,400	3,200				
153	5,300			4,400		3,500					
159	4,400			3,500							
165	3,600										
171											
177											
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		443	443	443	443	443	443	443	443	443	443










070225

21.40


				ft		> <		lbs		CODE > 0224 <		L151 0541 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157		
12													
14													
16													
18													
21													
24													
27													
30													
33													
36													
39													
45													
51													
57													
63													
69		11,400	11,200										
75		11,300	11,200	11,100	11,100				11,000				
81		11,000	11,000	11,000	11,000	10,600	10,600		11,000	10,800	10,600		
87		10,800	10,800	10,800	10,800	10,600	10,500	10,400	10,800	10,800	10,500		
93		10,600	10,600	10,600	10,600	10,500	10,400	10,300	10,800	10,500	10,400		
99		10,500	10,500	10,500	10,500	10,400	10,400	10,100	10,600	9,700	10,400		
105		10,400	10,400	10,400	10,400	10,300	10,300	10,100	10,500	8,900	10,400		
111		10,300	10,300	10,300	10,300	10,200	9,900	10,100	10,400	8,200	10,200		
117		10,300	10,300	10,200	10,200	10,200	9,200	9,800	9,900	7,500	9,800		
123		10,300	10,300	10,200	10,100	10,100	8,600	8,700	8,700	6,800	8,600		
129		10,200	10,200	10,100	9,800	9,400	8,000	7,500	7,400	6,000	7,300		
135		9,200	9,300	9,300	9,000	8,300	7,200	6,400	6,200	5,000	6,200		
141			8,100	8,200	7,800	7,200	6,300	5,300	5,100	3,900	5,100		
147			6,900	7,100	6,700	6,200	5,300	4,400	4,100		4,100		
153				6,000	5,700	5,300	4,400	3,500					
159				5,000	4,800	4,400	3,500						
165					3,900	3,600							
171					3,000								
177					2,100								
* n *		1	1	1	1	1	1	1	1	1	1		
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0		
1		0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2		0+	0+	0+	0+	46-	92-	92+	92+	92+	92+		
3		0+	0+	46-	92-	92+	92+	92+	92+	92+	92+		
4		46-	92-	92+	92+	92+	92+	92+	46+	46+	92+		
5		92+	92+	92+	92+	92+	92+	92+	46+	46+	46+		
%													
													
ft /s		23	23	23	23	23	23	23	23	23	23		
TAB 151		443	443	443	443	443	443	443	443	443	443		



21.40

Diagram of a lighting fixture with the following specifications:







- Material: T
- Finish: NZK xx°
- Height: 72ft
- Weight: 79,400 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°




070225

21.40

		ft > < lbs		CODE > 0225 < L151 0641 .x(x)							
ft		44	58	72	86	100	114	128	142	142	157
12	22,200										
14	22,100	22,300									
16	22,100	22,100	20,900								
18	22,100	22,100	20,900	20,500							
21	22,000	22,100	20,900	20,400	19,600						
24	21,800	22,000	20,900	20,300	19,600	19,000					
27	21,400	21,900	20,900	20,200	19,600	18,900	18,100	18,700	17,400		
30	21,000	21,500	20,700	20,000	19,400	18,700	18,100	18,700	17,400	17,900	
33	20,500	21,200	20,600	19,800	19,400	18,700	17,900	18,700	17,400	17,900	
36	20,100	20,800	20,300	19,800	19,200	18,500	17,900	18,700	17,400	17,900	
39	19,600	20,400	20,000	19,700	19,100	18,500	17,900	18,700	17,400	17,900	
45	18,600	19,500	19,300	19,200	18,600	18,300	17,700	18,400	17,300	17,700	
51	17,500	18,600	18,600	18,500	18,100	17,900	17,300	18,000	17,000	17,400	
57	16,400	17,600	17,800	17,900	17,600	17,400	17,000	17,600	16,600	17,100	
63	15,400	16,700	17,000	17,200	17,100	17,000	16,600	17,200	16,300	16,700	
69	14,500	15,800	16,200	16,600	16,500	16,500	16,100	16,800	15,900	16,400	
75	13,600	15,000	15,500	15,900	16,000	16,000	15,700	16,400	15,600	15,300	
81	12,800	14,100	14,800	15,200	15,400	15,500	15,300	15,400	15,200	13,400	
87	11,900	13,400	14,100	14,600	14,800	15,000	14,800	13,400	14,800	11,500	
93	11,000	12,600	13,400	14,000	14,200	14,500	14,400	11,600	14,200	9,700	
99	10,200	11,800	12,800	13,400	13,700	13,900	13,900	10,000	12,700	8,200	
105		11,000	12,100	12,900	13,200	13,500	12,400	8,600	11,200	6,800	
111		10,300	11,500	12,300	12,700	12,300	11,100	7,300	10,000	5,500	
117		9,600	10,800	11,800	11,500	11,000	9,900	6,200	8,800	4,400	
123			10,200	10,800	10,200	9,800	8,800	5,100	7,700		
129			9,600	9,800	9,200	8,700	7,900	4,200	6,800		
135				8,800	8,200	7,700	6,900	3,300	5,900		
141				8,000	7,300	6,800	6,000		5,100		
147					6,500	6,000	5,200		4,400		
153					5,800	5,300	4,500		3,700		
159					5,200	4,600	3,800		3,100		
165						4,000	3,200				
171						3,500					
177						3,000					
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		428	428	428	428	428	428	428	428	428	428












070225

21.40


		ft > < lbs		CODE > 0225 <							L151 0641 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								22,300				
16								22,100	20,900			
18								22,100	20,900	20,500		
21								22,100	20,900	20,400	19,600	
24								22,000	20,900	20,300	19,600	
27								21,900	20,900	20,200	19,600	
30	17,600							21,500	20,700	20,000	19,400	
33	17,600							21,200	20,600	19,800	19,400	
36	17,400	16,500	16,500	15,900				20,800	20,300	19,800	19,200	
39	17,400	16,300	16,500	15,700				20,400	20,000	19,700	19,100	
45	17,000	16,300	16,400	15,700	14,600	13,200		19,500	19,300	19,200	18,600	
51	16,900	16,300	16,100	15,500	14,600	13,200		18,600	18,600	18,500	18,100	
57	16,700	16,100	16,000	15,400	14,600	13,200		17,600	17,800	17,900	17,600	
63	16,400	15,800	15,800	15,300	14,500	13,100		16,700	17,000	17,200	17,100	
69	16,000	15,500	15,500	15,000	14,400	13,000		15,800	16,200	16,600	16,500	
75	15,700	15,200	14,700	14,700	14,100	12,900		15,000	15,500	15,900	16,000	
81	14,800	14,900	13,200	14,200	13,200	12,200		14,100	14,800	15,200	15,400	
87	13,100	14,200	11,200	13,000	11,300	10,700		13,400	14,100	14,600	14,800	
93	11,300	12,800	9,500	11,300	9,600	9,000		12,600	13,400	14,000	14,200	
99	9,700	11,200	8,000	9,800	8,100	7,600		11,800	12,800	13,400	13,700	
105	8,300	9,800	6,600	8,400	6,700	6,200		11,000	12,100	12,900	13,200	
111	7,100	8,500	5,400	7,100	5,600	5,100		10,300	11,500	12,300	12,700	
117	6,000	7,400	4,300	6,000	4,500	4,000		9,600	10,800	11,800	11,500	
123	4,900	6,400		5,000	3,500				10,200	10,800	10,200	
129	4,000	5,400		4,100					9,600	9,800	9,200	
135		4,600		3,300						8,800	8,200	
141		3,800								8,000	7,300	
147											6,500	
153											5,800	
159											5,200	
165												
171												
177												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
%												
ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		428	428	428	428	428	428	428	428	428	428	











070225

21.40

		CODE > 0225 < L151 0641 .x(x)									
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	19,000										
27	18,900	18,100	17,400				18,700				
30	18,700	18,100	17,400				18,700	17,900	17,600		
33	18,700	17,900	17,400				18,700	17,900	17,600		
36	18,500	17,900	17,400	16,500	15,900		18,700	17,900	17,400	16,500	
39	18,500	17,900	17,400	16,300	15,700		18,700	17,900	17,400	16,500	
45	18,300	17,700	17,300	16,300	15,700		18,400	17,700	17,000	16,400	14,600
51	17,900	17,300	17,000	16,300	15,500		18,000	16,300	16,900	15,800	14,600
57	17,400	17,000	16,600	16,100	15,400		17,600	14,800	16,700	14,500	14,100
63	17,000	16,600	16,300	15,700	15,300		17,200	13,500	16,400	13,200	13,000
69	16,500	16,100	15,900	14,800	15,000		16,800	12,300	16,000	12,000	11,800
75	16,000	15,700	15,600	13,700	14,700		16,400	11,200	15,700	10,900	10,700
81	15,500	15,300	15,200	12,700	14,200		15,400	10,200	14,800	9,900	9,700
87	15,000	14,700	14,800	11,700	13,000		13,400	9,300	13,100	8,900	8,800
93	14,500	13,900	14,200	10,900	11,300		11,600	8,500	11,300	8,100	8,000
99	13,900	13,100	12,700	10,100	9,800		10,000	7,700	9,700	7,300	7,200
105	13,500	12,400	11,200	9,400	8,400		8,600	6,800	8,300	6,600	6,500
111	12,300	11,100	10,000	8,500	7,100		7,300	5,500	7,100	5,400	5,500
117	11,000	9,900	8,800	7,400	6,000		6,200	4,400	6,000	4,300	4,500
123	9,800	8,800	7,700	6,400	5,000		5,100		4,900		3,500
129	8,700	7,900	6,800	5,400	4,100		4,200		4,000		
135	7,700	6,900	5,900	4,600	3,300		3,300				
141	6,800	6,000	5,100	3,800							
147	6,000	5,200	4,400								
153	5,300	4,500	3,700								
159	4,600	3,800	3,100								
165	4,000	3,200									
171	3,500										
177	3,000										
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		428	428	428	428	428	428	428	428	428	428











070225

21.40

 ft	CODE > 0225 < L151 0641 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		16,900								
45	11,900	15,800	16,100	15,900						
51	10,600	15,000	15,400	15,400	15,200	15,000				
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600
93		10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300
99		10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,300	12,000
105			10,800	11,100	11,400	11,500	11,600	11,700	11,500	11,700
111			10,600	10,800	11,100	11,200	11,400	11,400	10,000	11,500
117			10,600	10,600	10,800	11,000	11,100	11,200	8,700	10,800
123				10,400	10,600	10,800	10,900	10,500	7,500	9,700
129				10,100	10,400	10,200	10,100	9,500	6,300	8,600
135					9,600	9,300	9,000	8,400	5,300	7,600
141					8,500	8,200	8,000	7,400	4,300	6,700
147						7,300	7,100	6,500	3,500	5,800
153						6,400	6,200	5,600		5,000
159							5,400	4,800		4,200
165							4,600	4,000		3,500
171								3,300		
177								2,700		
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	428	435	435	435	435	435	435	435	435	435












070225

21.40

				ft > < lbs		CODE > 0225 <		L151 0641 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45								16,100	15,900	
	51								15,400	15,400	15,200
	57								14,800	14,800	14,800
	63	13,900	13,700	13,500					14,200	14,200	14,300
	69	13,800	13,600	13,300	13,200	12,600	12,400		13,500	13,700	13,900
	75	13,500	13,300	13,000	13,100	12,600	12,300	11,500	12,900	13,100	13,300
	81	13,200	13,000	12,700	12,800	12,500	12,200	11,500	12,400	12,600	12,900
	87	12,900	12,700	12,400	12,500	12,200	11,900	11,400	11,900	12,200	12,400
	93	12,500	12,400	12,100	12,100	12,000	11,700	11,300	11,500	11,800	12,000
	99	11,600	12,000	11,900	11,500	11,700	11,400	11,000	11,100	11,400	11,700
	105	10,000	11,300	11,600	9,900	11,300	9,900	9,500	10,800	11,100	11,400
	111	8,500	9,800	11,000	8,400	9,900	8,500	8,100	10,600	10,800	11,100
	117	7,200	8,500	9,700	7,100	8,600	7,200	6,800	10,600	10,600	10,800
	123	6,000	7,300	8,600	5,900	7,400	6,100	5,700		10,400	10,600
	129	4,900	6,200	7,500	4,800	6,300	5,000	4,600		10,100	10,400
	135	3,800	5,200	6,500	3,800	5,300	4,000	3,700			9,600
	141		4,300	5,500		4,400					8,500
	147		3,400	4,700		3,600					
	153			3,900							
	159			3,100							
	165										
	171										
	177										
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		435	435	435	435	435	435	435	435	435	435







070225

21.40

		ft > < lbs		CODE > 0225 < L151 0641 .x(x)							
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	15,000										
57	14,700	14,300	14,100					14,600			
63	14,300	14,200	13,800	13,500	13,500			14,400	13,900	13,700	
69	13,800	13,900	13,600	13,300	13,300	12,600		14,100	13,500	13,600	12,900
75	13,400	13,400	13,300	13,000	13,000	12,600		13,700	12,600	13,300	12,300
81	12,900	13,000	12,900	12,700	12,700	12,500		13,300	11,500	13,000	11,300
87	12,500	12,600	12,600	12,600	12,300	12,200		13,000	10,500	12,700	10,300
93	12,100	12,300	12,300	12,300	11,600	12,000		12,600	9,600	12,400	9,400
99	11,800	11,900	12,000	12,000	10,800	11,700		12,300	8,800	12,000	8,500
105	11,500	11,600	11,700	11,700	10,100	11,300		11,500	8,100	11,300	7,800
111	11,200	11,400	11,400	11,500	9,400	9,900		10,000	7,300	9,800	7,100
117	11,000	11,100	11,200	10,800	8,700	8,600		8,700	6,700	8,500	6,400
123	10,800	10,900	10,500	9,700	8,100	7,400		7,500	5,900	7,300	5,800
129	10,200	10,100	9,500	8,600	7,400	6,300		6,300	4,900	6,200	4,800
135	9,300	9,000	8,400	7,600	6,500	5,300		5,300	3,800	5,200	3,800
141	8,200	8,000	7,400	6,700	5,500	4,400		4,300		4,300	
147	7,300	7,100	6,500	5,800	4,700	3,600		3,500		3,400	
153	6,400	6,200	5,600	5,000	3,900						
159		5,400	4,800	4,200	3,100						
165		4,600	4,000	3,500							
171			3,300								
177			2,700								
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1		0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2		0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3		0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4		92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5		92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		435	435	435	435	435	435	435	435	435	435












070225

21.40

 ft	CODE > 0225 < L151 0641 .x(x)									
	185	197	44	58	72	86	100	114	128	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63			11,700	11,700	11,700					
69	12,400		11,300	11,500	11,500	11,400	11,200			
75	12,000	7,100	11,000	11,200	11,300	11,300	11,200	11,100	11,100	11,000
81	11,200	6,700	10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000
87	10,200	5,800	10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800
93	9,300	4,900	10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,800
99	8,500	4,100		10,500	10,500	10,500	10,500	10,500	10,500	10,600
105	7,700	3,400		10,500	10,400	10,400	10,400	10,400	10,400	10,500
111	7,000	2,800		10,500	10,400	10,300	10,300	10,300	10,300	10,400
117	6,300				10,400	10,300	10,300	10,200	10,200	10,300
123	5,700				10,400	10,300	10,300	10,200	10,100	9,300
129	4,900					10,300	10,300	10,200	10,100	8,000
135	4,000					9,600	9,700	9,700	9,400	6,800
141							8,700	8,700	8,300	5,700
147							7,400	7,600	7,200	4,600
153								6,500	6,200	3,700
159								5,500	5,300	
165									4,400	
171									3,500	
177									2,600	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	435	435	442	442	442	442	442	442	442	442












070225

21.40


 ft		ft > < lbs		CODE > 0225 < L151 0641 .x(x)							
		142	157	157	157	171	171	185	197	58	72
 %	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63									11,700	11,700
	69									11,500	11,500
	75									11,200	11,300
	81	10,600	10,800	10,600	10,600					11,000	11,000
	87	10,600	10,800	10,500	10,500	10,600	10,400	10,100		10,700	10,800
93	10,500	10,600	10,400	10,400	10,500	10,300	10,100	9,900	10,500	10,600	
99	10,400	10,500	10,400	10,400	10,400	10,100	10,100	9,900	10,500	10,500	
105	10,300	10,400	10,400	10,300	10,300	10,100	10,100	9,900	10,500	10,400	
111	10,200	10,300	10,200	10,200	10,200	10,100	10,000	9,800	10,500	10,400	
117	10,200	9,400	10,200	10,100	9,300	10,000	9,400	9,100		10,400	
123	10,100	8,100	9,200	10,000	8,100	9,200	8,200	7,900		10,400	
129	9,800	6,800	8,000	9,100	6,800	8,100	7,000	6,600			
135	8,900	5,600	6,800	7,900	5,600	7,000	5,800	5,500			
141	7,800	4,500	5,700	6,900	4,500	5,900	4,800	4,500			
147	6,800	3,400	4,700	5,900	3,500	4,900	3,800	3,500			
153	5,900		3,700	4,900		4,000					
159	5,000			4,100		3,100					
165	4,100			3,200							
171	3,300										
177	2,500										
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		442	442	442	442	442	442	442	442	442	442







070225

21.40

				ft > < lbs		CODE > 0225 <		L151 0641 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	11,400	11,200									
75	11,300	11,200	11,100	11,100					11,000		
81	11,000	11,000	11,000	11,000	10,600	10,600			11,000	10,800	10,600
87	10,800	10,800	10,800	10,800	10,600	10,500	10,400	10,400	10,800	10,800	10,500
93	10,600	10,600	10,600	10,600	10,500	10,400	10,300	10,300	10,800	10,500	10,400
99	10,500	10,500	10,500	10,500	10,400	10,400	10,100	10,100	10,600	9,700	10,400
105	10,400	10,400	10,400	10,400	10,300	10,300	10,100	10,100	10,500	8,900	10,400
111	10,300	10,300	10,300	10,300	10,200	9,900	10,100	10,400	8,200	10,200	
117	10,300	10,300	10,200	10,200	10,200	9,200	10,000	10,300	7,500	10,200	
123	10,300	10,300	10,200	10,100	10,100	8,600	9,200	9,300	6,800	9,200	
129	10,300	10,300	10,200	10,100	9,800	8,000	8,100	8,000	6,200	8,000	
135	9,600	9,700	9,700	9,400	8,900	7,400	7,000	6,800	5,400	6,800	
141		8,700	8,700	8,300	7,800	6,800	5,900	5,700	4,500	5,700	
147		7,400	7,600	7,200	6,800	5,900	4,900	4,600	3,400	4,700	
153			6,500	6,200	5,900	4,900	4,000	3,700		3,700	
159			5,500	5,300	5,000	4,100	3,100				
165				4,400	4,100	3,200					
171				3,500	3,300						
177				2,600	2,500						
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
		1	0+	0+	0+	0+	0+	46-	46-	92-	46-
		2	0+	0+	0+	0+	46-	92-	92+	92+	92+
		3	0+	0+	46-	92-	92+	92+	92+	92+	92+
		4	46-	92-	92+	92+	92+	92+	46+	46+	92+
		5	92+	92+	92+	92+	92+	92+	46+	46+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		442	442	442	442	442	442	442	442	442	442











070225

21.40

 ft	 ft > < lbs			CODE > 0225 < L151 0641 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,100								
93	10,400	10,100	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,500	4,600								
147	3,500	3,800								
153										
159										
165										
171										
177										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	442	442	442							







070225

21.40

		ft > < lbs		CODE > 0226 <							L151 0741 .x(x)	
ft		44	58	72	86	100	114	128	142	142	157	
12	22,200											
14	22,100	22,300										
16	22,100	22,100	20,900									
18	22,100	22,100	20,900	20,500								
21	22,000	22,100	20,900	20,400	19,600							
24	21,800	22,000	20,900	20,300	19,600	19,000						
27	21,400	21,900	20,900	20,200	19,600	18,900	18,100	18,700	17,400			
30	21,000	21,500	20,700	20,000	19,400	18,700	18,100	18,700	17,400	17,900		
33	20,500	21,200	20,600	19,800	19,400	18,700	17,900	18,700	17,400	17,900		
36	20,100	20,800	20,300	19,800	19,200	18,500	17,900	18,700	17,400	17,900		
39	19,600	20,400	20,000	19,700	19,100	18,500	17,900	18,700	17,400	17,900		
45	18,600	19,500	19,300	19,200	18,600	18,300	17,700	18,400	17,300	17,700		
51	17,500	18,600	18,600	18,500	18,100	17,900	17,300	18,000	17,000	17,400		
57	16,400	17,600	17,800	17,900	17,600	17,400	17,000	17,600	16,600	17,100		
63	15,400	16,700	17,000	17,200	17,100	17,000	16,600	17,200	16,300	16,700		
69	14,500	15,800	16,200	16,600	16,500	16,500	16,100	16,800	15,900	16,400		
75	13,600	15,000	15,500	15,900	16,000	16,000	15,700	16,400	15,600	16,000		
81	12,800	14,100	14,800	15,200	15,400	15,500	15,300	16,000	15,200	15,600		
87	11,900	13,400	14,100	14,600	14,800	15,000	14,800	15,600	14,800	14,900		
93	11,000	12,600	13,400	14,000	14,200	14,500	14,400	14,900	14,400	13,200		
99	10,200	11,800	12,800	13,400	13,700	13,900	14,000	13,300	14,000	11,400		
105		11,000	12,100	12,900	13,200	13,500	13,500	11,700	13,600	9,900		
111		10,300	11,500	12,300	12,700	13,100	13,100	10,300	12,900	8,500		
117		9,600	10,800	11,800	12,300	12,600	12,600	9,000	11,600	7,200		
123			10,200	11,200	11,900	12,100	11,500	7,800	10,500	6,100		
129			9,600	10,700	11,300	11,100	10,300	6,800	9,400	5,000		
135				10,200	10,500	10,000	9,200	5,800	8,400	4,100		
141				9,600	9,500	9,000	8,200	4,900	7,500			
147					8,600	8,100	7,300	4,100	6,600			
153					7,800	7,300	6,500	3,400	5,800			
159					7,100	6,600	5,700		5,000			
165						5,900	5,000		4,300			
171						5,300	4,400		3,700			
177						4,700	3,800		3,100			
183							3,300		2,600			
189							2,800					
* n *	1	1	1	1	1	1	1	1	1	1		
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		427	427	427	427	427	427	427	427	427	427	











070225

21.40

				ft > < lbs		CODE > 0226 < L151 0741 .x(x)					
ft		157	157	171	171	185	197	58	72	86	100
12											
14								22,300			
16								22,100	20,900		
18								22,100	20,900	20,500	
21								22,100	20,900	20,400	19,600
24								22,000	20,900	20,300	19,600
27								21,900	20,900	20,200	19,600
30	17,600							21,500	20,700	20,000	19,400
33	17,600							21,200	20,600	19,800	19,400
36	17,400	16,500	16,500	15,900				20,800	20,300	19,800	19,200
39	17,400	16,300	16,500	15,700				20,400	20,000	19,700	19,100
45	17,000	16,300	16,400	15,700	14,600	13,200		19,500	19,300	19,200	18,600
51	16,900	16,300	16,100	15,500	14,600	13,200		18,600	18,600	18,500	18,100
57	16,700	16,100	16,000	15,400	14,600	13,200		17,600	17,800	17,900	17,600
63	16,400	15,800	15,800	15,300	14,500	13,100		16,700	17,000	17,200	17,100
69	16,000	15,500	15,500	15,000	14,400	13,000		15,800	16,200	16,600	16,500
75	15,700	15,200	15,200	14,700	14,100	12,900		15,000	15,500	15,900	16,000
81	15,300	14,900	14,900	14,400	13,900	12,800		14,100	14,800	15,200	15,400
87	15,000	14,500	14,300	14,100	13,600	12,800		13,400	14,100	14,600	14,800
93	14,400	14,200	12,900	13,800	13,000	12,300		12,600	13,400	14,000	14,200
99	13,000	13,800	11,200	13,000	11,300	10,700		11,800	12,800	13,400	13,700
105	11,400	12,900	9,700	11,400	9,800	9,200		11,000	12,100	12,900	13,200
111	10,000	11,500	8,300	10,100	8,400	7,900		10,300	11,500	12,300	12,700
117	8,800	10,200	7,100	8,800	7,200	6,700		9,600	10,800	11,800	12,300
123	7,600	9,100	6,000	7,700	6,100	5,600			10,200	11,200	11,900
129	6,600	8,000	4,900	6,700	5,100	4,600			9,600	10,700	11,300
135	5,600	7,100	4,000	5,700	4,200	3,700				10,200	10,500
141	4,700	6,200		4,900	3,300					9,600	9,500
147	3,900	5,300		4,100							8,600
153	3,200	4,600		3,300							7,800
159		3,900									7,100
165		3,300									
171											
177											
183											
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		427	427	427	427	427	427	427	427	427	427










070225

21.40

		CODE > 0226 < L151 0741 .x(x)									
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	19,000										
27	18,900	18,100	17,400				18,700				
30	18,700	18,100	17,400				18,700	17,900	17,600		
33	18,700	17,900	17,400				18,700	17,900	17,600		
36	18,500	17,900	17,400	16,500	15,900		18,700	17,900	17,400	16,500	
39	18,500	17,900	17,400	16,300	15,700		18,700	17,900	17,400	16,500	
45	18,300	17,700	17,300	16,300	15,700		18,400	17,700	17,000	16,400	14,600
51	17,900	17,300	17,000	16,300	15,500		18,000	16,300	16,900	15,800	14,600
57	17,400	17,000	16,600	16,100	15,400		17,600	14,800	16,700	14,500	14,100
63	17,000	16,600	16,300	15,700	15,300		17,200	13,500	16,400	13,200	13,000
69	16,500	16,100	15,900	14,800	15,000		16,800	12,300	16,000	12,000	11,800
75	16,000	15,700	15,600	13,700	14,700		16,400	11,200	15,700	10,900	10,700
81	15,500	15,300	15,200	12,700	14,400		16,000	10,200	15,300	9,900	9,700
87	15,000	14,700	14,800	11,700	14,100		15,600	9,300	15,000	8,900	8,800
93	14,500	13,900	14,400	10,900	13,800		14,900	8,500	14,400	8,100	8,000
99	13,900	13,100	14,000	10,100	13,000		13,300	7,700	13,000	7,300	7,200
105	13,500	12,400	13,600	9,400	11,400		11,700	7,000	11,400	6,600	6,500
111	13,100	11,800	12,900	8,700	10,100		10,300	6,400	10,000	6,000	5,800
117	12,600	11,200	11,600	8,100	8,800		9,000	5,800	8,800	5,400	5,200
123	12,100	10,600	10,500	7,600	7,700		7,800	5,200	7,600	4,800	4,700
129	11,100	10,100	9,400	7,000	6,700		6,800	4,700	6,600	4,300	4,100
135	10,000	9,200	8,400	6,600	5,700		5,800	4,000	5,600	3,800	3,600
141	9,000	8,200	7,500	6,000	4,900		4,900		4,700		3,100
147	8,100	7,300	6,600	5,300	4,100		4,100		3,900		
153	7,300	6,500	5,800	4,600	3,300		3,400		3,200		
159	6,600	5,700	5,000	3,900							
165	5,900	5,000	4,300	3,300							
171	5,300	4,400	3,700								
177	4,700	3,800	3,100								
183		3,300	2,600								
189		2,800									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	427	427	427	427	427	427	427	427	427	427	427







070225

21.40


				ft > < lbs		CODE > 0226 <					L151 0741 .x(x)	
ft		197	44	58	72	86	100	114	128	142	142	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39			16,900									
45	11,900	15,800	16,100	15,900								
51	10,600	15,000	15,400	15,400	15,200	15,000						
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600			
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500		
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300		
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000		
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700		
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600		
93		10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300		
99		10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,300	12,000		
105			10,800	11,100	11,400	11,500	11,600	11,700	12,000	11,700		
111			10,600	10,800	11,100	11,200	11,400	11,400	11,800	11,500		
117			10,600	10,600	10,800	11,000	11,100	11,200	11,300	11,200		
123				10,400	10,600	10,800	10,900	11,000	10,200	11,000		
129				10,400	10,500	10,600	10,700	10,800	8,900	10,800		
135					10,400	10,500	10,600	10,400	7,800	10,100		
141					10,200	10,100	10,000	9,600	6,700	9,000		
147						9,400	9,200	8,600	5,800	8,000		
153						8,400	8,200	7,600	4,900	7,100		
159							7,300	6,700	4,000	6,200		
165							6,400	5,900	3,300	5,400		
171								5,100		4,600		
177								4,400		3,900		
183								3,700		3,300		
189										2,600		
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+	
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+	
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+	
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+	
		ft /s	23	23	23	23	23	23	23	23	23	
TAB 151			427	434	434	434	434	434	434	434	434	











070225

21.40

				ft > < lbs		CODE > 0226 <		L151 0741 .x(x)					
ft		157	157	157	171	171	185	197	58	72	86		
12													
14													
16													
18													
21													
24													
27													
30													
33													
36													
39													
45									16,100	15,900			
51									15,400	15,400	15,200		
57									14,800	14,800	14,800		
63		13,900	13,700	13,500					14,200	14,200	14,300		
69		13,800	13,600	13,300	13,200	12,600	12,400		13,500	13,700	13,900		
75		13,500	13,300	13,000	13,100	12,600	12,300	11,500	12,900	13,100	13,300		
81		13,200	13,000	12,700	12,800	12,500	12,200	11,500	12,400	12,600	12,900		
87		12,900	12,700	12,400	12,500	12,200	11,900	11,400	11,900	12,200	12,400		
93		12,500	12,400	12,100	12,200	12,000	11,700	11,300	11,500	11,800	12,000		
99		12,200	12,100	11,900	11,900	11,700	11,500	11,100	11,100	11,400	11,700		
105		12,000	11,900	11,600	11,700	11,500	11,300	10,900	10,800	11,100	11,400		
111		11,400	11,600	11,400	11,200	11,300	11,100	10,800	10,600	10,800	11,100		
117		10,000	11,200	11,200	9,900	11,100	10,000	9,600	10,600	10,600	10,800		
123		8,700	10,000	11,000	8,600	10,100	8,700	8,300		10,400	10,600		
129		7,500	8,800	10,000	7,400	8,900	7,500	7,100		10,400	10,500		
135		6,300	7,700	8,900	6,300	7,800	6,400	6,100			10,400		
141		5,300	6,600	7,900	5,300	6,800	5,500	5,100			10,200		
147		4,300	5,700	7,000	4,300	5,900	4,500	4,200					
153		3,400	4,800	6,100	3,400	5,000	3,700	3,300					
159			4,000	5,300		4,200							
165			3,200	4,500		3,400							
171				3,800									
177				3,100									
183				2,500									
189													
* n *		1	1	1	1	1	1	1	1	1	1		
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
 %		1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
		2	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		4	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	46-
		5	46+	46+	92+	46+	92+	92+	92+	100+	46-	92-	92+
 ft / s		23	23	23	23	23	23	23	23	23	23	23	
TAB 151		434	434	434	434	434	434	434	434	434	434	434	







070225

21.40

				ft > < lbs		CODE > 0226 <		L151 0741 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51		15,000									
57		14,700	14,300	14,100				14,600			
63		14,300	14,200	13,800	13,500	13,500		14,400	13,900	13,700	
69		13,800	13,900	13,600	13,300	13,300	12,600	14,100	13,500	13,600	12,900
75		13,400	13,400	13,300	13,000	13,000	12,600	13,700	12,600	13,300	12,300
81		12,900	13,000	12,900	12,700	12,700	12,500	13,300	11,500	13,000	11,300
87		12,500	12,600	12,600	12,600	12,300	12,200	13,000	10,500	12,700	10,300
93		12,100	12,300	12,300	12,300	11,600	12,000	12,600	9,600	12,400	9,400
99		11,800	11,900	12,000	12,000	10,800	11,700	12,300	8,800	12,100	8,500
105		11,500	11,600	11,700	11,700	10,100	11,500	12,000	8,100	11,900	7,800
111		11,200	11,400	11,400	11,500	9,400	11,300	11,800	7,300	11,600	7,100
117		11,000	11,100	11,200	11,200	8,700	11,100	11,300	6,700	11,200	6,400
123		10,800	10,900	10,700	11,000	8,100	10,100	10,200	6,100	10,000	5,800
129		10,600	10,700	10,200	10,800	7,600	8,900	8,900	5,500	8,800	5,200
135		10,500	10,600	9,700	10,100	7,100	7,800	7,800	5,000	7,700	4,700
141		10,100	10,000	9,200	9,000	6,600	6,800	6,700	4,500	6,600	4,200
147		9,400	9,200	8,600	8,000	6,100	5,900	5,800	4,000	5,700	3,700
153		8,400	8,200	7,600	7,100	5,700	5,000	4,900	3,400	4,800	3,200
159			7,300	6,700	6,200	5,200	4,200	4,000		4,000	
165			6,400	5,900	5,400	4,500	3,400	3,300		3,200	
171				5,100	4,600	3,800					
177				4,400	3,900	3,100					
183				3,700	3,300	2,500					
189					2,600						
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1		0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2		0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3		0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4		92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5		92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		434	434	434	434	434	434	434	434	434	434











070225

21.40

				ft > < lbs		CODE > 0226 <		L151 0741 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				11,700	11,700	11,700					
69	12,400			11,300	11,500	11,500	11,400	11,200			
75	12,000	7,100	11,000	11,200	11,300	11,300	11,200	11,100	11,100	11,000	11,000
81	11,200	6,700	10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000
87	10,200	5,800	10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800	10,800
93	9,300	4,900	10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,600	10,800
99	8,500	4,100		10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,600
105	7,700	3,400		10,500	10,400	10,400	10,400	10,400	10,400	10,400	10,500
111	7,000	2,800		10,500	10,400	10,300	10,300	10,300	10,300	10,300	10,400
117	6,300				10,400	10,300	10,300	10,300	10,200	10,200	10,300
123	5,700					10,300	10,300	10,300	10,200	10,100	10,200
129	5,100					10,300	10,300	10,300	10,200	10,100	10,100
135	4,600						10,300	10,300	10,100	10,100	9,300
141	4,100							10,200	10,100	10,000	8,100
147	3,600							9,500	9,700	9,400	7,000
153	3,100								8,500	8,200	5,900
159									7,400	7,200	4,900
165										6,200	4,000
171										5,300	
177										4,300	
183											
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	434	434	441	441	441	441	441	441	441	441	441







070225

21.40

				ft > < lbs		CODE > 0226 <		L151 0741 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63										11,700	11,700
69										11,500	11,500
75										11,200	11,300
81	10,600	10,800	10,600	10,600						11,000	11,000
87	10,600	10,800	10,500	10,500	10,600	10,400	10,100			10,700	10,800
93	10,500	10,600	10,400	10,400	10,500	10,300	10,100	9,900		10,500	10,600
99	10,400	10,500	10,400	10,400	10,400	10,100	10,100	9,900	9,900	10,500	10,500
105	10,300	10,400	10,400	10,300	10,300	10,100	10,100	9,900	9,900	10,500	10,400
111	10,200	10,300	10,200	10,200	10,200	10,100	10,000	9,800	9,800	10,500	10,400
117	10,200	10,200	10,200	10,100	10,100	10,000	9,900	9,800			10,400
123	10,100	10,100	10,100	10,000	10,000	10,000	9,900	9,700			10,400
129	10,000	9,300	10,000	10,000	9,200	9,900	9,300	9,000			
135	9,900	8,100	9,300	9,900	8,100	9,300	8,300	7,900			
141	9,700	6,900	8,100	9,300	6,900	8,300	7,100	6,800			
147	9,000	5,700	7,000	8,200	5,800	7,200	6,100	5,800			
153	7,900	4,700	6,000	7,200	4,800	6,200	5,100	4,800			
159	6,900	3,700	5,000	6,200	3,800	5,300	4,100	3,900			
165	6,000		4,100	5,300		4,400	3,300				
171	5,100		3,200	4,500		3,600					
177	4,200		2,400	3,700		2,800					
183	3,400			2,900							
189	2,500										
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	441	441	441	441	441	441	441	441	441	441	441










070225

21.40


		ft > < lbs		CODE > 0226 < L151 0741 .x(x)							
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	11,400	11,200									
75	11,300	11,200	11,100	11,100					11,000		
81	11,000	11,000	11,000	11,000	10,600	10,600			11,000	10,800	10,600
87	10,800	10,800	10,800	10,800	10,600	10,500	10,400	10,400	10,800	10,800	10,500
93	10,600	10,600	10,600	10,600	10,500	10,400	10,300	10,300	10,800	10,500	10,400
99	10,500	10,500	10,500	10,500	10,400	10,400	10,100	10,100	10,600	9,700	10,400
105	10,400	10,400	10,400	10,400	10,300	10,300	10,100	10,100	10,500	8,900	10,400
111	10,300	10,300	10,300	10,300	10,200	9,900	10,100	10,400	8,200	10,200	
117	10,300	10,300	10,200	10,200	10,200	9,200	10,000	10,300	7,500	10,200	
123	10,300	10,300	10,200	10,100	10,100	8,600	10,000	10,200	6,800	10,100	
129	10,300	10,300	10,200	10,100	10,000	8,000	9,900	10,100	6,200	10,000	
135	10,300	10,300	10,100	9,800	9,900	7,400	9,300	9,300	5,600	9,300	
141		10,200	10,100	9,300	9,700	6,900	8,300	8,100	5,000	8,100	
147		9,500	9,700	8,900	9,000	6,400	7,200	7,000	4,500	7,000	
153			8,500	8,200	7,900	6,000	6,200	5,900	4,000	6,000	
159			7,400	7,200	6,900	5,500	5,300	4,900	3,500	5,000	
165				6,200	6,000	5,100	4,400	4,000		4,100	
171				5,300	5,100	4,500	3,600			3,200	
177				4,300	4,200	3,700	2,800			2,400	
183					3,400	2,900					
189					2,500						
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	441	441	441	441	441	441	441	441	441	441	441




T	NZK xx° 72ft



070225


21.40

 ft	 ft > < lbs			CODE > 0226 < L151 0741 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,100								
93	10,400	10,100	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165		2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	441	441	441							



T	NZK xx° 72ft










070225


21.40

		ft > < lbs		CODE > 0227 <							L151 0841 .x(x)	
ft		44	58	72	86	100	114	128	142	142	157	
12	22,200											
14	22,100	22,300										
16	22,100	22,100	20,900									
18	22,100	22,100	20,900	20,500								
21	22,000	22,100	20,900	20,400	19,600							
24	21,800	22,000	20,900	20,300	19,600	19,000						
27	21,400	21,900	20,900	20,200	19,600	18,900	18,100	18,700	17,400			
30	21,000	21,500	20,700	20,000	19,400	18,700	18,100	18,700	17,400	17,900		
33	20,500	21,200	20,600	19,800	19,400	18,700	17,900	18,700	17,400	17,900		
36	20,100	20,800	20,300	19,800	19,200	18,500	17,900	18,700	17,400	17,900		
39	19,600	20,400	20,000	19,700	19,100	18,500	17,900	18,700	17,400	17,900		
45	18,600	19,500	19,300	19,200	18,600	18,300	17,700	18,400	17,300	17,700		
51	17,500	18,600	18,600	18,500	18,100	17,900	17,300	18,000	17,000	17,400		
57	16,400	17,600	17,800	17,900	17,600	17,400	17,000	17,600	16,600	17,100		
63	15,400	16,700	17,000	17,200	17,100	17,000	16,600	17,200	16,300	16,700		
69	14,500	15,800	16,200	16,600	16,500	16,500	16,100	16,800	15,900	16,400		
75	13,600	15,000	15,500	15,900	16,000	16,000	15,700	16,400	15,600	16,000		
81	12,800	14,100	14,800	15,200	15,400	15,500	15,300	16,000	15,200	15,600		
87	11,900	13,400	14,100	14,600	14,800	15,000	14,800	15,600	14,800	15,100		
93	11,000	12,600	13,400	14,000	14,200	14,500	14,400	15,100	14,400	14,700		
99	10,200	11,800	12,800	13,400	13,700	13,900	14,000	14,100	14,000	14,200		
105		11,000	12,100	12,900	13,200	13,500	13,500	12,500	13,600	10,600		
111		10,300	11,500	12,300	12,700	13,100	13,100	11,000	13,200	9,200		
117		9,600	10,800	11,800	12,300	12,600	12,800	9,700	12,300	7,900		
123			10,200	11,200	11,900	12,200	12,000	8,500	11,100	6,700		
129			9,600	10,700	11,400	11,600	10,900	7,400	10,000	5,700		
135				10,200	10,800	10,600	9,800	6,400	9,000	4,700		
141				9,600	10,000	9,600	8,800	5,500	8,000	3,800		
147					9,100	8,700	7,800	4,700	7,100			
153					8,300	7,800	7,000	3,900	6,300			
159					7,600	7,100	6,200	3,200	5,500			
165						6,300	5,500		4,800			
171						5,700	4,900		4,100			
177						5,200	4,300		3,500			
183							3,700		3,000			
189							3,200		2,400			
* n *	1	1	1	1	1	1	1	1	1	1		
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
	ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151		426	426	426	426	426	426	426	426	426	426	



21.40






	T	NZK xx° 72ft	 lbs	 29 x 18 ft	 360°		



070225


21.40

		ft > < lbs		CODE > 0227 <							L151 0841 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								22,300				
16								22,100	20,900			
18								22,100	20,900	20,500		
21								22,100	20,900	20,400	19,600	
24								22,000	20,900	20,300	19,600	
27								21,900	20,900	20,200	19,600	
30	17,600							21,500	20,700	20,000	19,400	
33	17,600							21,200	20,600	19,800	19,400	
36	17,400	16,500	16,500	15,900				20,800	20,300	19,800	19,200	
39	17,400	16,300	16,500	15,700				20,400	20,000	19,700	19,100	
45	17,000	16,300	16,400	15,700	14,600	13,200		19,500	19,300	19,200	18,600	
51	16,900	16,300	16,100	15,500	14,600	13,200		18,600	18,600	18,500	18,100	
57	16,700	16,100	16,000	15,400	14,600	13,200		17,600	17,800	17,900	17,600	
63	16,400	15,800	15,800	15,300	14,500	13,100		16,700	17,000	17,200	17,100	
69	16,000	15,500	15,500	15,000	14,400	13,000		15,800	16,200	16,600	16,500	
75	15,700	15,200	15,200	14,700	14,100	12,900		15,000	15,500	15,900	16,000	
81	15,300	14,900	14,900	14,400	13,900	12,800		14,100	14,800	15,200	15,400	
87	15,000	14,500	14,500	14,100	13,600	12,800		13,400	14,100	14,600	14,800	
93	14,600	14,200	13,800	13,800	13,200	12,400		12,600	13,400	14,000	14,200	
99	13,800	13,800	12,000	13,500	12,000	11,500		11,800	12,800	13,400	13,700	
105	12,200	13,500	10,400	12,200	10,500	10,000		11,000	12,100	12,900	13,200	
111	10,700	12,200	9,000	10,800	9,100	8,600		10,300	11,500	12,300	12,700	
117	9,500	10,900	7,800	9,500	7,900	7,400		9,600	10,800	11,800	12,300	
123	8,300	9,700	6,600	8,300	6,800	6,300			10,200	11,200	11,900	
129	7,200	8,600	5,600	7,300	5,700	5,200			9,600	10,700	11,400	
135	6,200	7,600	4,600	6,300	4,800	4,300				10,200	10,800	
141	5,300	6,700	3,700	5,400	3,900	3,400				9,600	10,000	
147	4,500	5,900		4,600							9,100	
153	3,700	5,100		3,800							8,300	
159	3,000	4,400		3,100							7,600	
165		3,800										
171		3,100										
177		2,500										
183												
189												
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	426	426	426	426	426	426	426	426	426	426	426	




21.40


	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225


21.40

				ft > < lbs		CODE > 0227 <		L151 0841 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	19,000										
27	18,900	18,100	17,400				18,700				
30	18,700	18,100	17,400				18,700	17,900	17,600		
33	18,700	17,900	17,400				18,700	17,900	17,600		
36	18,500	17,900	17,400	16,500	15,900		18,700	17,900	17,400	16,500	
39	18,500	17,900	17,400	16,300	15,700		18,700	17,900	17,400	16,500	
45	18,300	17,700	17,300	16,300	15,700		18,400	17,700	17,000	16,400	14,600
51	17,900	17,300	17,000	16,300	15,500		18,000	16,300	16,900	15,800	14,600
57	17,400	17,000	16,600	16,100	15,400		17,600	14,800	16,700	14,500	14,100
63	17,000	16,600	16,300	15,700	15,300		17,200	13,500	16,400	13,200	13,000
69	16,500	16,100	15,900	14,800	15,000		16,800	12,300	16,000	12,000	11,800
75	16,000	15,700	15,600	13,700	14,700		16,400	11,200	15,700	10,900	10,700
81	15,500	15,300	15,200	12,700	14,400		16,000	10,200	15,300	9,900	9,700
87	15,000	14,700	14,800	11,700	14,100		15,600	9,300	15,000	8,900	8,800
93	14,500	13,900	14,400	10,900	13,800		15,100	8,500	14,600	8,100	8,000
99	13,900	13,100	14,000	10,100	13,500		14,100	7,700	13,800	7,300	7,200
105	13,500	12,400	13,600	9,400	12,200		12,500	7,000	12,200	6,600	6,500
111	13,100	11,800	13,200	8,700	10,800		11,000	6,400	10,700	6,000	5,800
117	12,600	11,200	12,300	8,100	9,500		9,700	5,800	9,500	5,400	5,200
123	12,200	10,600	11,100	7,600	8,300		8,500	5,200	8,300	4,800	4,700
129	11,600	10,100	10,000	7,000	7,300		7,400	4,700	7,200	4,300	4,100
135	10,600	9,600	9,000	6,600	6,300		6,400	4,200	6,200	3,800	3,600
141	9,600	8,800	8,000	6,100	5,400		5,500	3,700	5,300	3,400	3,200
147	8,700	7,800	7,100	5,700	4,600		4,700		4,500		
153	7,800	7,000	6,300	5,100	3,800		3,900		3,700		
159	7,100	6,200	5,500	4,400	3,100		3,200		3,000		
165	6,300	5,500	4,800	3,800							
171	5,700	4,900	4,100	3,100							
177	5,200	4,300	3,500	2,500							
183		3,600	3,000								
189		2,800	2,400								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		426	426	426	426	426	426	426	426	426	426



21.40







	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225

21.40


 ft	CODE > 0227 < L151 0841 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		16,900								
45	11,900	15,800	16,100	15,900						
51	10,600	15,000	15,400	15,400	15,200	15,000				
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600
93		10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300
99		10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,300	12,000
105			10,800	11,100	11,400	11,500	11,600	11,700	12,000	11,700
111			10,600	10,800	11,100	11,200	11,400	11,400	11,800	11,500
117			10,600	10,600	10,800	11,000	11,100	11,200	11,500	11,200
123				10,400	10,600	10,800	10,900	11,000	10,700	11,000
129				10,400	10,500	10,600	10,700	10,800	9,600	10,800
135					10,400	10,500	10,600	10,600	8,400	10,400
141					10,400	10,300	10,300	10,000	7,300	9,600
147						9,800	9,700	9,100	6,300	8,600
153						8,900	8,700	8,100	5,400	7,600
159							7,800	7,200	4,600	6,700
165							6,900	6,400	3,800	5,900
171								5,600	3,000	5,100
177								4,800	2,300	4,300
183								4,100		3,700
189										3,000
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	426	433	433	433	433	433	433	433	433	433



21.40

Diagram of a lighting fixture with dimensions and weight:


- Fixture Type: T
- Mounting: NZK xx°
- Height: 72ft
- Weight: 105,800 lbs
- Arm Length: 29 x
- Arm Height: 18 ft
- Rotation: 360°



070225


21.40

				ft > < lbs		CODE > 0227 <		L151 0841 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45									16,100	15,900	
51									15,400	15,400	15,200
57									14,800	14,800	14,800
63	13,900	13,700	13,500						14,200	14,200	14,300
69	13,800	13,600	13,300	13,200	12,600	12,400			13,500	13,700	13,900
75	13,500	13,300	13,000	13,100	12,600	12,300	11,500	12,900	13,100	13,300	
81	13,200	13,000	12,700	12,800	12,500	12,200	11,500	12,400	12,600	12,900	
87	12,900	12,700	12,400	12,500	12,200	11,900	11,400	11,900	12,200	12,400	
93	12,500	12,400	12,100	12,200	12,000	11,700	11,300	11,500	11,800	12,000	
99	12,200	12,100	11,900	11,900	11,700	11,500	11,100	11,100	11,400	11,700	
105	12,000	11,900	11,600	11,700	11,500	11,300	10,900	10,800	11,100	11,400	
111	11,700	11,600	11,400	11,500	11,300	11,100	10,800	10,600	10,800	11,100	
117	10,600	11,400	11,200	10,500	11,100	10,500	10,100	10,600	10,600	10,800	
123	9,300	10,600	11,000	9,200	10,500	9,400	8,900		10,400	10,600	
129	8,100	9,400	10,500	8,000	9,500	8,200	7,800		10,400	10,500	
135	6,900	8,300	9,500	6,900	8,400	7,100	6,700			10,400	
141	5,900	7,200	8,500	5,800	7,300	6,000	5,600			10,400	
147	4,900	6,300	7,500	4,900	6,400	5,100	4,700				
153	4,000	5,300	6,600	4,000	5,500	4,200	3,800				
159	3,100	4,500	5,800	3,100	4,700	3,400					
165		3,700	5,000		3,900						
171		3,000	4,300		3,200						
177		2,300	3,600		2,500						
183			2,900								
189			2,300								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	433	433	433	433	433	433	433	433	433	433	433



21.40


17.15.102	150	150	150	150	150	150	150	150	150
	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°				




070225


21.40

		ft > < lbs		CODE > 0227 < L151 0841 .x(x)							
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	15,000										
57	14,700	14,300	14,100					14,600			
63	14,300	14,200	13,800	13,500	13,500			14,400	13,900	13,700	
69	13,800	13,900	13,600	13,300	13,300	12,600		14,100	13,500	13,600	12,900
75	13,400	13,400	13,300	13,000	13,000	12,600		13,700	12,600	13,300	12,300
81	12,900	13,000	12,900	12,700	12,700	12,500		13,300	11,500	13,000	11,300
87	12,500	12,600	12,600	12,600	12,300	12,200		13,000	10,500	12,700	10,300
93	12,100	12,300	12,300	12,300	11,600	12,000		12,600	9,600	12,400	9,400
99	11,800	11,900	12,000	12,000	10,800	11,700		12,300	8,800	12,100	8,500
105	11,500	11,600	11,700	11,700	10,100	11,500		12,000	8,100	11,900	7,800
111	11,200	11,400	11,400	11,500	9,400	11,300		11,800	7,300	11,600	7,100
117	11,000	11,100	11,200	11,200	8,700	11,100		11,500	6,700	11,400	6,400
123	10,800	10,900	10,700	11,000	8,100	10,500		10,700	6,100	10,600	5,800
129	10,600	10,700	10,200	10,800	7,600	9,500		9,600	5,500	9,400	5,200
135	10,500	10,600	9,700	10,400	7,100	8,400		8,400	5,000	8,300	4,700
141	10,300	10,300	9,200	9,600	6,600	7,300		7,300	4,500	7,200	4,200
147	9,800	9,700	8,800	8,600	6,100	6,400		6,300	4,000	6,300	3,700
153	8,900	8,700	8,100	7,600	5,700	5,500		5,400	3,600	5,300	3,300
159		7,800	7,200	6,700	5,300	4,700		4,600	3,100	4,500	2,800
165		6,900	6,400	5,900	4,900	3,900		3,800		3,700	
171			5,600	5,100	4,300	3,200		3,000		3,000	
177			4,800	4,300	3,600	2,500		2,300		2,300	
183			4,100	3,700	2,900						
189				3,000							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
	TAB 151	433	433	433	433	433	433	433	433	433	433



21.40





	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225


21.40

 ft	CODE > 0227 < L151 0841 .x(x)									
	185	197	44	58	72	86	100	114	128	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63			11,700	11,700	11,700					
69	12,400		11,300	11,500	11,500	11,400	11,200			
75	12,000	7,100	11,000	11,200	11,300	11,300	11,200	11,100	11,100	11,000
81	11,200	6,700	10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000
87	10,200	5,800	10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800
93	9,300	4,900	10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,800
99	8,500	4,100		10,500	10,500	10,500	10,500	10,500	10,500	10,600
105	7,700	3,400		10,500	10,400	10,400	10,400	10,400	10,400	10,500
111	7,000	2,800		10,500	10,400	10,300	10,300	10,300	10,300	10,400
117	6,300				10,400	10,300	10,300	10,200	10,200	10,300
123	5,700				10,400	10,300	10,300	10,200	10,100	10,200
129	5,100					10,300	10,300	10,200	10,100	10,100
135	4,600					10,300	10,300	10,100	10,100	9,700
141	4,100						10,300	10,100	10,100	8,700
147	3,600						9,800	9,900	9,700	7,500
153	3,100							9,000	8,700	6,500
159								7,900	7,700	5,400
165									6,700	4,500
171									5,700	3,500
177									4,700	2,600
183										
189										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	433	433	440	440	440	440	440	440	440	440



21.40






	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225


21.40

				ft > < lbs		CODE > 0227 <		L151 0841 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63									11,700	11,700
	69									11,500	11,500
	75									11,200	11,300
	81	10,600	10,800	10,600	10,600					11,000	11,000
87	10,600	10,800	10,500	10,500	10,600	10,400	10,100		10,700	10,800	
93	10,500	10,600	10,400	10,400	10,500	10,300	10,100	9,900	10,500	10,600	
99	10,400	10,500	10,400	10,400	10,400	10,100	10,100	9,900	10,500	10,500	
105	10,300	10,400	10,400	10,300	10,300	10,100	10,100	9,900	10,500	10,400	
111	10,200	10,300	10,200	10,200	10,200	10,100	10,000	9,800	10,500	10,400	
117	10,200	10,200	10,200	10,100	10,100	10,000	9,900	9,800		10,400	
123	10,100	10,100	10,100	10,000	10,000	10,000	9,900	9,700		10,400	
129	10,000	9,700	10,000	10,000	9,700	9,900	9,700	9,400			
135	9,900	8,700	9,600	9,900	8,700	9,700	8,900	8,500			
141	9,900	7,400	8,700	9,600	7,500	8,900	7,700	7,400			
147	9,500	6,300	7,600	8,700	6,400	7,800	6,600	6,300			
153	8,400	5,200	6,500	7,700	5,300	6,700	5,600	5,300			
159	7,400	4,200	5,500	6,700	4,400	5,800	4,600	4,400			
165	6,400	3,300	4,600	5,800	3,400	4,900	3,800	3,500			
171	5,500		3,700	5,000		4,100					
177	4,600		2,900	4,100		3,300					
183	3,800			3,300		2,500					
189	2,900			2,500							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		440	440	440	440	440	440	440	440	440	440



21.40






	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225


21.40

		CODE > 0227 < L151 0841 .x(x)								
ft		86	100	114	128	142	157	171	142	157
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69	11,400	11,200								
75	11,300	11,200	11,100	11,100				11,000		
81	11,000	11,000	11,000	11,000	10,600	10,600		11,000	10,800	10,600
87	10,800	10,800	10,800	10,800	10,600	10,500	10,400	10,800	10,800	10,500
93	10,600	10,600	10,600	10,600	10,500	10,400	10,300	10,800	10,500	10,400
99	10,500	10,500	10,500	10,500	10,400	10,400	10,100	10,600	9,700	10,400
105	10,400	10,400	10,400	10,400	10,300	10,300	10,100	10,500	8,900	10,400
111	10,300	10,300	10,300	10,300	10,200	9,900	10,100	10,400	8,200	10,200
117	10,300	10,300	10,200	10,200	10,200	9,200	10,000	10,300	7,500	10,200
123	10,300	10,300	10,200	10,100	10,100	8,600	10,000	10,200	6,800	10,100
129	10,300	10,300	10,200	10,100	10,000	8,000	9,900	10,100	6,200	10,000
135	10,300	10,300	10,100	9,800	9,900	7,400	9,700	9,700	5,600	9,600
141		10,300	10,100	9,300	9,900	6,900	8,900	8,700	5,000	8,700
147		9,800	9,900	8,900	9,500	6,400	7,800	7,500	4,500	7,600
153			9,000	8,400	8,400	6,000	6,700	6,500	4,000	6,500
159			7,900	7,700	7,400	5,500	5,800	5,400	3,600	5,500
165				6,700	6,400	5,100	4,900	4,500	3,100	4,600
171				5,700	5,500	4,700	4,100	3,500		3,700
177				4,700	4,600	4,100	3,300	2,600		2,900
183					3,800	3,300	2,500			
189					2,900	2,500				
* n *	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	440	440	440	440	440	440	440	440	440	440



21.40







	T	NZK xx° 72ft	 105,800 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	 ft > < lbs			CODE > 0227 < L151 0841 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,100								
93	10,400	10,100	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165	2,900	2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	440	440	440							



T	NZK xx° 72ft

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 72ft
- Weight: 105,800 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°

21.40


	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		




070225

21.40

				ft > < lbs		CODE > 0228 <		L151 0941 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45		11,900									
51		10,600	15,000	15,400	15,400	15,200	15,000				
57		9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63		7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69		6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75		5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81		4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700
87		3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600
93			10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300
99			10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,300	12,000
105				10,800	11,100	11,400	11,500	11,600	11,700	12,000	11,700
111				10,600	10,800	11,100	11,200	11,400	11,400	11,800	11,500
117				10,600	10,600	10,800	11,000	11,100	11,200	11,500	11,200
123					10,400	10,600	10,800	10,900	11,000	11,300	11,000
129					10,400	10,500	10,600	10,700	10,800	11,100	10,800
135						10,400	10,500	10,600	10,600	10,900	10,600
141						10,400	10,300	10,400	10,500	10,200	10,500
147							10,200	10,300	10,300	9,200	10,400
153							10,000	10,200	10,100	8,100	10,000
159								10,000	9,600	7,000	9,100
165								9,200	8,700	6,100	8,200
171									7,800	5,200	7,300
177									7,000	4,400	6,500
183									6,200	3,600	5,700
189										2,900	5,000
195											4,300
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1		100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2		100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3		100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4		100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5		100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
 %											
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		425	432	432	432	432	432	432	432	432	432










070225

21.40

		ft > < lbs			CODE > 0228 <						L151 0941 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
21												
24												
27												
30												
33												
36												
39												
45												
51									15,400	15,400	15,200	
57									14,800	14,800	14,800	
63	13,900	13,700	13,500						14,200	14,200	14,300	
69	13,800	13,600	13,300	13,200	12,600	12,400			13,500	13,700	13,900	
75	13,500	13,300	13,000	13,100	12,600	12,300	11,500	12,900	13,100	13,300		
81	13,200	13,000	12,700	12,800	12,500	12,200	11,500	12,400	12,600	12,900		
87	12,900	12,700	12,400	12,500	12,200	11,900	11,400	11,900	12,200	12,400		
93	12,500	12,400	12,100	12,200	12,000	11,700	11,300	11,500	11,800	12,000		
99	12,200	12,100	11,900	11,900	11,700	11,500	11,100	11,100	11,400	11,700		
105	12,000	11,900	11,600	11,700	11,500	11,300	10,900	10,800	11,100	11,400		
111	11,700	11,600	11,400	11,500	11,300	11,100	10,800	10,600	10,800	11,100		
117	11,500	11,400	11,200	11,300	11,100	10,900	10,600	10,600	10,600	10,800		
123	11,300	11,200	11,000	11,100	10,900	10,800	10,400		10,400	10,600		
129	10,900	11,000	10,800	10,800	10,700	10,600	10,300		10,400	10,500		
135	10,000	10,800	10,700	9,900	10,600	9,900	9,600			10,400		
141	8,800	10,100	10,500	8,800	10,100	8,900	8,500			10,400		
147	7,700	9,100	10,100	7,700	9,200	7,900	7,500					
153	6,700	8,100	9,300	6,700	8,200	6,900	6,500					
159	5,800	7,200	8,300	5,800	7,300	6,000	5,600					
165	4,900	6,300	7,400	4,900	6,500	5,100	4,800					
171	4,100	5,400	6,500	4,100	5,700	4,300	4,000					
177	3,300	4,600	5,700	3,400	4,900	3,600	3,300					
183	2,600	3,800	5,000	2,600	4,200	2,900	2,600					
189		3,100	4,300		3,500	2,300						
195		2,500	3,600		2,900							
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		432	432	432	432	432	432	432	432	432	432	



21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		


21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

Diagram illustrating the dimensions and weight of the product:






- Table dimensions: T, NZK xx° 72ft
- Weight: 127,900 lbs
- Height: 29 x 18 ft
- Rotation: 360°



070225

21.40

				ft > < lbs		CODE > 0229 <		L151 0A41 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
27									18,700		
30									18,700		17,900
33								17,900	18,700	17,400	17,900
36						19,200	18,500	17,900	18,700	17,400	17,900
39						19,100	18,500	17,900	18,700	17,400	17,900
45	18,600	19,500	19,300	19,200	18,600	18,300	17,700	18,400	17,300	17,700	
51	17,500	18,600	18,600	18,500	18,100	17,900	17,300	18,000	17,000	17,400	
57	16,400	17,600	17,800	17,900	17,600	17,400	17,000	17,600	16,600	17,100	
63	15,400	16,700	17,000	17,200	17,100	17,000	16,600	17,200	16,300	16,700	
69	14,500	15,800	16,200	16,600	16,500	16,500	16,100	16,800	15,900	16,400	
75	13,600	15,000	15,500	15,900	16,000	16,000	15,700	16,400	15,600	16,000	
81	12,800	14,100	14,800	15,200	15,400	15,500	15,300	16,000	15,200	15,600	
87	11,900	13,400	14,100	14,600	14,800	15,000	14,800	15,600	14,800	15,300	
93	11,000	12,600	13,400	14,000	14,200	14,500	14,400	15,200	14,400	14,900	
99	10,200	11,800	12,800	13,400	13,700	13,900	14,000	14,700	14,000	14,500	
105		11,000	12,100	12,900	13,200	13,500	13,500	14,300	13,600	14,100	
111		10,300	11,500	12,300	12,700	13,100	13,100	13,800	13,200	13,800	
117		9,600	10,800	11,800	12,300	12,600	12,800	13,400	12,900	13,400	
123			10,200	11,200	11,900	12,200	12,400	13,000	12,600	13,000	
129			9,600	10,700	11,400	11,900	12,100	12,700	12,200	12,700	
135				10,200	10,900	11,500	11,700	12,400	11,900	12,400	
141				9,600	10,500	11,100	11,300	12,000	11,600	12,100	
147					10,000	10,700	10,900	11,700	11,300	11,300	
153					9,600	10,300	10,500	11,300	11,000	10,200	
159					9,300	10,000	10,100	10,400	10,600	9,100	
165						9,600	9,700	9,400	10,300	8,100	
171						9,300	9,300	8,500	9,900	7,200	
177						9,100	8,900	7,700	9,600	6,400	
183							8,500	6,900	9,100	5,600	
189							8,100	6,200	8,400	4,900	
195								5,500	7,800	4,200	
207										3,000	
219											
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		424	424	424	424	424	424	424	424	424	424



21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40






	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	CODE > 0229 < L151 0A41 .x(x)									
	185	197	44	58	72	86	100	114	128	142
27										
30										
33										
36										
39										
45										
51										
57										
63										
69	12,400									
75	12,000									11,000
81	11,200		10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000
87	10,200		10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800
93	9,300		10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,800
99	8,500			10,500	10,500	10,500	10,500	10,500	10,500	10,600
105	7,700			10,500	10,400	10,400	10,400	10,400	10,400	10,500
111	7,000			10,500	10,400	10,300	10,300	10,300	10,300	10,400
117	6,300				10,400	10,300	10,300	10,200	10,200	10,300
123	5,700				10,400	10,300	10,300	10,200	10,100	10,200
129	5,100					10,300	10,300	10,200	10,100	10,100
135	4,600					10,300	10,300	10,100	10,100	10,000
141	4,100						10,300	10,100	10,100	9,900
147	3,600						10,300	10,100	10,100	9,900
153	3,100							10,100	10,100	9,900
159								10,100	10,100	9,900
165									10,000	9,900
171									9,600	9,900
177									9,200	9,000
183										7,900
189										
195										
207										
219										
* n *	1	0	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	431	---	438	438	438	438	438	438	438	438



21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 72ft
- Weight: 172,000 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40


	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

				CODE > 0253 < L151 0B41 .x(x)								
		ft		185	197	44	58	72	86	100	114	128
	12											
	14											
	16											
	18											
	21											
	24											
	27											
	30											
	33											
	36											
	39											
	45											
	51											
	57											
	63				11,700	11,700	11,700					
	69	12,000			11,300	11,500	11,500	11,400	11,200			
75	11,000			11,000	11,200	11,300	11,300	11,200	11,100	11,100	11,000	
81	9,000			10,700	11,000	11,000	11,000	11,000	11,000	11,000	11,000	
87	7,200			10,500	10,700	10,800	10,800	10,800	10,800	10,800	10,800	
93	5,600			10,500	10,500	10,600	10,600	10,600	10,600	10,600	10,300	
99					10,500	10,500	10,500	10,500	10,500	10,400	8,500	
105					10,500	10,400	10,400	10,400	10,400	9,700	6,900	
111					8,800	9,400	9,700	9,500	9,100	8,300	5,500	
117						7,900	8,300	8,200	7,800	7,000	4,200	
123						6,300	7,000	6,900	6,600	5,800		
129							5,700	5,700	5,500	4,800		
135							4,500	4,600	4,500	3,800		
141								3,600	3,600			
* n *		1	0	1	1	1	1	1	1	1	1	
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+	
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	
%												
	ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151		414	---	423	423	423	423	423	423	423	423	



21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 8,800 lbs	 29 x 27 ft	 360°		

21.40

Diagram illustrating the dimensions and weight of the equipment:

- Table dimensions: T, NZK xx° , 72ft
- Weight: 8,800 lbs
- Height: 29 x 27 ft
- Rotation: 360°

21.40


	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40


	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		




070225

21.40

 ft	CODE > 0254 < L151 0C41.x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		16,900								
45	11,900	15,800	16,100	15,900						
51	10,600	15,000	15,400	15,400	15,200	15,000				
57	9,100	14,300	14,800	14,800	14,800	14,700	14,300	14,100	14,600	
63	7,900	13,500	14,200	14,200	14,300	14,300	14,200	13,800	14,400	13,500
69	6,700	12,900	13,500	13,700	13,900	13,800	13,900	13,600	14,100	13,300
75	5,700	12,300	12,900	13,100	13,300	13,400	13,400	13,300	13,700	13,000
81	4,700	11,700	12,400	12,600	12,900	12,900	13,000	12,900	13,300	12,700
87	3,900	11,300	11,900	12,200	12,400	12,500	12,600	12,600	13,000	12,600
93		10,900	11,500	11,800	12,000	12,100	12,300	12,300	12,600	12,300
99		10,600	11,100	11,400	11,700	11,800	11,900	12,000	12,100	12,000
105			10,800	11,100	11,400	11,500	11,600	11,700	10,400	11,700
111			10,600	10,800	11,100	11,200	11,400	11,400	8,900	11,100
117			10,600	10,600	10,800	11,000	11,100	10,700	7,500	9,900
123				10,400	10,600	10,500	10,300	9,600	6,300	8,700
129				9,500	9,800	9,400	9,200	8,500	5,200	7,600
135					8,600	8,300	8,100	7,400	4,200	6,600
141					7,500	7,300	7,000	6,400		5,600
147						6,300	6,100	5,500		4,800
153						5,400	5,200	4,600		4,000
159							4,400	3,800		3,200
165							3,700	3,100		
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
 %										
 ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	404	413	413	413	413	413	413	413	413	413



21.40

[illegible]

21.40

	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 72ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

Diagram of the 35,300 lb. table. The table is shown with a top width of 29 ft and a height of 27 ft. The weight is 35,300 lbs. The table is labeled with 'T' and 'NZK xx° 72ft'. A circular arrow indicates a 360° rotation.


85%

T	NZK xx°
	72ft




070225

21.40


				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,400	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,400	15,800	14,700	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	14,700	15,400	12,700	
105		12,200	13,300	14,100	14,600	14,900	14,900	12,900	15,000	11,000	
111		11,300	12,600	13,600	14,000	14,400	14,400	11,300	14,000	9,500	
117		10,500	11,900	13,000	13,500	13,900	13,700	9,900	12,700	8,100	
123			11,200	12,300	13,000	13,500	12,500	8,700	11,400	6,900	
129			10,600	11,800	12,500	12,500	11,300	7,500	10,200	5,700	
135				11,200	11,800	11,400	10,200	6,400	9,100	4,700	
141				10,600	10,800	10,300	9,300	5,500	8,200	3,800	
147					9,800	9,200	8,300	4,600	7,300		
153					8,900	8,300	7,400	3,800	6,500		
159					8,000	7,400	6,500	3,100	5,700		
165						6,600	5,700		4,900		
171						5,900	5,000		4,100		
177						5,300	4,300		3,400		
183							3,700		2,800		
189							3,100		2,300		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	506	506	506	506	506	506	506	506	506	506	



T	NZK xx°
	72ft









85%



070225

21.40

		ft > < lbs		CODE > 0255 <							L151 0D41.x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	15,800	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	15,900	15,600	14,500	15,200	14,400	13,600		13,900	14,700	15,400	15,600	
99	14,400	15,100	12,600	14,400	12,700	12,100		13,000	14,100	14,700	15,100	
105	12,600	14,200	10,800	12,700	11,000	10,400		12,200	13,300	14,100	14,600	
111	11,100	12,600	9,300	11,200	9,500	9,000		11,300	12,600	13,600	14,000	
117	9,700	11,200	8,000	9,800	8,100	7,700		10,500	11,900	13,000	13,500	
123	8,400	9,900	6,800	8,500	6,900	6,400			11,200	12,300	13,000	
129	7,300	8,800	5,600	7,400	5,800	5,400			10,600	11,800	12,500	
135	6,300	7,700	4,600	6,400	4,800	4,400				11,200	11,800	
141	5,300	6,800	3,700	5,500	3,900	3,400				10,600	10,800	
147	4,400	5,900		4,600							9,800	
153	3,600	5,100		3,800							8,900	
159		4,300		3,000							8,000	
165		3,600										
171		3,000										
177		2,300										
183												
189												
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	506	506	506	506	506	506	506	506	506	506	506	




85%

T	NZK xx° 72ft





070225

21.40

				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	20,900										
27	20,800	19,900	19,200				20,600				
30	20,600	19,900	19,200				20,600	19,600	19,400		
33	20,600	19,600	19,200				20,600	19,600	19,400		
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200	
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200	
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800
93	15,900	13,900	15,800	10,900	15,200		16,400	8,500	15,900	8,100	8,000
99	15,300	13,100	15,400	10,100	14,400		14,700	7,700	14,400	7,300	7,200
105	14,900	12,400	15,000	9,400	12,700		12,900	7,000	12,600	6,600	6,500
111	14,400	11,800	14,000	8,700	11,200		11,300	6,400	11,100	6,000	5,800
117	13,900	11,200	12,700	8,100	9,800		9,900	5,800	9,700	5,400	5,200
123	13,500	10,600	11,400	7,600	8,500		8,700	5,200	8,400	4,800	4,700
129	12,500	10,100	10,200	7,000	7,400		7,500	4,700	7,300	4,300	4,100
135	11,400	9,600	9,100	6,600	6,400		6,400	4,200	6,300	3,800	3,600
141	10,300	9,100	8,200	6,100	5,500		5,500	3,700	5,300	3,400	3,200
147	9,200	8,300	7,300	5,700	4,600		4,600		4,400		
153	8,300	7,400	6,500	5,100	3,800		3,800		3,600		
159	7,400	6,500	5,700	4,300	3,000		3,100				
165	6,600	5,700	4,900	3,600							
171	5,900	5,000	4,100	3,000							
177	5,300	4,300	3,400	2,300							
183		3,700	2,800								
189		2,800	2,300								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	506	506	506	506	506	506	506	506	506	506	506



T	NZK xx° 72ft





85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		197	44	58	72	86	100	114	128	142	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39			18,600								
45	11,900	17,400	17,700	17,500							
51	10,600	16,500	17,000	16,900	16,700	16,500					
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000		
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800	
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700	
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300	
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000	
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800	
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500	
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200	
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900	
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600	
117			11,600	11,700	11,900	12,100	12,200	12,300	12,400	12,400	
123				11,500	11,700	11,800	12,000	12,000	11,100	12,100	
129				11,400	11,500	11,700	11,800	11,800	9,800	11,800	
135					11,500	11,500	11,600	11,500	8,500	10,900	
141					11,400	11,300	11,200	10,700	7,400	9,800	
147						10,700	10,400	9,600	6,400	8,800	
153						9,500	9,300	8,600	5,400	7,800	
159							8,300	7,600	4,500	6,900	
165							7,300	6,700	3,700	6,100	
171								5,800		5,200	
177								4,900		4,400	
183								4,100		3,600	
189										2,900	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	506	513	513	513	513	513	513	513	513	513	513





T	NZK xx° 72ft

57,300 lbs

29 x 27 ft

360°




85%

T	NZK xx° 72ft




070225

21.40

				ft > < lbs		CODE > 0255 <					L151 0D41.x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39												
45									17,700	17,500		
51									17,000	16,900	16,700	
57									16,200	16,200	16,200	
63	15,300	15,000	14,800						15,600	15,700	15,700	
69	15,200	14,900	14,600	14,500	13,800	13,600			14,900	15,100	15,200	
75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700		
81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100		
87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700		
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200		
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800		
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500		
111	12,600	12,800	12,600	12,400	12,400	12,200	11,800	11,700	11,900	12,200		
117	11,100	12,200	12,300	11,000	12,200	11,000	10,600	11,600	11,700	11,900		
123	9,600	11,000	12,000	9,500	11,100	9,700	9,300		11,500	11,700		
129	8,300	9,600	10,900	8,200	9,800	8,400	8,000		11,400	11,500		
135	7,000	8,400	9,700	7,000	8,600	7,200	6,800			11,500		
141	5,900	7,300	8,600	5,900	7,500	6,100	5,800			11,400		
147	4,900	6,300	7,600	4,900	6,500	5,100	4,800					
153	3,900	5,300	6,700	4,000	5,500	4,200	3,900					
159		4,500	5,800		4,700	3,300						
165		3,600	5,000		3,900							
171			4,200		3,100							
177			3,500		2,400							
183			2,800									
189												
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	513	513	513	513	513	513	513	513	513	513	513	



T	NZK xx° 72ft




85%

T	NZK xx° 72ft





070225

21.40

				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	16,500										
57	16,200	15,800	15,500					16,000			
63	15,700	15,600	15,200	14,800	14,800			15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800		15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800		15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700		14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400		14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200		13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900		13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600		13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400		12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200		12,400	6,700	12,200	6,400
123	11,800	12,000	10,700	12,100	8,100	11,100		11,100	6,100	11,000	5,800
129	11,700	11,800	10,200	11,800	7,600	9,800		9,800	5,500	9,600	5,200
135	11,500	11,600	9,700	10,900	7,100	8,600		8,500	5,000	8,400	4,700
141	11,300	11,200	9,200	9,800	6,600	7,500		7,400	4,500	7,300	4,200
147	10,700	10,400	8,800	8,800	6,100	6,500		6,400	4,000	6,300	3,700
153	9,500	9,300	8,300	7,800	5,700	5,500		5,400	3,600	5,300	3,300
159		8,300	7,600	6,900	5,300	4,700		4,500		4,500	
165		7,300	6,700	6,100	4,900	3,900		3,700		3,600	
171			5,800	5,200	4,200	3,100					
177			4,900	4,400	3,500	2,400					
183			4,100	3,600	2,800						
189				2,900							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	513	513	513	513	513	513	513	513	513	513	513



T	NZK xx° 72ft




85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				12,900	12,900	12,900					
69	12,800			12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100	
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000	
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900	
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,700	
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,500	11,700	
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,500	
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400	
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300	
123	5,700					11,400	11,300	11,200	11,100	11,200	
129	5,100						11,300	11,200	11,100	11,100	
135	4,600						11,300	11,200	11,100	10,100	
141	4,100							11,300	11,200	8,800	
147	3,600							10,700	10,800	7,600	
153	3,100								9,700	6,500	
159									8,400	5,400	
165										4,400	
171										3,400	
177										2,400	
183											
189											
* n *	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+	
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+	
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+	
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+	
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	513	513	520	520	520	520	520	520	520	520	

	T	NZK xx° 72ft					


85%

T	NZK xx° 72ft





070225

21.40

				ft > < lbs		CODE > 0255 <					L151 0D41.x(x)	
ft		142	157	157	157	171	171	185	197	58	72	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63										12,900	12,900	
69										12,600	12,700	
75										12,300	12,400	
81	11,600	11,900	11,600	11,600						12,100	12,100	
87	11,600	11,800	11,600	11,600	11,600	11,400	11,200			11,800	11,900	
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900		11,600	11,700	
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	10,900	11,500	11,500	
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	10,900	11,500	11,400	
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800	11,500	11,400		
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700				
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700				
129	11,000	10,200	11,000	11,000	10,200	10,900	10,200	10,000				
135	10,900	8,900	10,100	10,800	8,900	10,200	9,100	8,800				
141	10,600	7,600	8,800	10,100	7,600	9,000	7,900	7,600				
147	9,800	6,400	7,700	8,900	6,500	7,900	6,700	6,400				
153	8,700	5,200	6,500	7,800	5,400	6,800	5,700	5,400				
159	7,700	4,200	5,500	6,800	4,300	5,800	4,700	4,400				
165	6,700		4,600	5,800	3,400	4,900	3,700	3,500				
171	5,700		3,700	4,900		4,000						
177	4,700		2,800	4,100		3,200						
183	3,800			3,200		2,400						
189	2,800			2,400								
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+		
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+		
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+		
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+		
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-		
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	520	520	520	520	520	520	520	520	520	520	520	



T	NZK xx° 72ft




85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0255 <		L151 0D41.x(x)			
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	12,600	12,400									
75	12,400	12,300	12,200	12,200					12,100		
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400	11,400
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400	11,400
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400	11,400
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300	11,300
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200	11,200
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100	11,100
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000	11,000
135	11,400	11,300	11,200	9,800	10,900	7,400	10,200	10,100	5,600	10,100	10,100
141		11,300	11,200	9,300	10,600	6,900	9,000	8,800	5,000	8,800	8,800
147		10,700	10,800	8,900	9,800	6,400	7,900	7,600	4,500	7,700	7,700
153			9,700	8,500	8,700	6,000	6,800	6,500	4,000	6,500	6,500
159			8,400	8,000	7,700	5,500	5,800	5,400	3,600	5,500	5,500
165				7,000	6,700	5,100	4,900	4,400		4,600	4,600
171				5,900	5,700	4,700	4,000	3,400		3,700	3,700
177				4,800	4,700	4,100	3,200	2,400		2,800	2,800
183					3,800	3,200	2,400				
189					2,800	2,400					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	520	520	520	520	520	520	520	520	520	520	520





T	NZK xx° 72ft

57,300 lbs

29 x 27 ft

360°




85%

T	NZK xx° 72ft

070225


21.40

 ft	 ft > < lbs			CODE > 0255 < L151 0D41.x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,600								
93	10,500	10,400	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165	2,900	2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	520	520	520							





T	NZK xx° 72ft

 57,300 lbs

 29 x 27 ft

 360°




85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0256 <		L151 0E41 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000	
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500	
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	14,200	
117		10,500	11,900	13,000	13,500	13,900	14,100	14,400	14,200	12,700	
123			11,200	12,300	13,000	13,500	13,700	13,000	13,800	11,200	
129			10,600	11,800	12,500	13,100	13,300	11,700	13,500	9,900	
135				11,200	12,000	12,600	12,900	10,500	12,900	8,700	
141				10,600	11,500	12,200	12,400	9,400	12,000	7,600	
147					11,000	11,800	11,800	8,300	11,000	6,600	
153					10,600	11,400	10,900	7,400	10,000	5,600	
159					10,200	10,800	9,900	6,400	9,000	4,800	
165						9,900	8,900	5,500	8,100	4,000	
171						9,000	8,100	4,700	7,200	3,200	
177						8,300	7,300	3,900	6,400	2,400	
183								6,600	3,200	5,700	
189								5,900	2,500	5,000	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		505	505	505	505	505	505	505	505	505	505


	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

		ft > < lbs		CODE > 0256 <							L151 0E41 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600	
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100	
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600	
111	14,900	14,500	14,000	14,300	13,900	13,200		11,300	12,600	13,600	14,000	
117	14,100	14,100	12,500	13,900	12,600	12,000		10,500	11,900	13,000	13,500	
123	12,800	13,800	11,100	12,800	11,200	10,700			11,200	12,300	13,000	
129	11,500	12,900	9,800	11,500	9,900	9,400			10,600	11,800	12,500	
135	10,200	11,700	8,600	10,300	8,700	8,200				11,200	12,000	
141	9,100	10,600	7,500	9,200	7,600	7,200				10,600	11,500	
147	8,100	9,600	6,500	8,200	6,600	6,200					10,700	
153	7,200	8,600	5,500	7,300	5,700	5,300					9,500	
159	6,300	7,800	4,700	6,400	4,900	4,400					8,300	
165	5,500	6,900	3,900	5,600	4,100	3,700						
171	4,700	6,100	3,200	4,900	3,400							
177	3,900	5,300	2,500	4,200	2,700							
183	3,200	4,600		3,500								
189	2,500	3,900		2,800								
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	505	505	505	505	505	505	505	505	505	505	505	



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		



85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0256 <					L151 0E41 .x(x)	
ft		114	128	142	157	171	142	157	157	171	185	
12												
14												
16												
18												
21												
24	20,900											
27	20,800	19,900	19,200				20,600					
30	20,600	19,900	19,200				20,600	19,600	19,400			
33	20,600	19,600	19,200				20,600	19,600	19,400			
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200		
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200		
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000	
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600	
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400	
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000	
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800	
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700	
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700	
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800	
93	15,900	13,900	15,800	10,900	15,200		16,700	8,500	16,100	8,100	8,000	
99	15,300	13,100	15,400	10,100	14,900		16,200	7,700	15,700	7,300	7,200	
105	14,900	12,400	15,000	9,400	14,600		15,700	7,000	15,300	6,600	6,500	
111	14,400	11,800	14,600	8,700	14,300		15,200	6,400	14,900	6,000	5,800	
117	13,900	11,200	14,200	8,100	13,900		14,400	5,800	14,100	5,400	5,200	
123	13,500	10,600	13,800	7,600	12,800		13,000	5,200	12,800	4,800	4,700	
129	13,100	10,100	13,500	7,000	11,500		11,700	4,700	11,500	4,300	4,100	
135	12,600	9,600	12,900	6,600	10,300		10,500	4,200	10,200	3,800	3,600	
141	12,200	9,200	12,000	6,100	9,200		9,400	3,800	9,100	3,400	3,200	
147	11,800	8,800	11,000	5,700	8,200		8,300	3,400	8,100	2,900		
153	11,400	8,100	10,000	5,300	7,300		7,400	3,000	7,200			
159	10,800	7,100	9,000	4,900	6,400		6,400		6,300			
165	9,900	6,200	8,100	4,200	5,600		5,500		5,500			
171	9,000	5,300	7,200	3,300	4,900		4,700		4,700			
177	8,300	4,500	6,400	2,600	4,200		3,900		3,900			
183		3,700	5,700		3,500		3,200		3,200			
189		2,800	5,000		2,800		2,500		2,500			
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-	
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-	
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-	
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-	
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	505	505	505	505	505	505	505	505	505	505	505	

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

Diagram of a lighting fixture with dimensions and weight:

- Fixture Type: T
- Mounting: NZK xx°
- Height: 72ft
- Weight: 79,400 lbs
- Arm Length: 29 x
- Arm Height: 27 ft
- Rotation: 360°


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0256 < L151 0E41 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		18,600								
45	11,900	17,400	17,700	17,500						
51	10,600	16,500	17,000	16,900	16,700	16,500				
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000	
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900
135					11,500	11,500	11,600	11,700	12,000	11,700
141					11,400	11,400	11,500	11,500	11,200	11,500
147						11,200	11,400	11,300	10,100	11,400
153						11,000	11,300	11,100	9,000	11,100
159							11,100	10,700	8,000	10,300
165							10,500	9,900	7,000	9,300
171								8,900	5,900	8,300
177								7,900	5,000	7,400
183								7,000	4,100	6,500
189									3,300	5,700
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	505	512	512	512	512	512	512	512	512	512





T	NZK xx° 72ft

79,400 lbs

29 x 27 ft

360°



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0256 <		L151 0E41 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45									17,700	17,500	
51									17,000	16,900	16,700
57									16,200	16,200	16,200
63	15,300	15,000	14,800						15,600	15,700	15,700
69	15,200	14,900	14,600	14,500	13,800	13,600			14,900	15,100	15,200
75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700	
81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100	
87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700	
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200	
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800	
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500	
111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200	
117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900	
123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700	
129	12,000	12,100	11,900	11,900	11,800	11,700	11,400		11,400	11,500	
135	11,000	11,900	11,700	11,000	11,600	11,000	10,600			11,500	
141	9,800	11,100	11,500	9,700	11,100	9,900	9,500			11,400	
147	8,600	10,000	11,100	8,500	10,100	8,700	8,400				
153	7,500	8,900	10,200	7,500	9,000	7,700	7,300				
159	6,500	7,900	9,200	6,500	8,100	6,700	6,300				
165	5,500	6,900	8,300	5,600	7,100	5,800	5,400				
171	4,600	6,100	7,400	4,700	6,300	4,900	4,600				
177	3,800	5,200	6,500	3,900	5,500	4,100	3,800				
183	3,000	4,300	5,600	3,100	4,700	3,400	3,100				
189		3,500	4,800	2,400	4,000	2,700	2,400				
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	512	512	512	512	512	512	512	512	512

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0256 <		L151 0E41 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	16,500										
57	16,200	15,800	15,500					16,000			
63	15,700	15,600	15,200	14,800	14,800			15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800		15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800		15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700		14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400		14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200		13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900		13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600		13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400		12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200		12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000		12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800		12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600		12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,100		11,200	4,500	11,100	4,200
147	11,000	11,400	8,800	11,400	6,100	10,100		10,100	4,000	10,000	3,700
153	10,100	11,300	8,400	11,100	5,700	9,000		9,000	3,600	8,900	3,300
159		11,100	7,900	10,300	5,300	8,100		8,000	3,200	7,900	2,800
165		10,500	7,100	9,300	4,900	7,100		7,000	2,800	6,900	
171			6,100	8,300	4,600	6,300		5,900		6,100	
177			5,200	7,400	3,800	5,500		5,000		5,200	
183			4,300	6,500	3,000	4,700		4,100		4,300	
189				5,700		4,000		3,300		3,500	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
 %	1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		512	512	512	512	512	512	512	512	512	512


	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

		ft > < lbs		CODE > 0256 < L151 0E41 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				12,900	12,900	12,900					
69	12,800			12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100	
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000	
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900	
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,700	
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400	
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300	
123	5,700					11,400	11,300	11,200	11,100	11,200	
129	5,100					11,400	11,300	11,200	11,100	11,100	
135	4,600						11,400	11,300	11,200	11,100	11,000
141	4,100							11,300	11,200	11,100	10,900
147	3,600							11,300	11,200	11,100	10,700
153	3,100								11,200	11,100	10,100
159									11,000	11,000	8,900
165										10,300	7,700
171										9,000	6,500
177										7,800	5,400
183											4,300
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	519	519	519	519	519	519	519	519	519




T	NZK xx° 72ft

21.40


Diagram illustrating a table with dimensions 29' x 27' ft, a weight of 79,400 lbs, and a 360° rotation.







85%



070225

21.40

				ft > < lbs		CODE > 0256 <		L151 0E41 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63									12,900	12,900
	69									12,600	12,700
	75									12,300	12,400
	81	11,600	11,900	11,600	11,600					12,100	12,100
	87	11,600	11,800	11,600	11,600	11,600	11,400	11,200		11,800	11,900
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900	11,600	11,700	
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	11,500	11,500	
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	11,500	11,400	
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800	11,500	11,400	
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700		11,400	
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700		11,400	
129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600			
135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600			
141	10,900	10,800	11,000	10,900	10,800	10,900	10,700	10,600			
147	10,900	10,100	10,800	10,900	10,100	10,800	10,300	10,100			
153	10,900	8,800	10,100	10,800	8,900	10,400	9,200	8,900			
159	10,700	7,600	9,000	10,200	7,800	9,200	8,100	7,800			
165	10,000	6,500	7,900	9,100	6,700	8,200	7,000	6,800			
171	8,800	5,500	6,900	8,100	5,700	7,200	6,000	5,800			
177	7,700	4,500	5,900	7,100	4,700	6,300	5,100	4,900			
183	6,700	3,500	4,800	6,100	3,800	5,400	4,300	4,000			
189	5,600	2,500	3,900	5,100	3,000	4,500	3,400	3,200			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft





070225

21.40

				ft > < lbs		CODE > 0256 <					L151 0E41 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69	12,600	12,400										
75	12,400	12,300	12,200	12,200					12,100			
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600	
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600	
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400		
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400		
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400		
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300		
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200		
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100		
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000		
135	11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000		
141		11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000		
147		11,000	11,200	8,900	10,900	6,400	10,800	10,700	4,500	10,800		
153			11,200	8,500	10,900	6,000	10,400	10,100	4,000	10,100		
159			11,000	8,000	10,700	5,500	9,200	8,900	3,600	9,000		
165				7,400	10,000	5,100	8,200	7,700	3,200	7,900		
171				6,300	8,800	4,800	7,200	6,500	2,800	6,900		
177				5,100	7,700	4,400	6,300	5,400	2,400	5,900		
183					6,700	3,400	5,400	4,300		4,800		
189					5,600	2,500	4,500			3,900		
* n *	1	1	1	1	1	1	1	1	1	1		
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0		
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+		
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+		
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+		
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+		
%												
ft /s	23	23	23	23	23	23	23	23	23	23		
TAB 151	519	519	519	519	519	519	519	519	519	519		



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225


21.40

		 ft > < lbs			CODE > 0256 < L151 0E41 .x(x)					
ft		171	185	197						
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87		10,600	10,600							
93		10,500	10,400	5,600						
99		9,600	9,500	5,500						
105		8,700	8,700	4,700						
111		7,900	7,900	4,000						
117		7,200	7,200	3,300						
123		6,600	6,500	2,700						
129		5,900	5,900							
135		5,300	5,300							
141		4,800	4,700							
147		4,300	4,200							
153		3,800	3,700							
159		3,300	3,200							
165		2,900	2,800							
171										
177										
183										
189										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1		92-	92-	100-						
2		92+	92-	100-						
3		92+	92-	100-						
4		92+	92-	100-						
5		46+	92-	100-						
%										
ft /s		23	23	23						
TAB 151		519	519	519						





T	NZK xx° 72ft

 79,400 lbs

 29 x 27 ft

 360°



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0257 <		L151 0F41 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000	
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500	
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	15,100	
117		10,500	11,900	13,000	13,500	13,900	14,100	14,800	14,200	13,600	
123			11,200	12,300	13,000	13,500	13,700	13,800	13,800	12,100	
129			10,600	11,800	12,500	13,100	13,300	12,500	13,500	10,700	
135				11,200	12,000	12,600	12,900	11,300	13,100	9,500	
141				10,600	11,500	12,200	12,400	10,100	12,600	8,300	
147					11,000	11,800	12,000	9,000	11,700	7,300	
153					10,600	11,400	11,400	8,100	10,700	6,300	
159					10,200	11,000	10,500	7,100	9,700	5,400	
165						10,500	9,600	6,100	8,700	4,600	
171						9,700	8,700	5,300	7,800	3,800	
177						8,900	7,900	4,500	7,000	3,000	
183							7,100	3,700	6,300	2,300	
189							6,500	3,100	5,600		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
		23	23	23	23	23	23	23	23	23	
TAB 151		504	504	504	504	504	504	504	504	504	504


	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		







85%



070225

21.40

		ft > < lbs		CODE > 0257 <							L151 0F41 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600	
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100	
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600	
111	14,900	14,500	14,600	14,300	13,900	13,200		11,300	12,600	13,600	14,000	
117	14,500	14,100	13,300	13,900	13,300	12,700		10,500	11,900	13,000	13,500	
123	13,500	13,800	11,900	13,500	12,000	11,500			11,200	12,300	13,000	
129	12,300	13,400	10,600	12,400	10,700	10,200			10,600	11,800	12,500	
135	11,000	12,500	9,300	11,100	9,500	9,000				11,200	12,000	
141	9,900	11,400	8,200	10,000	8,400	7,900				10,600	11,500	
147	8,800	10,300	7,200	8,900	7,300	6,900					10,700	
153	7,900	9,300	6,200	8,000	6,400	5,900					9,500	
159	7,000	8,400	5,300	7,100	5,500	5,100					8,300	
165	6,200	7,600	4,500	6,300	4,700	4,300						
171	5,300	6,700	3,800	5,500	4,000	3,500						
177	4,500	5,900	3,100	4,800	3,300	2,800						
183	3,800	5,100	2,400	4,100	2,600							
189	3,100	4,500		3,400								
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	504	504	504	504	504	504	504	504	504	504	504	



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0257 <		L151 0F41 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	20,900										
27	20,800	19,900	19,200				20,600				
30	20,600	19,900	19,200				20,600	19,600	19,400		
33	20,600	19,600	19,200				20,600	19,600	19,400		
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200	
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200	
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800
93	15,900	13,900	15,800	10,900	15,200		16,700	8,500	16,100	8,100	8,000
99	15,300	13,100	15,400	10,100	14,900		16,200	7,700	15,700	7,300	7,200
105	14,900	12,400	15,000	9,400	14,600		15,700	7,000	15,300	6,600	6,500
111	14,400	11,800	14,600	8,700	14,300		15,200	6,400	14,900	6,000	5,800
117	13,900	11,200	14,200	8,100	13,900		14,800	5,800	14,500	5,400	5,200
123	13,500	10,600	13,800	7,600	13,500		13,800	5,200	13,500	4,800	4,700
129	13,100	10,100	13,500	7,000	12,400		12,500	4,700	12,300	4,300	4,100
135	12,600	9,600	13,100	6,600	11,100		11,300	4,200	11,000	3,800	3,600
141	12,200	9,200	12,600	6,100	10,000		10,100	3,800	9,900	3,400	3,200
147	11,800	8,800	11,700	5,700	8,900		9,000	3,400	8,800	2,900	
153	11,400	8,100	10,700	5,300	8,000		8,100	3,000	7,900		
159	11,000	7,100	9,700	4,900	7,100		7,100		7,000		
165	10,500	6,200	8,700	4,200	6,300		6,100		6,200		
171	9,700	5,300	7,800	3,300	5,500		5,300		5,300		
177	8,900	4,500	7,000	2,600	4,800		4,500		4,500		
183		3,700	6,300		4,100		3,700		3,800		
189		2,800	5,600		3,400		3,100		3,100		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0257 < L151 0F41 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		18,600								
45	11,900	17,400	17,700	17,500						
51	10,600	16,500	17,000	16,900	16,700	16,500				
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000	
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900
135					11,500	11,500	11,600	11,700	12,000	11,700
141					11,400	11,400	11,500	11,500	11,600	11,500
147						11,200	11,400	11,300	10,800	11,400
153						11,000	11,300	11,100	9,700	11,300
159							11,100	10,900	8,600	10,900
165							10,900	10,500	7,600	10,000
171								9,500	6,600	8,900
177								8,500	5,600	8,000
183								7,600	4,700	7,100
189									3,800	6,200
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	504	511	511	511	511	511	511	511	511	511

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	ft > < lbs			CODE > 0257 < L151 0F41 .x(x)						
	157	157	157	171	171	185	197	58	72	86
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45								17,700	17,500	
51								17,000	16,900	16,700
57								16,200	16,200	16,200
63	15,300	15,000	14,800					15,600	15,700	15,700
69	15,200	14,900	14,600	14,500	13,800	13,600		14,900	15,100	15,200
75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700
81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100
87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500
111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200
117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900
123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700
129	12,200	12,100	11,900	12,000	11,800	11,700	11,400		11,400	11,500
135	11,600	11,900	11,700	11,400	11,600	11,400	11,100			11,500
141	10,500	11,500	11,500	10,400	11,500	10,600	10,200			11,400
147	9,300	10,700	11,400	9,300	10,800	9,500	9,100			
153	8,200	9,600	10,900	8,200	9,700	8,400	8,000			
159	7,100	8,600	9,900	7,100	8,700	7,400	7,000			
165	6,200	7,600	8,900	6,200	7,800	6,400	6,100			
171	5,300	6,700	8,000	5,300	6,900	5,600	5,200			
177	4,400	5,800	7,100	4,500	6,100	4,700	4,400			
183	3,500	4,900	6,200	3,700	5,300	4,000	3,700			
189	2,700	4,100	5,400	2,900	4,500	3,300	3,000			
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511





T	NZK xx° 72ft

83,800 lbs

29 x 27 ft

360°



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0257 <		L151 0F41 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	16,500										
57	16,200	15,800	15,500					16,000			
63	15,700	15,600	15,200	14,800	14,800			15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800		15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800		15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700		14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400		14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200		13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900		13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600		13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400		12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200		12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000		12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800		12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600		12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,500		11,600	4,500	11,500	4,200
147	11,000	11,400	8,800	11,400	6,100	10,800		10,800	4,000	10,700	3,700
153	10,100	11,300	8,400	11,300	5,700	9,700		9,700	3,600	9,600	3,300
159		11,100	7,900	10,900	5,300	8,700		8,600	3,200	8,600	2,800
165		10,900	7,100	10,000	4,900	7,800		7,600	2,800	7,600	
171			6,100	8,900	4,600	6,900		6,600		6,700	
177			5,200	8,000	3,800	6,100		5,600		5,800	
183			4,300	7,100	3,000	5,300		4,700		4,900	
189				6,200		4,500		3,800		4,100	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0257 < L151 0F41 .x(x)									
	185	197	44	58	72	86	100	114	128	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63			12,900	12,900	12,900					
69	12,800		12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,800
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300
123	5,700				11,400	11,400	11,300	11,200	11,100	11,200
129	5,100					11,400	11,300	11,200	11,100	11,100
135	4,600					11,400	11,300	11,200	11,100	11,000
141	4,100						11,300	11,200	11,100	10,900
147	3,600						11,300	11,200	11,100	10,900
153	3,100							11,200	11,100	10,600
159								11,200	11,100	9,600
165									10,900	8,400
171									9,600	7,100
177									8,400	6,000
183										4,800
189										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	518	518	518	518	518	518	518	518

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0257 <		L151 0F41 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63										12,900	12,900
69										12,600	12,700
75										12,300	12,400
81	11,600	11,900	11,600	11,600						12,100	12,100
87	11,600	11,800	11,600	11,600	11,600	11,400	11,200			11,800	11,900
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900		11,600	11,700
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	10,900	11,500	11,500
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	10,900	11,500	11,400
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800		11,500	11,400
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700			11,400
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700			11,400
129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600			
135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600			
141	10,900	11,000	11,000	10,900	10,900	10,900	10,700	10,600			
147	10,900	10,500	10,900	10,900	10,500	10,900	10,500	10,300			
153	10,900	9,500	10,600	10,900	9,600	10,600	9,900	9,600			
159	10,900	8,300	9,600	10,700	8,400	9,900	8,700	8,400			
165	10,600	7,200	8,500	9,800	7,300	8,800	7,600	7,400			
171	9,400	6,100	7,500	8,800	6,300	7,800	6,600	6,400			
177	8,300	5,100	6,400	7,700	5,300	6,900	5,700	5,500			
183	7,200	4,100	5,400	6,700	4,400	6,000	4,800	4,600			
189	6,100	3,000	4,400	5,700	3,600	5,100	4,000	3,800			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518

	T	NZK xx° 72ft					
			83,800 lbs	29 x 27 ft	360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225


21.40

				ft > < lbs		CODE > 0257 <					L151 0F41 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69	12,600	12,400										
75	12,400	12,300	12,200	12,200					12,100			
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600	
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600	
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400		
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400		
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400		
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300		
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200		
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100		
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000		
135	11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000		
141		11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000		
147		11,000	11,200	8,900	10,900	6,400	10,900	10,900	4,500	10,900		
153			11,200	8,500	10,900	6,000	10,600	10,600	4,000	10,600		
159			11,200	8,000	10,900	5,500	9,900	9,600	3,600	9,600		
165				7,400	10,600	5,100	8,800	8,400	3,200	8,500		
171				6,300	9,400	4,800	7,800	7,100	2,800	7,500		
177				5,100	8,300	4,400	6,900	6,000	2,400	6,400		
183					7,200	3,400	6,000	4,800		5,400		
189					6,100	2,500	5,100			4,400		
* n *	1	1	1	1	1	1	1	1	1	1		
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0		
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+		
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+		
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+		
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+		
%												
ft / s	23	23	23	23	23	23	23	23	23	23		
TAB 151	518	518	518	518	518	518	518	518	518	518		

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

		 ft > < lbs			CODE > 0257 < L151 0F41 .x(x)					
ft		171	185	197						
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87		10,600	10,600							
93		10,500	10,400	5,600						
99		9,600	9,500	5,500						
105		8,700	8,700	4,700						
111		7,900	7,900	4,000						
117		7,200	7,200	3,300						
123		6,600	6,500	2,700						
129		5,900	5,900							
135		5,300	5,300							
141		4,800	4,700							
147		4,300	4,200							
153		3,800	3,700							
159		3,300	3,200							
165		2,900	2,800							
171										
177										
183										
189										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1		92-	92-	100-						
2		92+	92-	100-						
3		92+	92-	100-						
4		92+	92-	100-						
5		46+	92-	100-						
%										
ft /s		23	23	23						
TAB 151		518	518	518						

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000	
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500	
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	15,100	
117		10,500	11,900	13,000	13,500	13,900	14,100	14,800	14,200	14,700	
123			11,200	12,300	13,000	13,500	13,700	14,400	13,800	14,300	
129			10,600	11,800	12,500	13,100	13,300	14,000	13,500	13,600	
135				11,200	12,000	12,600	12,900	13,600	13,100	12,500	
141				10,600	11,500	12,200	12,400	12,900	12,800	11,300	
147					11,000	11,800	12,000	11,900	12,400	10,200	
153					10,600	11,400	11,600	10,800	12,100	9,100	
159					10,200	11,000	11,100	9,700	11,700	8,100	
165						10,500	10,700	8,700	11,200	7,200	
171						10,200	10,200	7,700	10,300	6,300	
177						10,000	9,800	6,800	9,400	5,400	
183							9,300	6,000	8,500	4,600	
189							8,700	5,300	7,800	3,800	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft



070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
12											
14								23,400			
16								23,400	23,000		
18								23,400	23,000	22,600	
21								23,400	23,000	22,500	21,600
24								23,400	23,000	22,300	21,600
27								23,400	23,000	22,300	21,500
30	19,400							23,400	22,800	22,000	21,300
33	19,400							23,300	22,600	21,800	21,300
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600
111	14,900	14,500	14,600	14,300	13,900	13,200		11,300	12,600	13,600	14,000
117	14,500	14,100	14,300	13,900	13,600	13,000		10,500	11,900	13,000	13,500
123	14,100	13,800	14,000	13,700	13,300	12,700			11,200	12,300	13,000
129	13,800	13,400	13,400	13,400	13,100	12,500			10,600	11,800	12,500
135	13,400	13,100	12,400	13,100	12,400	11,900				11,200	12,000
141	12,700	12,900	11,200	12,600	11,300	10,800				10,600	11,500
147	11,700	12,600	10,000	11,800	10,200	9,700					10,700
153	10,600	12,100	9,000	10,700	9,100	8,700					9,500
159	9,700	11,100	8,000	9,800	8,200	7,700					8,300
165	8,700	10,100	7,100	8,800	7,300	6,800					
171	7,800	9,100	6,300	8,000	6,500	6,000					
177	6,900	8,300	5,500	7,200	5,700	5,300					
183	6,000	7,400	4,700	6,400	5,000	4,500					
189	5,300	6,700	3,900	5,600	4,300	3,900					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft




070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)					
ft		114	128	142	157	171	142	157	157	171	185		
12													
14													
16													
18													
21													
24		20,900											
27		20,800	19,900	19,200			20,600						
30		20,600	19,900	19,200			20,600	19,600	19,400				
33		20,600	19,600	19,200			20,600	19,600	19,400				
36		20,400	19,600	19,200	18,200	17,500	20,600	19,600	19,200	18,200			
39		20,400	19,600	19,200	18,000	17,300	20,600	19,600	19,200	18,200			
45		20,100	19,400	19,000	18,000	17,200	20,200	18,000	18,700	17,500	16,000		
51		19,700	19,000	18,700	17,900	17,000	19,800	16,300	18,600	16,000	15,600		
57		19,200	18,600	18,300	17,200	17,000	19,400	14,800	18,400	14,500	14,400		
63		18,700	18,200	17,900	16,000	16,800	19,000	13,500	18,000	13,200	13,000		
69		18,100	17,600	17,500	14,800	16,500	18,500	12,300	17,700	12,000	11,800		
75		17,600	16,700	17,100	13,700	16,200	18,000	11,200	17,300	10,900	10,700		
81		17,100	15,700	16,700	12,700	15,900	17,600	10,200	16,900	9,900	9,700		
87		16,500	14,800	16,300	11,700	15,500	17,100	9,300	16,500	8,900	8,800		
93		15,900	13,900	15,800	10,900	15,200	16,700	8,500	16,100	8,100	8,000		
99		15,300	13,100	15,400	10,100	14,900	16,200	7,700	15,700	7,300	7,200		
105		14,900	12,400	15,000	9,400	14,600	15,700	7,000	15,300	6,600	6,500		
111		14,400	11,800	14,600	8,700	14,300	15,200	6,400	14,900	6,000	5,800		
117		13,900	11,200	14,200	8,100	13,900	14,800	5,800	14,500	5,400	5,200		
123		13,500	10,600	13,800	7,600	13,700	14,400	5,200	14,100	4,800	4,700		
129		13,100	10,100	13,500	7,000	13,400	14,000	4,700	13,800	4,300	4,100		
135		12,600	9,600	13,100	6,600	13,100	13,600	4,200	13,400	3,800	3,600		
141		12,200	9,200	12,800	6,100	12,600	12,900	3,800	12,700	3,400	3,200		
147		11,800	8,800	12,400	5,700	11,800	11,900	3,400	11,700	2,900			
153		11,400	8,100	12,100	5,300	10,700	10,800	3,000	10,600				
159		11,000	7,100	11,700	4,900	9,800	9,700		9,700				
165		10,500	6,200	11,200	4,200	8,800	8,700		8,700				
171		10,200	5,300	10,300	3,300	8,000	7,700		7,800				
177		10,000	4,500	9,400	2,600	7,200	6,800		6,900				
183			3,700	8,500		6,400	6,000		6,000				
189			2,800	7,800		5,600	5,300		5,300				
* n *		1	1	1	1	1	1	1	1	1	1		
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
 %		1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	
		2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
		3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
		4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
		5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
 ft /s		23	23	23	23	23	23	23	23	23	23	23	
TAB 151		503	503	503	503	503	503	503	503	503	503	503	



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0258 < L151 1041 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		18,600								
45	11,900	17,400	17,700	17,500						
51	10,600	16,500	17,000	16,900	16,700	16,500				
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000	
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900
135					11,500	11,500	11,600	11,700	12,000	11,700
141					11,400	11,400	11,500	11,500	11,800	11,500
147						11,200	11,400	11,300	11,600	11,400
153						11,000	11,300	11,100	11,400	11,300
159							11,100	10,900	11,100	11,100
165							11,000	10,600	10,100	10,900
171								10,300	9,000	10,700
177								9,900	7,900	10,300
183								9,400	7,000	9,300
189									6,000	8,400
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	503	510	510	510	510	510	510	510	510	510

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	ft > < lbs			CODE > 0258 < L151 1041 .x(x)						
	157	157	157	171	171	185	197	58	72	86
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45								17,700	17,500	
51								17,000	16,900	16,700
57								16,200	16,200	16,200
63	15,300	15,000	14,800					15,600	15,700	15,700
69	15,200	14,900	14,600	14,500	13,800	13,600		14,900	15,100	15,200
75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700
81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100
87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500
111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200
117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900
123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700
129	12,200	12,100	11,900	12,000	11,800	11,700	11,400		11,400	11,500
135	12,000	11,900	11,700	11,800	11,600	11,500	11,200			11,500
141	11,800	11,700	11,500	11,600	11,500	11,400	11,100			11,400
147	11,500	11,500	11,400	11,400	11,300	11,200	10,900			
153	10,900	11,400	11,300	10,900	11,200	10,900	10,500			
159	9,800	11,100	11,200	9,800	11,000	10,000	9,600			
165	8,800	10,200	11,000	8,800	10,300	9,000	8,600			
171	7,800	9,200	10,500	7,800	9,400	8,000	7,700			
177	6,800	8,100	9,400	6,900	8,500	7,100	6,800			
183	5,800	7,200	8,500	6,100	7,600	6,300	6,000			
189	4,900	6,300	7,600	5,200	6,700	5,600	5,200			
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	510	510	510	510	510	510	510	510

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225


21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51	16,500										
57	16,200	15,800	15,500					16,000			
63	15,700	15,600	15,200	14,800	14,800			15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800		15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800		15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700		14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400		14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200		13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900		13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600		13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400		12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200		12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000		12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800		12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600		12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,500		11,800	4,500	11,700	4,200
147	11,000	11,400	8,800	11,400	6,100	11,300		11,600	4,000	11,500	3,700
153	10,100	11,300	8,400	11,300	5,700	11,200		11,400	3,600	11,400	3,300
159		11,100	7,900	11,100	5,300	11,000		11,100	3,200	11,100	2,800
165		11,000	7,100	10,900	4,900	10,300		10,100	2,800	10,200	
171			6,100	10,700	4,600	9,400		9,000		9,200	
177			5,200	10,300	3,800	8,500		7,900		8,100	
183			4,300	9,300	3,000	7,600		7,000		7,200	
189				8,400		6,700		6,000		6,300	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		510	510	510	510	510	510	510	510	510	510

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft




070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				12,900	12,900	12,900					
69	12,800			12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100	
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000	
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900	
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,700	
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,300	11,400
117	6,300				11,400	11,400	11,300	11,200	11,200	11,200	11,300
123	5,700					11,400	11,400	11,300	11,200	11,100	11,200
129	5,100						11,400	11,300	11,200	11,100	11,100
135	4,600						11,400	11,300	11,200	11,100	11,000
141	4,100							11,300	11,200	11,100	10,900
147	3,600							11,300	11,200	11,100	10,900
153	3,100								11,200	11,100	10,900
159									11,200	11,100	10,900
165										11,000	10,700
171										10,600	9,600
177										10,100	8,300
183											7,100
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	517	517	517	517	517	517	517	517	517



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63										12,900	12,900
69										12,600	12,700
75										12,300	12,400
81	11,600	11,900	11,600	11,600						12,100	12,100
87	11,600	11,800	11,600	11,600	11,600	11,400	11,200			11,800	11,900
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900		11,600	11,700
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	10,900	11,500	11,500
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	10,900	11,500	11,400
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800		11,500	11,400
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700			11,400
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700			11,400
129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600			
135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600			
141	10,900	11,000	11,000	10,900	10,900	10,900	10,700	10,600			
147	10,900	11,000	10,900	10,900	10,900	10,900	10,700	10,600			
153	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600			
159	10,900	10,700	10,900	10,900	10,700	10,900	10,600	10,500			
165	10,900	9,800	10,800	10,900	9,900	10,800	10,200	9,900			
171	10,900	8,700	10,000	10,900	8,800	10,300	9,100	8,900			
177	10,600	7,500	8,800	10,000	7,800	9,300	8,100	7,900			
183	9,500	6,300	7,700	8,900	6,800	8,300	7,200	7,000			
189	8,300	5,300	6,600	7,900	5,800	7,300	6,300	6,100			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0258 <		L151 1041 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	12,600	12,400									
75	12,400	12,300	12,200	12,200					12,100		
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400	11,400
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400	11,400
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400	11,400
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300	11,300
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200	11,200
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100	11,100
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000	11,000
135	11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000	11,000
141		11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000	11,000
147		11,000	11,200	8,900	10,900	6,400	10,900	10,900	4,500	10,900	10,900
153			11,200	8,500	10,900	6,000	10,900	10,900	4,000	10,900	10,900
159			11,200	8,000	10,900	5,500	10,900	10,900	3,600	10,900	10,900
165				7,400	10,900	5,100	10,800	10,700	3,200	10,800	10,800
171				6,300	10,900	4,800	10,300	9,600	2,800	10,000	10,000
177				5,100	10,600	4,400	9,300	8,300	2,400	8,800	8,800
183					9,500	3,400	8,300	7,100		7,700	7,700
189					8,300	2,500	7,300			6,600	6,600
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		



85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs			CODE > 0258 < L151 1041 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,600								
93	10,500	10,400	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165	2,900	2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	517	517	517							

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs CODE > 0259 < L151 1141 .x(x)									
	44	58	72	86	100	114	128	142	142	157
12	23,400									
14	23,400	23,400								
16	23,400	23,400	23,000							
18	23,400	23,400	23,000	22,600						
21	23,400	23,400	23,000	22,500	21,600					
24	23,400	23,400	23,000	22,300	21,600	20,900				
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200	
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	15,100
117		10,500	11,900	13,000	13,500	13,900	14,100	14,800	14,200	14,700
123			11,200	12,300	13,000	13,500	13,700	14,400	13,800	14,300
129			10,600	11,800	12,500	13,100	13,300	14,000	13,500	14,000
135				11,200	12,000	12,600	12,900	13,600	13,100	13,100
141				10,600	11,500	12,200	12,400	13,200	12,800	12,000
147					11,000	11,800	12,000	12,600	12,400	10,800
153					10,600	11,400	11,600	11,500	12,100	9,700
159					10,200	11,000	11,100	10,300	11,700	8,700
165						10,500	10,700	9,300	11,300	7,800
171						10,200	10,200	8,300	10,800	6,800
177						10,000	9,800	7,400	9,900	5,900
183							9,300	6,500	9,100	5,100
189							8,900	5,800	8,300	4,300
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502


	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		






85%



070225

21.40

		ft > < lbs		CODE > 0259 <							L151 1141 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600	
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100	
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600	
111	14,900	14,500	14,600	14,300	13,900	13,200		11,300	12,600	13,600	14,000	
117	14,500	14,100	14,300	13,900	13,600	13,000		10,500	11,900	13,000	13,500	
123	14,100	13,800	14,000	13,700	13,300	12,700			11,200	12,300	13,000	
129	13,800	13,400	13,700	13,400	13,100	12,500			10,600	11,800	12,500	
135	13,400	13,100	12,900	13,100	12,800	12,200				11,200	12,000	
141	13,100	12,900	11,800	12,800	12,000	11,500				10,600	11,500	
147	12,300	12,600	10,700	12,300	10,800	10,300					10,700	
153	11,300	12,200	9,600	11,300	9,800	9,300					9,500	
159	10,300	11,700	8,600	10,400	8,800	8,300					8,300	
165	9,300	10,700	7,700	9,400	7,900	7,400						
171	8,300	9,700	6,900	8,600	7,000	6,600						
177	7,400	8,800	6,000	7,700	6,200	5,800						
183	6,600	7,900	5,200	6,900	5,500	5,100						
189	5,800	7,200	4,400	6,100	4,800	4,400						
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft / s												
TAB 151	502	502	502	502	502	502	502	502	502	502	502	



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0259 <	L151 1141 .x(x)				
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	20,900										
27	20,800	19,900	19,200				20,600				
30	20,600	19,900	19,200				20,600	19,600	19,400		
33	20,600	19,600	19,200				20,600	19,600	19,400		
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200	
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200	
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800
93	15,900	13,900	15,800	10,900	15,200		16,700	8,500	16,100	8,100	8,000
99	15,300	13,100	15,400	10,100	14,900		16,200	7,700	15,700	7,300	7,200
105	14,900	12,400	15,000	9,400	14,600		15,700	7,000	15,300	6,600	6,500
111	14,400	11,800	14,600	8,700	14,300		15,200	6,400	14,900	6,000	5,800
117	13,900	11,200	14,200	8,100	13,900		14,800	5,800	14,500	5,400	5,200
123	13,500	10,600	13,800	7,600	13,700		14,400	5,200	14,100	4,800	4,700
129	13,100	10,100	13,500	7,000	13,400		14,000	4,700	13,800	4,300	4,100
135	12,600	9,600	13,100	6,600	13,100		13,600	4,200	13,400	3,800	3,600
141	12,200	9,200	12,800	6,100	12,800		13,200	3,800	13,100	3,400	3,200
147	11,800	8,800	12,400	5,700	12,300		12,600	3,400	12,300	2,900	
153	11,400	8,100	12,100	5,300	11,300		11,500	3,000	11,300		
159	11,000	7,100	11,700	4,900	10,400		10,300		10,300		
165	10,500	6,200	11,300	4,200	9,400		9,300		9,300		
171	10,200	5,300	10,800	3,300	8,600		8,300		8,300		
177	10,000	4,500	9,900	2,600	7,700		7,400		7,400		
183		3,700	9,100		6,900		6,500		6,600		
189		2,800	8,300		6,100		5,800		5,800		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502	502





T	NZK xx° 72ft

105,800 lbs

29 x 27 ft

360°



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0259 < L151 1141 .x(x)									
	197	44	58	72	86	100	114	128	142	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39		18,600								
45	11,900	17,400	17,700	17,500						
51	10,600	16,500	17,000	16,900	16,700	16,500				
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000	
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900
135					11,500	11,500	11,600	11,700	12,000	11,700
141					11,400	11,400	11,500	11,500	11,800	11,500
147						11,200	11,400	11,300	11,600	11,400
153						11,000	11,300	11,100	11,400	11,300
159							11,100	10,900	11,200	11,100
165							11,000	10,600	10,700	10,900
171								10,300	9,500	10,700
177								9,900	8,500	10,400
183								9,400	7,500	9,800
189									6,500	8,900
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	502	509	509	509	509	509	509	509	509	509

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft




070225

21.40

				ft > < lbs		CODE > 0259 <		L151 1141 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45								17,700	17,500	
	51								17,000	16,900	16,700
	57								16,200	16,200	16,200
	63	15,300	15,000	14,800					15,600	15,700	15,700
	69	15,200	14,900	14,600	14,500	13,800	13,600		14,900	15,100	15,200
	75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700
	81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100
	87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700
	93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200
	99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800
	105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500
	111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200
	117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900
	123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700
	129	12,200	12,100	11,900	12,000	11,800	11,700	11,400		11,400	11,500
	135	12,000	11,900	11,700	11,800	11,600	11,500	11,200			11,500
	141	11,800	11,700	11,500	11,600	11,500	11,400	11,100			11,400
	147	11,600	11,500	11,400	11,500	11,300	11,200	10,900			
	153	11,200	11,400	11,300	11,100	11,200	11,000	10,700			
	159	10,400	11,200	11,200	10,400	11,100	10,600	10,200			
	165	9,400	10,800	11,100	9,300	10,900	9,600	9,200			
	171	8,400	9,700	10,900	8,400	10,000	8,600	8,200			
	177	7,300	8,700	10,000	7,500	9,000	7,700	7,300			
	183	6,300	7,700	9,000	6,600	8,100	6,900	6,500			
	189	5,400	6,800	8,100	5,700	7,200	6,100	5,700			
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
		1	92+	46+	0+	92+	46+	92+	100+	0+	0+
2		92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3		92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4		46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5		46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
	%										
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		509	509	509	509	509	509	509	509	509	509



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs CODE > 0259 < L151 1141 .x(x)									
	100	114	128	142	157	171	142	157	157	171
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	16,500									
57	16,200	15,800	15,500				16,000			
63	15,700	15,600	15,200	14,800	14,800		15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800	15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800	15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700	14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400	14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200	13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900	13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600	13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400	12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200	12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000	12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800	12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600	12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,500	11,800	4,500	11,700	4,200
147	11,000	11,400	8,800	11,400	6,100	11,300	11,600	4,000	11,500	3,700
153	10,100	11,300	8,400	11,300	5,700	11,200	11,400	3,600	11,400	3,300
159		11,100	7,900	11,100	5,300	11,100	11,200	3,200	11,200	2,800
165		11,000	7,100	10,900	4,900	10,900	10,700	2,800	10,800	
171			6,100	10,700	4,600	10,000	9,500		9,700	
177			5,200	10,400	3,800	9,000	8,500		8,700	
183			4,300	9,800	3,000	8,100	7,500		7,700	
189				8,900		7,200	6,500		6,800	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	509	509	509	509	509	509	509	509


	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

		ft > < lbs		CODE > 0259 < L151 1141 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				12,900	12,900	12,900					
69	12,800			12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100	
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000	
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900	
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,700	
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400	
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300	
123	5,700					11,400	11,300	11,200	11,100	11,200	
129	5,100					11,400	11,300	11,200	11,100	11,100	
135	4,600						11,400	11,300	11,200	11,100	11,000
141	4,100							11,300	11,200	11,100	10,900
147	3,600							11,300	11,200	11,100	10,900
153	3,100								11,200	11,100	10,900
159									11,200	11,100	10,900
165										11,000	10,800
171										10,600	10,100
177										10,100	8,900
183											7,600
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	516	516	516	516	516	516	516	516	516



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0259 <		L151 1141 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63										12,900	12,900
69										12,600	12,700
75										12,300	12,400
81	11,600	11,900	11,600	11,600						12,100	12,100
87	11,600	11,800	11,600	11,600	11,600	11,400	11,200			11,800	11,900
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900		11,600	11,700
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	10,900	11,500	11,500
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	10,900	11,500	11,400
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800		11,500	11,400
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700			11,400
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700			11,400
129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600			
135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600			
141	10,900	11,000	11,000	10,900	10,900	10,900	10,700	10,600			
147	10,900	11,000	10,900	10,900	10,900	10,900	10,700	10,600			
153	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600			
159	10,900	10,800	10,900	10,900	10,800	10,900	10,700	10,600			
165	10,900	10,400	10,900	10,900	10,500	10,900	10,600	10,300			
171	10,900	9,200	10,500	10,900	9,400	10,800	9,700	9,400			
177	10,800	8,000	9,300	10,500	8,300	9,900	8,700	8,400			
183	10,000	6,900	8,200	9,400	7,300	8,800	7,700	7,500			
189	8,800	5,800	7,100	8,400	6,300	7,800	6,800	6,600			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0259 <		L151 1141 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	12,600	12,400									
75	12,400	12,300	12,200	12,200					12,100		
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400	11,400
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400	11,400
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400	11,400
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300	11,300
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200	11,200
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100	11,100
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000	11,000
135	11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000	11,000
141		11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000	11,000
147		11,000	11,200	8,900	10,900	6,400	10,900	10,900	4,500	10,900	10,900
153			11,200	8,500	10,900	6,000	10,900	10,900	4,000	10,900	10,900
159			11,200	8,000	10,900	5,500	10,900	10,900	3,600	10,900	10,900
165				7,400	10,900	5,100	10,900	10,800	3,200	10,900	10,900
171				6,300	10,900	4,800	10,800	10,100	2,800	10,500	10,500
177				5,100	10,800	4,400	9,900	8,900	2,400	9,300	9,300
183					10,000	3,400	8,800	7,600		8,200	8,200
189					8,800	2,500	7,800			7,100	7,100
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs			CODE > 0259 < L151 1141 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,600								
93	10,500	10,400	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165	2,900	2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	516	516	516							

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

		 ft > < lbs CODE > 0260 < L151 1241 .x(x)									
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000	
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500	
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	15,100	
117		10,500	11,900	13,000	13,500	13,900	14,100	14,800	14,200	14,700	
123			11,200	12,300	13,000	13,500	13,700	14,400	13,800	14,300	
129			10,600	11,800	12,500	13,100	13,300	14,000	13,500	14,000	
135				11,200	12,000	12,600	12,900	13,600	13,100	13,600	
141				10,600	11,500	12,200	12,400	13,200	12,800	13,300	
147					11,000	11,800	12,000	12,900	12,400	13,000	
153					10,600	11,400	11,600	12,600	12,100	12,600	
159					10,200	11,000	11,100	12,300	11,700	11,800	
165						10,500	10,700	11,900	11,300	10,700	
171						10,200	10,200	11,100	10,900	9,600	
177						10,000	9,800	10,100	10,500	8,600	
183							9,300	9,200	10,100	7,700	
189							8,900	8,300	9,700	6,800	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	
TAB 151		501	501	501	501	501	501	501	501	501	501


	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

		ft > < lbs		CODE > 0260 <							L151 1241 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600	
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100	
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600	
111	14,900	14,500	14,600	14,300	13,900	13,200		11,300	12,600	13,600	14,000	
117	14,500	14,100	14,300	13,900	13,600	13,000		10,500	11,900	13,000	13,500	
123	14,100	13,800	14,000	13,700	13,300	12,700			11,200	12,300	13,000	
129	13,800	13,400	13,700	13,400	13,100	12,500			10,600	11,800	12,500	
135	13,400	13,100	13,300	13,100	12,900	12,200				11,200	12,000	
141	13,100	12,900	13,000	12,800	12,600	11,900				10,600	11,500	
147	12,800	12,600	12,800	12,500	12,400	11,600					10,700	
153	12,500	12,300	12,400	12,300	12,100	11,200					9,500	
159	12,300	12,000	11,700	12,000	11,700	10,800					8,300	
165	11,900	11,500	10,700	11,700	10,800	10,300						
171	11,100	11,000	9,700	11,400	9,800	9,400						
177	10,100	10,500	8,700	10,400	9,000	8,500						
183	9,200	10,000	7,800	9,500	8,200	7,700						
189	8,300	9,500	6,900	8,600	7,300	7,000						
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s												
TAB 151	501	501	501	501	501	501	501	501	501	501	501	



T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

		 ft > < lbs CODE > 0260 < L151 1241 .x(x)									
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	20,900										
27	20,800	19,900	19,200				20,600				
30	20,600	19,900	19,200				20,600	19,600	19,400		
33	20,600	19,600	19,200				20,600	19,600	19,400		
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200	
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200	
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800
93	15,900	13,900	15,800	10,900	15,200		16,700	8,500	16,100	8,100	8,000
99	15,300	13,100	15,400	10,100	14,900		16,200	7,700	15,700	7,300	7,200
105	14,900	12,400	15,000	9,400	14,600		15,700	7,000	15,300	6,600	6,500
111	14,400	11,800	14,600	8,700	14,300		15,200	6,400	14,900	6,000	5,800
117	13,900	11,200	14,200	8,100	13,900		14,800	5,800	14,500	5,400	5,200
123	13,500	10,600	13,800	7,600	13,700		14,400	5,200	14,100	4,800	4,700
129	13,100	10,100	13,500	7,000	13,400		14,000	4,700	13,800	4,300	4,100
135	12,600	9,600	13,100	6,600	13,100		13,600	4,200	13,400	3,800	3,600
141	12,200	9,200	12,800	6,100	12,800		13,200	3,800	13,100	3,400	3,200
147	11,800	8,800	12,400	5,700	12,500		12,900	3,400	12,800	2,900	
153	11,400	8,100	12,100	5,300	12,300		12,600	3,000	12,500		
159	11,000	7,100	11,700	4,900	12,000		12,300		12,300		
165	10,500	6,200	11,300	4,200	11,700		11,900		11,900		
171	10,200	5,300	10,900	3,300	11,400		11,100		11,100		
177	10,000	4,500	10,500	2,600	10,400		10,100		10,100		
183		3,700	10,100		9,500		9,200		9,200		
189		2,800	9,700		8,600		8,300		8,300		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		501	501	501	501	501	501	501	501	501	501

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0260 <		L151 1241 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39			18,600								
45	11,900	17,400	17,700	17,500							
51	10,600	16,500	17,000	16,900	16,700	16,500					
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000		
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800	
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700	
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300	
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000	
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800	
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500	
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200	
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900	
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600	
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400	
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100	
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900	
135					11,500	11,500	11,600	11,700	12,000	11,700	
141					11,400	11,400	11,500	11,500	11,800	11,500	
147						11,200	11,400	11,300	11,600	11,400	
153						11,000	11,300	11,100	11,400	11,300	
159							11,100	10,900	11,300	11,100	
165							11,000	10,600	11,200	10,900	
171								10,300	11,100	10,700	
177								9,900	10,900	10,400	
183								9,400	10,100	10,200	
189									9,100	9,800	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	501	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0260 <		L151 1241 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45									17,700	17,500	
51									17,000	16,900	16,700
57									16,200	16,200	16,200
63	15,300	15,000	14,800						15,600	15,700	15,700
69	15,200	14,900	14,600	14,500	13,800	13,600			14,900	15,100	15,200
75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700	
81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100	
87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700	
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200	
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800	
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500	
111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200	
117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900	
123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700	
129	12,200	12,100	11,900	12,000	11,800	11,700	11,400		11,400	11,500	
135	12,000	11,900	11,700	11,800	11,600	11,500	11,200			11,500	
141	11,800	11,700	11,500	11,600	11,500	11,400	11,100			11,400	
147	11,600	11,500	11,400	11,500	11,300	11,200	10,900				
153	11,400	11,400	11,300	11,300	11,200	11,100	10,800				
159	11,300	11,300	11,200	11,200	11,100	11,000	10,600				
165	11,200	11,100	11,100	11,100	11,000	10,900	10,300				
171	11,000	11,000	10,900	11,000	10,900	10,700	10,100				
177	10,000	11,000	10,500	10,200	10,800	10,400	9,900				
183	9,000	10,300	10,100	9,200	10,600	9,500	9,100				
189	8,000	9,300	9,600	8,200	9,800	8,700	8,300				
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs CODE > 0260 < L151 1241 .x(x)									
	100	114	128	142	157	171	142	157	157	171
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	16,500									
57	16,200	15,800	15,500				16,000			
63	15,700	15,600	15,200	14,800	14,800		15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800	15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800	15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700	14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400	14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200	13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900	13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600	13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400	12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200	12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000	12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800	12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600	12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,500	11,800	4,500	11,700	4,200
147	11,000	11,400	8,800	11,400	6,100	11,300	11,600	4,000	11,500	3,700
153	10,100	11,300	8,400	11,300	5,700	11,200	11,400	3,600	11,400	3,300
159		11,100	7,900	11,100	5,300	11,100	11,300	3,200	11,300	2,800
165		11,000	7,100	10,900	4,900	11,000	11,200	2,800	11,100	
171			6,100	10,700	4,600	10,900	11,100		11,000	
177			5,200	10,400	3,800	10,800	10,900		11,000	
183			4,300	10,200	3,000	10,600	10,100		10,300	
189				9,800		9,800	9,100		9,300	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0260 <		L151 1241 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63				12,900	12,900	12,900					
69	12,800			12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100	
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000	
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900	
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,700	
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400	
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300	
123	5,700					11,400	11,300	11,200	11,100	11,200	
129	5,100						11,400	11,300	11,200	11,100	
135	4,600						11,400	11,300	11,200	11,100	
141	4,100							11,300	11,200	11,100	
147	3,600							11,300	11,200	11,100	
153	3,100								11,200	11,100	
159									11,200	11,100	
165										11,000	
171										10,600	
177										10,100	
183											
189											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		508	508	515	515	515	515	515	515	515	515

	T	NZK xx° 72ft					

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0260 <		L151 1241 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63										12,900	12,900
69										12,600	12,700
75										12,300	12,400
81	11,600	11,900	11,600	11,600						12,100	12,100
87	11,600	11,800	11,600	11,600	11,600	11,400	11,200			11,800	11,900
93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900		11,600	11,700
99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	10,900	11,500	11,500
105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	10,900	11,500	11,400
111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800		11,500	11,400
117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700			11,400
123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700			11,400
129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600			
135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600			
141	10,900	11,000	11,000	10,900	10,900	10,900	10,700	10,600			
147	10,900	11,000	10,900	10,900	10,900	10,900	10,700	10,600			
153	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600			
159	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600			
165	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,400			
171	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,200			
177	10,800	10,700	10,900	10,900	10,900	10,900	10,700	10,000			
183	10,500	9,500	10,700	10,400	9,900	10,900	10,300	9,800			
189	10,200	8,300	9,700	9,900	8,800	10,200	9,400	9,100			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	515	515	515	515	515	515	515	515	515	515	515

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft





070225

21.40

				ft > < lbs		CODE > 0260 <		L151 1241 .x(x)				
ft		86	100	114	128	142	157	171	142	157	157	
12												
14												
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69		12,600	12,400									
75		12,400	12,300	12,200	12,200				12,100			
81		12,200	12,100	12,100	12,100	11,600	11,600		12,000	11,900	11,600	
87		11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	
93		11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400	
99		11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400	
105		11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400	
111		11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300	
117		11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200	
123		11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100	
129		11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000	
135		11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000	
141			11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000	
147			11,000	11,200	8,900	10,900	6,400	10,900	10,900	4,500	10,900	
153				11,200	8,500	10,900	6,000	10,900	10,900	4,000	10,900	
159				11,200	8,000	10,900	5,500	10,900	10,900	3,600	10,900	
165					7,400	10,900	5,100	10,900	10,900	3,200	10,900	
171					6,300	10,900	4,800	10,900	10,900	2,800	10,900	
177					5,100	10,800	4,400	10,900	10,900	2,400	10,900	
183						10,500	3,400	10,900	10,200		10,700	
189						10,200	2,500	10,200			9,700	
* n *		1	1	1	1	1	1	1	1	1	1	
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
 %		1	0+	0+	0+	0+	0+	46-	46-	92-	46-	
		2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
		3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
		4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
		5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		515	515	515	515	515	515	515	515	515	515	



T	NZK xx° 72ft



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs			CODE > 0260 < L151 1241 .x(x)						
	171	185	197							
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87	10,600	10,600								
93	10,500	10,400	5,600							
99	9,600	9,500	5,500							
105	8,700	8,700	4,700							
111	7,900	7,900	4,000							
117	7,200	7,200	3,300							
123	6,600	6,500	2,700							
129	5,900	5,900								
135	5,300	5,300								
141	4,800	4,700								
147	4,300	4,200								
153	3,800	3,700								
159	3,300	3,200								
165	2,900	2,800								
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	515	515	515							

	T	NZK xx° 72ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

[illegible]

Diagram of a lighting fixture with dimensions and labels:

- Label: T
- Label: NZK xx°
- Label: 72ft
- Label: 127,900
- Label: lbs
- Label: 29 x
- Label: 27
- Label: ft
- Label: 360°




85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0261 <		L151 1341 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
12	23,400										
14	23,400	23,400									
16	23,400	23,400	23,000								
18	23,400	23,400	23,000	22,600							
21	23,400	23,400	23,000	22,500	21,600						
24	23,400	23,400	23,000	22,300	21,600	20,900					
27	23,300	23,400	23,000	22,300	21,500	20,800	19,900	20,600	19,200		
30	23,100	23,400	22,800	22,000	21,300	20,600	19,900	20,600	19,200	19,600	
33	22,600	23,300	22,600	21,800	21,300	20,600	19,600	20,600	19,200	19,600	
36	22,100	22,900	22,300	21,800	21,100	20,400	19,600	20,600	19,200	19,600	
39	21,500	22,400	22,000	21,700	21,000	20,400	19,600	20,600	19,200	19,600	
45	20,400	21,500	21,200	21,100	20,500	20,100	19,400	20,200	19,000	19,400	
51	19,200	20,500	20,400	20,400	20,000	19,700	19,000	19,800	18,700	19,100	
57	18,100	19,400	19,600	19,700	19,400	19,200	18,600	19,400	18,300	18,800	
63	17,000	18,400	18,700	19,000	18,800	18,700	18,200	19,000	17,900	18,400	
69	16,000	17,400	17,800	18,200	18,200	18,100	17,800	18,500	17,500	18,000	
75	15,000	16,400	17,000	17,500	17,600	17,600	17,300	18,000	17,100	17,600	
81	14,000	15,600	16,200	16,700	16,900	17,100	16,800	17,600	16,700	17,200	
87	13,100	14,700	15,500	16,000	16,300	16,500	16,300	17,100	16,300	16,800	
93	12,100	13,900	14,700	15,400	15,600	15,900	15,900	16,700	15,800	16,400	
99	11,200	13,000	14,100	14,700	15,100	15,300	15,400	16,200	15,400	16,000	
105		12,200	13,300	14,100	14,600	14,900	14,900	15,700	15,000	15,500	
111		11,300	12,600	13,600	14,000	14,400	14,400	15,200	14,600	15,100	
117		10,500	11,900	13,000	13,500	13,900	14,100	14,800	14,200	14,700	
123			11,200	12,300	13,000	13,500	13,700	14,400	13,800	14,300	
129			10,600	11,800	12,500	13,100	13,300	14,000	13,500	14,000	
135				11,200	12,000	12,600	12,900	13,600	13,100	13,600	
141				10,600	11,500	12,200	12,400	13,200	12,800	13,300	
147					11,000	11,800	12,000	12,900	12,400	13,000	
153					10,600	11,400	11,600	12,600	12,100	12,700	
159					10,200	11,000	11,100	12,300	11,700	12,400	
165						10,500	10,700	12,000	11,300	12,100	
171						10,200	10,200	11,600	10,900	11,900	
177						10,000	9,800	11,300	10,500	11,700	
183							9,300	11,000	10,100	11,400	
189							8,900	10,600	9,700	11,100	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


T	NZK xx° 72ft

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 72ft
- Weight: 172,000 lbs
- Dimensions: 29 x 27 ft
- Rotation: 360°






85%



070225

21.40

		ft > < lbs		CODE > 0261 <							L151 1341 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
12												
14								23,400				
16								23,400	23,000			
18								23,400	23,000	22,600		
21								23,400	23,000	22,500	21,600	
24								23,400	23,000	22,300	21,600	
27								23,400	23,000	22,300	21,500	
30	19,400							23,400	22,800	22,000	21,300	
33	19,400							23,300	22,600	21,800	21,300	
36	19,200	18,200	18,200	17,500				22,900	22,300	21,800	21,100	
39	19,200	18,000	18,200	17,300				22,400	22,000	21,700	21,000	
45	18,700	18,000	18,000	17,200	16,000	14,600		21,500	21,200	21,100	20,500	
51	18,600	17,900	17,800	17,000	16,000	14,600		20,500	20,400	20,400	20,000	
57	18,400	17,700	17,600	17,000	16,000	14,600		19,400	19,600	19,700	19,400	
63	18,000	17,400	17,300	16,800	16,000	14,400		18,400	18,700	19,000	18,800	
69	17,700	17,100	17,000	16,500	15,800	14,300		17,400	17,800	18,200	18,200	
75	17,300	16,700	16,700	16,200	15,500	14,200		16,400	17,000	17,500	17,600	
81	16,900	16,400	16,400	15,900	15,300	14,100		15,600	16,200	16,700	16,900	
87	16,500	16,000	16,100	15,500	15,000	14,000		14,700	15,500	16,000	16,300	
93	16,100	15,600	15,700	15,200	14,700	13,800		13,900	14,700	15,400	15,600	
99	15,700	15,200	15,300	14,900	14,400	13,600		13,000	14,100	14,700	15,100	
105	15,300	14,800	15,000	14,600	14,200	13,400		12,200	13,300	14,100	14,600	
111	14,900	14,500	14,600	14,300	13,900	13,200		11,300	12,600	13,600	14,000	
117	14,500	14,100	14,300	13,900	13,600	13,000		10,500	11,900	13,000	13,500	
123	14,100	13,800	14,000	13,700	13,300	12,700			11,200	12,300	13,000	
129	13,800	13,400	13,700	13,400	13,100	12,500			10,600	11,800	12,500	
135	13,400	13,100	13,300	13,100	12,900	12,200				11,200	12,000	
141	13,100	12,900	13,000	12,800	12,600	11,900				10,600	11,500	
147	12,800	12,600	12,800	12,500	12,400	11,600					10,700	
153	12,500	12,300	12,500	12,300	12,100	11,200					9,500	
159	12,300	12,000	12,300	12,000	11,800	10,900					8,300	
165	12,000	11,500	12,000	11,700	11,600	10,500						
171	11,800	11,000	11,800	11,400	11,300	10,100						
177	11,600	10,500	11,500	11,000	11,000	9,600						
183	11,300	10,000	11,300	10,600	10,700	9,200						
189	11,000	9,500	11,100	10,100	10,400	8,800						
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s												
TAB 151	500	500	500	500	500	500	500	500	500	500	500	



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0261 <	L151 1341 .x(x)				
ft		114	128	142	157	171	142	157	157	171	185
12											
14											
16											
18											
21											
24	20,900										
27	20,800	19,900	19,200				20,600				
30	20,600	19,900	19,200				20,600	19,600	19,400		
33	20,600	19,600	19,200				20,600	19,600	19,400		
36	20,400	19,600	19,200	18,200	17,500		20,600	19,600	19,200	18,200	
39	20,400	19,600	19,200	18,000	17,300		20,600	19,600	19,200	18,200	
45	20,100	19,400	19,000	18,000	17,200		20,200	18,000	18,700	17,500	16,000
51	19,700	19,000	18,700	17,900	17,000		19,800	16,300	18,600	16,000	15,600
57	19,200	18,600	18,300	17,200	17,000		19,400	14,800	18,400	14,500	14,400
63	18,700	18,200	17,900	16,000	16,800		19,000	13,500	18,000	13,200	13,000
69	18,100	17,600	17,500	14,800	16,500		18,500	12,300	17,700	12,000	11,800
75	17,600	16,700	17,100	13,700	16,200		18,000	11,200	17,300	10,900	10,700
81	17,100	15,700	16,700	12,700	15,900		17,600	10,200	16,900	9,900	9,700
87	16,500	14,800	16,300	11,700	15,500		17,100	9,300	16,500	8,900	8,800
93	15,900	13,900	15,800	10,900	15,200		16,700	8,500	16,100	8,100	8,000
99	15,300	13,100	15,400	10,100	14,900		16,200	7,700	15,700	7,300	7,200
105	14,900	12,400	15,000	9,400	14,600		15,700	7,000	15,300	6,600	6,500
111	14,400	11,800	14,600	8,700	14,300		15,200	6,400	14,900	6,000	5,800
117	13,900	11,200	14,200	8,100	13,900		14,800	5,800	14,500	5,400	5,200
123	13,500	10,600	13,800	7,600	13,700		14,400	5,200	14,100	4,800	4,700
129	13,100	10,100	13,500	7,000	13,400		14,000	4,700	13,800	4,300	4,100
135	12,600	9,600	13,100	6,600	13,100		13,600	4,200	13,400	3,800	3,600
141	12,200	9,200	12,800	6,100	12,800		13,200	3,800	13,100	3,400	3,200
147	11,800	8,800	12,400	5,700	12,500		12,900	3,400	12,800	2,900	
153	11,400	8,100	12,100	5,300	12,300		12,600	3,000	12,500		
159	11,000	7,100	11,700	4,900	12,000		12,300		12,300		
165	10,500	6,200	11,300	4,200	11,700		12,000		12,000		
171	10,200	5,300	10,900	3,300	11,400		11,600		11,800		
177	10,000	4,500	10,500	2,600	11,000		11,300		11,600		
183		3,700	10,100		10,600		11,000		11,300		
189		2,800	9,700		10,100		10,600		11,000		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40


	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

				ft > < lbs		CODE > 0261 <		L151 1341 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39			18,600								
45	11,900	17,400	17,700	17,500							
51	10,600	16,500	17,000	16,900	16,700	16,500					
57	9,100	15,700	16,200	16,200	16,200	16,200	15,800	15,500	16,000		
63	7,900	14,900	15,600	15,700	15,700	15,700	15,600	15,200	15,900	14,800	
69	6,700	14,200	14,900	15,100	15,200	15,200	15,200	14,900	15,500	14,700	
75	5,700	13,500	14,200	14,500	14,700	14,700	14,800	14,600	15,100	14,300	
81	4,700	12,900	13,600	13,900	14,100	14,200	14,300	14,200	14,700	14,000	
87	3,900	12,400	13,100	13,400	13,700	13,800	13,900	13,800	14,300	13,800	
93		12,000	12,600	13,000	13,200	13,300	13,500	13,500	13,900	13,500	
99		11,700	12,200	12,600	12,800	13,000	13,100	13,200	13,600	13,200	
105			11,900	12,200	12,500	12,600	12,800	12,800	13,300	12,900	
111			11,700	11,900	12,200	12,400	12,500	12,600	12,900	12,600	
117			11,600	11,700	11,900	12,100	12,200	12,300	12,700	12,400	
123				11,500	11,700	11,800	12,000	12,000	12,400	12,100	
129				11,400	11,500	11,700	11,800	11,800	12,200	11,900	
135					11,500	11,500	11,600	11,700	12,000	11,700	
141					11,400	11,400	11,500	11,500	11,800	11,500	
147						11,200	11,400	11,300	11,600	11,400	
153						11,000	11,300	11,100	11,400	11,300	
159							11,100	10,900	11,300	11,100	
165							11,000	10,600	11,200	10,900	
171								10,300	11,100	10,700	
177								9,900	10,900	10,400	
183								9,400	10,900	10,200	
189									10,900	9,800	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	500	507	507	507	507	507	507	507	507	507	507


	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40




	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		







85%



070225

21.40

				ft > < lbs		CODE > 0261 < L151 1341 .x(x)					
ft		157	157	157	171	171	185	197	58	72	86
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45									17,700	17,500
	51									17,000	16,900
	57									16,200	16,200
	63	15,300	15,000	14,800						15,600	15,700
	69	15,200	14,900	14,600	14,500	13,800	13,600			14,900	15,100
	75	14,900	14,600	14,300	14,400	13,800	13,500	12,600	14,200	14,500	14,700
	81	14,500	14,300	14,000	14,000	13,700	13,400	12,600	13,600	13,900	14,100
	87	14,100	14,000	13,600	13,700	13,400	13,100	12,600	13,100	13,400	13,700
93	13,800	13,600	13,300	13,400	13,200	12,900	12,400	12,600	13,000	13,200	
99	13,500	13,300	13,100	13,100	12,900	12,600	12,200	12,200	12,600	12,800	
105	13,200	13,100	12,800	12,800	12,600	12,400	12,000	11,900	12,200	12,500	
111	12,900	12,800	12,600	12,600	12,400	12,200	11,800	11,700	11,900	12,200	
117	12,600	12,500	12,300	12,400	12,200	12,000	11,700	11,600	11,700	11,900	
123	12,400	12,300	12,100	12,200	12,000	11,800	11,500		11,500	11,700	
129	12,200	12,100	11,900	12,000	11,800	11,700	11,400		11,400	11,500	
135	12,000	11,900	11,700	11,800	11,600	11,500	11,200			11,500	
141	11,800	11,700	11,500	11,600	11,500	11,400	11,100			11,400	
147	11,600	11,500	11,400	11,500	11,300	11,200	10,900				
153	11,400	11,400	11,300	11,300	11,200	11,100	10,800				
159	11,300	11,300	11,200	11,200	11,100	11,000	10,600				
165	11,200	11,100	11,100	11,100	11,000	10,900	10,300				
171	11,100	11,000	10,900	11,000	10,900	10,700	10,100				
177	10,900	11,000	10,500	10,900	10,800	10,600	9,900				
183	10,900	11,000	10,100	10,800	10,600	10,400	9,500				
189	10,900	10,900	9,600	10,700	10,300	10,300	9,100				
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	507	507	507	507	507	507	507	507	507



T	NZK xx° 72ft

21.40


85%

T	NZK xx° 72ft

070225

21.40

 ft	 ft > < lbs CODE > 0261 < L151 1341 .x(x)									
	100	114	128	142	157	171	142	157	157	171
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	16,500									
57	16,200	15,800	15,500				16,000			
63	15,700	15,600	15,200	14,800	14,800		15,900	14,400	15,000	
69	15,200	15,200	14,900	14,700	14,600	13,800	15,500	13,700	14,900	12,900
75	14,700	14,800	14,600	14,300	14,200	13,800	15,100	12,600	14,600	12,300
81	14,200	14,300	14,200	14,000	13,500	13,700	14,700	11,500	14,300	11,300
87	13,800	13,900	13,800	13,800	12,500	13,400	14,300	10,500	14,000	10,300
93	13,300	13,500	13,500	13,500	11,600	13,200	13,900	9,600	13,600	9,400
99	13,000	13,100	13,100	13,200	10,800	12,900	13,600	8,800	13,300	8,500
105	12,600	12,800	12,500	12,900	10,100	12,600	13,300	8,100	13,100	7,800
111	12,400	12,500	11,900	12,600	9,400	12,400	12,900	7,300	12,800	7,100
117	12,100	12,200	11,300	12,400	8,700	12,200	12,700	6,700	12,500	6,400
123	11,800	12,000	10,700	12,100	8,100	12,000	12,400	6,100	12,300	5,800
129	11,700	11,800	10,200	11,900	7,600	11,800	12,200	5,500	12,100	5,200
135	11,500	11,600	9,700	11,700	7,100	11,600	12,000	5,000	11,900	4,700
141	11,400	11,500	9,200	11,500	6,600	11,500	11,800	4,500	11,700	4,200
147	11,000	11,400	8,800	11,400	6,100	11,300	11,600	4,000	11,500	3,700
153	10,100	11,300	8,400	11,300	5,700	11,200	11,400	3,600	11,400	3,300
159		11,100	7,900	11,100	5,300	11,100	11,300	3,200	11,300	2,800
165		11,000	7,100	10,900	4,900	11,000	11,200	2,800	11,100	
171			6,100	10,700	4,600	10,900	11,100		11,000	
177			5,200	10,400	3,800	10,800	10,900		11,000	
183			4,300	10,200	3,000	10,600	10,900		11,000	
189				9,800		10,300	10,900		10,900	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	507	507	507	507	507	507	507	507

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

 ft	CODE > 0261 < L151 1341 .x(x)									
	185	197	44	58	72	86	100	114	128	142
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63			12,900	12,900	12,900					
69	12,800		12,400	12,600	12,700	12,600	12,400			
75	12,200	7,100	12,100	12,300	12,400	12,400	12,300	12,200	12,200	12,100
81	11,200	6,700	11,800	12,100	12,100	12,200	12,100	12,100	12,100	12,000
87	10,200	5,800	11,600	11,800	11,900	11,900	11,900	11,900	11,900	11,900
93	9,300	4,900	11,500	11,600	11,700	11,700	11,700	11,700	11,700	11,800
99	8,500	4,100		11,500	11,500	11,600	11,600	11,600	11,500	11,700
105	7,700	3,400		11,500	11,400	11,400	11,400	11,400	11,400	11,500
111	7,000	2,800		11,500	11,400	11,400	11,300	11,300	11,300	11,400
117	6,300				11,400	11,400	11,300	11,200	11,200	11,300
123	5,700				11,400	11,400	11,300	11,200	11,100	11,200
129	5,100					11,400	11,300	11,200	11,100	11,100
135	4,600					11,400	11,300	11,200	11,100	11,000
141	4,100						11,300	11,200	11,100	10,900
147	3,600						11,300	11,200	11,100	10,900
153	3,100							11,200	11,100	10,900
159								11,200	11,100	10,900
165									11,000	10,900
171									10,600	10,900
177									10,100	10,900
183										10,900
189										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	514	514	514	514	514	514	514	514


	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40


Diagram of the 172,000 lbs. counter scale. The scale is shown with a platform of 29 ft by 27 ft. The height of the scale is 72 ft. The scale is labeled with 'T' and 'NZK xx°'. The weight capacity is 172,000 lbs. The scale is shown with a 360° rotation arrow.


85%



070225

21.40

				ft > < lbs		CODE > 0261 < L151 1341 .x(x)					
ft		142	157	157	157	171	171	185	197	58	72
	12										
	14										
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63									12,900	12,900
	69									12,600	12,700
	75									12,300	12,400
	81	11,600	11,900	11,600	11,600					12,100	12,100
	87	11,600	11,800	11,600	11,600	11,600	11,400	11,200		11,800	11,900
	93	11,600	11,600	11,400	11,400	11,600	11,400	11,200	10,900	11,600	11,700
	99	11,400	11,600	11,400	11,400	11,400	11,200	11,200	10,900	11,500	11,500
	105	11,400	11,400	11,400	11,300	11,300	11,200	11,100	10,900	11,500	11,400
	111	11,300	11,300	11,300	11,200	11,200	11,100	11,000	10,800	11,500	11,400
	117	11,200	11,200	11,200	11,100	11,100	11,000	10,900	10,700		11,400
	123	11,100	11,100	11,100	11,000	11,000	11,000	10,800	10,700		11,400
	129	11,000	11,000	11,000	11,000	10,900	10,900	10,800	10,600		
	135	10,900	11,000	11,000	10,900	10,900	10,900	10,800	10,600		
	141	10,900	11,000	11,000	10,900	10,900	10,900	10,700	10,600		
	147	10,900	11,000	10,900	10,900	10,900	10,900	10,700	10,600		
	153	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600		
	159	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,600		
	165	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,400		
	171	10,900	10,900	10,900	10,900	10,900	10,900	10,700	10,200		
	177	10,800	10,900	10,900	10,900	10,900	10,900	10,700	10,000		
	183	10,500	10,900	10,900	10,400	10,900	10,900	10,700	9,800		
	189	10,200	10,900	10,900	9,900	10,900	10,500	10,600	9,400		
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		514	514	514	514	514	514	514	514	514	514



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

		 ft > < lbs CODE > 0261 < L151 1341 .x(x)									
ft		86	100	114	128	142	157	171	142	157	157
12											
14											
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69	12,600	12,400									
75	12,400	12,300	12,200	12,200					12,100		
81	12,200	12,100	12,100	12,100	11,600	11,600			12,000	11,900	11,600
87	11,900	11,900	11,900	11,900	11,600	11,600	11,400	11,900	11,600	11,600	11,600
93	11,700	11,700	11,700	11,700	11,600	11,400	11,400	11,800	10,600	11,400	11,400
99	11,600	11,600	11,600	11,500	11,400	11,300	11,200	11,700	9,700	11,400	11,400
105	11,400	11,400	11,400	11,400	11,400	10,700	11,200	11,500	8,900	11,400	11,400
111	11,400	11,300	11,300	11,300	11,300	9,900	11,100	11,400	8,200	11,300	11,300
117	11,400	11,300	11,200	11,200	11,200	9,200	11,000	11,300	7,500	11,200	11,200
123	11,400	11,300	11,200	10,800	11,100	8,600	11,000	11,200	6,800	11,100	11,100
129	11,400	11,300	11,200	10,300	11,000	8,000	10,900	11,100	6,200	11,000	11,000
135	11,400	11,300	11,200	9,800	10,900	7,400	10,900	11,000	5,600	11,000	11,000
141		11,300	11,200	9,300	10,900	6,900	10,900	10,900	5,000	11,000	11,000
147		11,000	11,200	8,900	10,900	6,400	10,900	10,900	4,500	10,900	10,900
153			11,200	8,500	10,900	6,000	10,900	10,900	4,000	10,900	10,900
159			11,200	8,000	10,900	5,500	10,900	10,900	3,600	10,900	10,900
165				7,400	10,900	5,100	10,900	10,900	3,200	10,900	10,900
171				6,300	10,900	4,800	10,900	10,900	2,800	10,900	10,900
177				5,100	10,800	4,400	10,900	10,900	2,400	10,900	10,900
183					10,500	3,400	10,900	10,900		10,900	10,900
189					10,200	2,500	10,500			10,900	10,900
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514





T	NZK xx° 72ft

172,000 lbs

29 x 27 ft

360°



T	NZK xx° 72ft

21.40

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 72ft

070225

21.40

		 ft > < lbs			CODE > 0261 < L151 1341 .x(x)					
ft		171	185	197						
12										
14										
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87		10,600	10,600							
93		10,500	10,400	5,600						
99		9,600	9,500	5,500						
105		8,700	8,700	4,700						
111		7,900	7,900	4,000						
117		7,200	7,200	3,300						
123		6,600	6,500	2,700						
129		5,900	5,900							
135		5,300	5,300							
141		4,800	4,700							
147		4,300	4,200							
153		3,800	3,700							
159		3,300	3,200							
165		2,900	2,800							
171										
177										
183										
189										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1		92-	92-	100-						
2		92+	92-	100-						
3		92+	92-	100-						
4		92+	92-	100-						
5		46+	92-	100-						
%										
ft /s		23	23	23						
TAB 151		514	514	514						

	T	NZK xx° 72ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 72ft

21.40

The diagram shows a stage set for 'The Sound of Music'. It includes a table with a lamp, a chair, and a desk. The table is labeled '29 x 27 ft'. The chair is labeled '172,000 lbs'. The desk is labeled '360°'. The set is labeled 'NZK xx° 72ft'.

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40







	T	NZK xx° 95ft	 57,300 lbs	 29 x 18 ft	 360°		




070225

21.40

				ft > < lbs		CODE > 0231 <		L151 0542 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18	17,200	17,200								
		17,200	17,200	16,300							
21	24	17,200	17,200	16,300	15,700						
		17,200	17,200	16,200	15,600	14,800					
27	30	17,200	17,200	16,100	15,400	14,800	14,100				
		17,000	17,200	16,100	15,400	14,700	14,100	13,200	14,100		
33	36	16,800	17,100	16,100	15,200	14,600	14,100	13,200	14,100		
		16,500	16,900	16,100	15,200	14,600	13,900	13,200	14,100	12,800	
39	45	16,100	16,600	15,900	15,000	14,400	13,900	13,000	14,100	12,800	13,200
		15,300	16,000	15,500	15,000	14,300	13,700	13,000	14,000	12,800	13,200
51	57	14,400	15,200	14,900	14,700	14,100	13,500	13,000	13,900	12,800	13,200
		13,500	14,400	14,200	14,200	13,800	13,400	13,000	13,700	12,600	13,100
63	69	12,500	13,500	13,500	13,600	13,300	13,100	12,700	13,400	12,400	12,800
		11,700	12,700	12,800	13,000	12,800	12,700	12,400	13,000	12,100	12,600
75	81	10,900	11,900	12,100	12,400	12,300	12,200	12,000	12,600	11,800	12,200
		10,100	11,100	11,500	11,800	11,700	11,800	11,600	12,300	11,500	11,700
87	93	9,400	10,500	10,800	11,200	11,200	11,300	11,200	11,700	11,100	10,700
		8,700	9,800	10,200	10,600	10,700	10,900	10,800	10,800	10,800	9,000
99	105	8,000	9,100	9,700	10,100	10,200	10,400	10,400	9,300	10,400	7,500
		7,300	8,500	9,100	9,600	9,700	10,000	10,000	8,000	10,000	6,200
111	117	6,800	7,900	8,600	9,100	9,300	9,600	9,600	6,800	9,100	5,000
		6,300	7,300	8,100	8,600	8,900	9,200	9,000	5,700	8,000	4,000
123	129	5,800	6,800	7,600	8,200	8,600	8,800	8,100	4,700	7,000	
		5,400	6,400	7,100	7,800	8,200	8,300	7,200	3,800	6,100	
135	141		5,900	6,700	7,300	7,800	7,500	6,300		5,300	
			5,500	6,300	6,900	7,100	6,600	5,500		4,500	
147	153			5,900	6,600	6,300	5,800	4,800		3,800	
				5,600	6,200	5,600	5,100	4,200		3,100	
159	165				5,600	5,000	4,400	3,500			
					5,000	4,300	3,800	3,000			
171	177					3,800	3,300				
						3,300	2,800				
183	189					2,800	2,300				
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		429	429	429	429	429	429	429	429	429	429











070225

21.40


		ft > < lbs		CODE > 0231 <							L151 0542 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								17,200				
18								17,200	16,300			
21								17,200	16,300	15,700		
24								17,200	16,200	15,600	14,800	
27								17,200	16,100	15,400	14,800	
30								17,200	16,100	15,400	14,700	
33								17,100	16,100	15,200	14,600	
36								16,900	16,100	15,200	14,600	
39	12,800	12,100						16,600	15,900	15,000	14,400	
45	12,800	12,100	12,100	11,500	10,800			16,000	15,500	15,000	14,300	
51	12,800	12,100	12,100	11,500	10,800	9,700		15,200	14,900	14,700	14,100	
57	12,600	12,100	12,000	11,500	10,700	9,700		14,400	14,200	14,200	13,800	
63	12,500	12,000	11,900	11,400	10,600	9,700		13,500	13,500	13,600	13,300	
69	12,300	11,700	11,800	11,300	10,600	9,700		12,700	12,800	13,000	12,800	
75	12,000	11,400	11,500	11,100	10,500	9,700		11,900	12,100	12,400	12,300	
81	11,600	11,200	11,200	10,800	10,300	9,600		11,100	11,500	11,800	11,700	
87	11,200	10,900	10,300	10,500	9,900	9,200		10,500	10,800	11,200	11,200	
93	10,400	10,500	8,700	10,100	8,700	8,100		9,800	10,200	10,600	10,700	
99	9,000	10,100	7,300	8,900	7,300	6,700		9,100	9,700	10,100	10,200	
105	7,600	9,000	6,000	7,600	6,000	5,400		8,500	9,100	9,600	9,700	
111	6,400	7,800	4,800	6,400	4,800	4,300		7,900	8,600	9,100	9,300	
117	5,400	6,700	3,800	5,400	3,800			7,300	8,100	8,600	8,900	
123	4,400	5,700		4,400				6,800	7,600	8,200	8,600	
129	3,500	4,800		3,500				6,400	7,100	7,800	8,200	
135		4,000						5,900	6,700	7,300	7,800	
141		3,200						5,500	6,300	6,900	7,100	
147									5,900	6,600	6,300	
153									5,600	6,200	5,600	
159										5,600	5,000	
165										5,000	4,300	
171											3,800	
177											3,300	
183											2,800	
189												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		429	429	429	429	429	429	429	429	429	429	












070225

21.40

				ft > < lbs		CODE > 0231 <		L151 0542 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27		14,100									
30		14,100	13,200				14,100				
33		14,100	13,200				14,100				
36		13,900	13,200	12,800			14,100				
39		13,900	13,000	12,800	12,100		14,100	13,200	12,800		
45		13,700	13,000	12,800	12,100	11,500	14,000	13,200	12,800	12,100	10,800
51		13,500	13,000	12,800	12,100	11,500	13,900	13,200	12,800	12,100	10,800
57		13,400	13,000	12,600	12,100	11,500	13,700	13,100	12,600	12,000	10,700
63		13,100	12,700	12,400	12,000	11,400	13,400	12,700	12,500	11,900	10,600
69		12,700	12,400	12,100	11,700	11,300	13,000	11,800	12,300	11,300	10,600
75		12,200	12,000	11,800	11,400	11,100	12,600	10,700	12,000	10,400	10,200
81		11,800	11,600	11,500	11,200	10,800	12,300	9,700	11,600	9,400	9,200
87		11,300	11,200	11,100	10,800	10,500	11,700	8,800	11,200	8,500	8,300
93		10,900	10,800	10,800	10,200	10,100	10,800	8,000	10,400	7,600	7,500
99		10,400	10,400	10,400	9,500	8,900	9,300	7,200	9,000	6,800	6,700
105		10,000	10,000	10,000	8,800	7,600	8,000	6,200	7,600	6,000	6,000
111		9,600	9,600	9,100	7,700	6,400	6,800	5,000	6,400	4,800	4,800
117		9,200	9,000	8,000	6,700	5,400	5,700	4,000	5,400	3,800	3,800
123		8,800	8,100	7,000	5,700	4,400	4,700		4,400		
129		8,300	7,200	6,100	4,800	3,500	3,800		3,500		
135		7,500	6,300	5,300	4,000						
141		6,600	5,500	4,500	3,200						
147		5,800	4,800	3,800							
153		5,100	4,200	3,100							
159		4,400	3,500								
165		3,800	3,000								
171		3,300									
177		2,800									
183		2,300									
189											
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2		0+	0+	46-	92-	92+	92+	92+	46-	92+	92-
3		46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
4		92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
5		92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		429	429	429	429	429	429	429	429	429	429







070225

21.40

 ft	CODE > 0231 < L151 0542 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	11,800								
57	8,700	11,200	11,200	11,300						
63	7,400	10,500	10,900	10,900	10,600	10,100				
69	6,300	9,800	10,300	10,300	10,300	10,000	9,900	9,500	10,100	
75	5,200	9,200	9,700	9,700	9,800	9,700	9,700	9,400	9,900	9,300
81	4,300	8,700	9,200	9,300	9,300	9,300	9,300	9,200	9,600	9,200
87		8,200	8,700	8,800	8,900	8,900	8,900	8,900	9,200	8,800
93		7,700	8,200	8,400	8,600	8,600	8,600	8,600	8,900	8,500
99		7,400	7,800	8,000	8,200	8,200	8,300	8,300	8,600	8,300
105		7,000	7,500	7,700	7,900	7,900	8,000	8,000	8,300	8,000
111		6,700	7,100	7,400	7,600	7,700	7,700	7,800	8,100	7,800
117		6,400	6,800	7,100	7,300	7,400	7,500	7,500	7,800	7,600
123		6,200	6,600	6,800	7,000	7,100	7,300	7,300	7,500	7,300
129			6,400	6,600	6,800	6,900	7,100	7,100	6,600	7,100
135			6,200	6,400	6,600	6,700	6,800	6,900	5,600	7,000
141				6,200	6,400	6,500	6,700	6,700	4,700	6,500
147				6,100	6,300	6,400	6,500	6,400	3,800	5,800
153					6,100	6,200	6,300	5,800		5,000
159					6,000	6,000	5,700	5,100		4,300
165						5,300	5,000	4,400		3,600
171						4,500	4,300	3,700		2,900
177						3,800	3,600	3,000		2,300
183							3,000	2,400		
189							2,400			
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
 %	1	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	92+
 ft /s	TAB 151	429	436	436	436	436	436	436	436	436











070225

21.40

				ft > < lbs		CODE > 0231 < L151 0542 .x(x)							
ft		157	157	157	171	171	185	197	58	72	86		
16													
18													
21													
24													
27													
30													
33													
36													
39													
45													
51													
57									11,200	11,300			
63									10,900	10,900	10,600		
69									10,300	10,300	10,300		
75		9,300	9,300	9,000					9,700	9,700	9,800		
81		9,200	9,200	9,000	8,800	8,400			9,200	9,300	9,300		
87		9,000	9,000	8,700	8,800	8,300	8,200	7,700	8,700	8,800	8,900		
93		8,800	8,700	8,400	8,500	8,100	8,100	7,700	8,200	8,400	8,600		
99		8,500	8,400	8,200	8,300	7,900	7,900	7,500	7,800	8,000	8,200		
105		8,300	8,200	7,900	8,000	7,900	7,700	7,300	7,500	7,700	7,900		
111		8,000	7,900	7,700	7,800	7,700	7,500	7,200	7,100	7,400	7,600		
117		7,500	7,700	7,500	7,300	7,400	7,200	6,900	6,800	7,100	7,300		
123		6,400	7,300	7,300	6,200	7,200	6,300	5,900	6,600	6,800	7,000		
129		5,300	6,400	7,100	5,200	6,400	5,200	4,800	6,400	6,600	6,800		
135		4,300	5,400	6,500	4,200	5,500	4,200	3,800	6,200	6,400	6,600		
141		3,300	4,500	5,600	3,200	4,500	3,300			6,200	6,400		
147			3,600	4,700		3,700				6,100	6,300		
153				3,900							6,100		
159				3,200							6,000		
165													
171													
177													
183													
189													
* n *		1	1	1	1	1	1	1	1	1	1		
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
 %		1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
		2	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		4	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	46-
		5	46+	46+	92+	46+	92+	92+	92+	100+	46-	92-	92+
 ft /s		23	23	23	23	23	23	23	23	23	23		
TAB 151		436	436	436	436	436	436	436	436	436	436		












070225

21.40

				ft > < lbs		CODE > 0231 <		L151 0542 .x(x)				
ft		100	114	128	142	157	171	142	157	157	171	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63		10,100										
69		10,000	9,900	9,500				10,100				
75		9,700	9,700	9,400	9,300	9,000		9,900	9,300	9,300		
81		9,300	9,300	9,200	9,200	9,000	8,400	9,600	9,200	9,200	8,800	
87		8,900	8,900	8,900	8,800	8,700	8,300	9,200	9,000	9,000	8,800	
93		8,600	8,600	8,600	8,500	8,400	8,100	8,900	8,800	8,700	8,500	
99		8,200	8,300	8,300	8,300	8,200	7,900	8,600	8,500	8,400	8,200	
105		7,900	8,000	8,000	8,000	7,900	7,900	8,300	8,000	8,200	7,700	
111		7,700	7,700	7,800	7,800	7,700	7,700	8,100	7,200	7,900	7,000	
117		7,400	7,500	7,500	7,600	7,500	7,400	7,800	6,600	7,700	6,300	
123		7,100	7,300	7,300	7,300	7,300	7,200	7,500	6,000	7,300	5,700	
129		6,900	7,100	7,100	7,100	7,100	6,400	6,600	5,200	6,400	5,000	
135		6,700	6,800	6,900	7,000	6,500	5,500	5,600	4,300	5,400	4,200	
141		6,500	6,700	6,700	6,500	5,600	4,500	4,700	3,300	4,500	3,200	
147		6,400	6,500	6,400	5,800	4,700	3,700	3,800		3,600		
153		6,200	6,300	5,800	5,000	3,900						
159		6,000	5,700	5,100	4,300	3,200						
165		5,300	5,000	4,400	3,600							
171		4,500	4,300	3,700	2,900							
177		3,800	3,600	3,000	2,300							
183			3,000	2,400								
189			2,400									
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
 %		1	0+	0+	0+	0+	46-	46-	92-	46-	92-	
		2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
		3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
		4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
		5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		436	436	436	436	436	436	436	436	436	436	











070225


21.40

 ft	CODE > 0231 < L151 0542 .x(x)									
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			7,400	7,300	7,300					
87	8,200	5,200	7,000	7,200	7,200	7,000	7,000			
93	8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600
99	7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600
105	7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600
111	6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400
117	6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400
123	5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300
129	5,000			6,100	6,100	6,100	6,100	6,100	6,100	6,200
135	4,200				6,100	6,000	6,000	6,000	6,000	6,100
141	3,300				6,000	6,000	6,000	5,900	5,900	6,000
147						6,000	5,900	5,900	5,900	5,600
153						6,000	5,900	5,900	5,800	4,700
159							5,900	5,900	5,800	3,800
165							5,700	5,700	5,400	
171								4,800	4,500	
177								4,000	3,700	
183								3,100	2,900	
189										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	436	436	443	443	443	443	443	443	443	443




21.40







	T	NZK xx° 95ft	 79,400 lbs	 29 x 18 ft	 360°		



070225

21.40


				ft > < lbs		CODE > 0231 <		L151 0542 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87		7,000	7,000								
93		7,000	6,900	6,800	6,600				6,600		
99		6,800	6,700	6,700	6,600	6,400	6,200		6,600	6,400	6,400
105		6,600	6,600	6,600	6,500	6,400	6,200		6,600	6,400	6,400
111		6,400	6,400	6,400	6,400	6,400	6,200	6,000	6,400	6,400	6,400
117		6,300	6,300	6,300	6,300	6,300	6,200	6,000	6,400	6,200	6,300
123		6,200	6,200	6,200	6,200	6,200	6,100	6,000	6,300	6,200	6,200
129		6,100	6,100	6,100	6,100	6,100	6,000	6,000	6,200	6,100	6,100
135		6,000	6,000	6,000	6,000	6,000	6,000	5,900	6,100	5,700	6,000
141		6,000	6,000	5,900	5,900	5,900	5,900	5,800	6,000	5,200	5,900
147		6,000	5,900	5,900	5,900	5,900	5,800	5,500	5,600	4,500	5,500
153		6,000	5,900	5,900	5,800	5,800	5,500	4,800	4,700	3,600	4,700
159			5,900	5,900	5,800	5,600	4,800	3,900	3,800		3,800
165			5,700	5,700	5,400	4,800	3,900	3,100			
171				4,800	4,500	4,000	3,200				
177				4,000	3,700	3,200	2,400				
183				3,100	2,900	2,500					
189											
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1		0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2		0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3		0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
4		46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
5		92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		443	443	443	443	443	443	443	443	443	443





T	NZK xx° 95ft

070225

21.40

	ft	 ft > < lbs			CODE > 0231 < L151 0542 .x(x)					
		171	185	197						
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111		6,200	6,000							
117		6,200	6,000	3,700						
123		6,100	6,000	3,200						
129		6,000	5,900	2,500						
135		5,600	5,500							
141		5,000	4,900							
147		4,400	4,400							
153		3,600	3,700							
159										
165										
171										
177										
183										
189										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1		92-	92-	100-						
2		92+	92-	100-						
3		92+	92-	100-						
4		92+	92-	100-						
5		46+	92-	100-						
	%									
	ft /s	23	23	23						
TAB 151		443	443	443						


	T	NZK xx° 95ft	 79,400 lbs	 29 x 18 ft	 360°		




070225

21.40

		ft > < lbs		CODE > 0232 <							L151 0642 .x(x)	
ft		44	58	72	86	100	114	128	142	142	157	
16	17,200	17,200										
18	17,200	17,200	16,300									
21	17,200	17,200	16,300	15,700								
24	17,200	17,200	16,200	15,600	14,800							
27	17,200	17,200	16,100	15,400	14,800	14,100						
30	17,000	17,200	16,100	15,400	14,700	14,100	13,200	14,100				
33	16,800	17,100	16,100	15,200	14,600	14,100	13,200	14,100				
36	16,500	16,900	16,100	15,200	14,600	13,900	13,200	14,100	12,800			
39	16,100	16,600	15,900	15,000	14,400	13,900	13,000	14,100	12,800	13,200		
45	15,300	16,000	15,500	15,000	14,300	13,700	13,000	14,000	12,800	13,200		
51	14,400	15,200	14,900	14,700	14,100	13,500	13,000	13,900	12,800	13,200		
57	13,500	14,400	14,200	14,200	13,800	13,400	13,000	13,700	12,600	13,100		
63	12,500	13,500	13,500	13,600	13,300	13,100	12,700	13,400	12,400	12,800		
69	11,700	12,700	12,800	13,000	12,800	12,700	12,400	13,000	12,100	12,600		
75	10,900	11,900	12,100	12,400	12,300	12,200	12,000	12,600	11,800	12,200		
81	10,100	11,100	11,500	11,800	11,700	11,800	11,600	12,300	11,500	11,900		
87	9,400	10,500	10,800	11,200	11,200	11,300	11,200	11,800	11,100	11,300		
93	8,700	9,800	10,200	10,600	10,700	10,900	10,800	11,300	10,800	9,800		
99	8,000	9,100	9,700	10,100	10,200	10,400	10,400	10,100	10,400	8,300		
105	7,300	8,500	9,100	9,600	9,700	10,000	10,000	8,700	10,000	7,000		
111	6,800	7,900	8,600	9,100	9,300	9,600	9,600	7,500	9,700	5,800		
117	6,300	7,300	8,100	8,600	8,900	9,200	9,300	6,400	8,700	4,700		
123	5,800	6,800	7,600	8,200	8,600	8,800	8,700	5,300	7,700	3,700		
129	5,400	6,400	7,100	7,800	8,200	8,500	7,800	4,400	6,700			
135		5,900	6,700	7,300	7,800	7,900	6,900	3,500	5,900			
141		5,500	6,300	6,900	7,400	7,200	6,100		5,100			
147			5,900	6,600	6,900	6,300	5,400		4,400			
153			5,600	6,200	6,100	5,600	4,700		3,700			
159				5,900	5,400	4,900	4,100		3,100			
165				5,500	4,800	4,300	3,500					
171					4,200	3,700	2,900					
177					3,700	3,200	2,300					
183					3,300	2,700						
189						2,200						
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%												
	ft /s	23	23	23	23	23	23	23	23	23	23	
	TAB 151	428	428	428	428	428	428	428	428	428	428	










070225

21.40

		ft > < lbs		CODE > 0232 <							L151 0642 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								17,200				
18								17,200	16,300			
21								17,200	16,300	15,700		
24								17,200	16,200	15,600	14,800	
27								17,200	16,100	15,400	14,800	
30								17,200	16,100	15,400	14,700	
33								17,100	16,100	15,200	14,600	
36								16,900	16,100	15,200	14,600	
39	12,800	12,100						16,600	15,900	15,000	14,400	
45	12,800	12,100	12,100	11,500	10,800			16,000	15,500	15,000	14,300	
51	12,800	12,100	12,100	11,500	10,800	9,700		15,200	14,900	14,700	14,100	
57	12,600	12,100	12,000	11,500	10,700	9,700		14,400	14,200	14,200	13,800	
63	12,500	12,000	11,900	11,400	10,600	9,700		13,500	13,500	13,600	13,300	
69	12,300	11,700	11,800	11,300	10,600	9,700		12,700	12,800	13,000	12,800	
75	12,000	11,400	11,500	11,100	10,500	9,700		11,900	12,100	12,400	12,300	
81	11,600	11,200	11,200	10,800	10,300	9,600		11,100	11,500	11,800	11,700	
87	11,300	10,900	10,700	10,500	10,100	9,400		10,500	10,800	11,200	11,200	
93	10,800	10,500	9,500	10,200	9,500	8,900		9,800	10,200	10,600	10,700	
99	9,800	10,200	8,100	9,700	8,000	7,500		9,100	9,700	10,100	10,200	
105	8,400	9,700	6,700	8,300	6,700	6,200		8,500	9,100	9,600	9,700	
111	7,100	8,500	5,500	7,100	5,600	5,000		7,900	8,600	9,100	9,300	
117	6,000	7,400	4,400	6,000	4,500	4,000		7,300	8,100	8,600	8,900	
123	5,000	6,300	3,400	5,000	3,500			6,800	7,600	8,200	8,600	
129	4,100	5,400		4,100				6,400	7,100	7,800	8,200	
135	3,300	4,600		3,300				5,900	6,700	7,300	7,800	
141		3,800						5,500	6,300	6,900	7,400	
147									5,900	6,600	6,900	
153									5,600	6,200	6,100	
159										5,900	5,400	
165										5,500	4,800	
171											4,200	
177											3,700	
183											3,300	
189												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		428	428	428	428	428	428	428	428	428	428	







070225

21.40


		 ft > < lbs CODE > 0232 < L151 0642 .x(x)									
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	14,100										
30	14,100	13,200					14,100				
33	14,100	13,200					14,100				
36	13,900	13,200	12,800				14,100				
39	13,900	13,000	12,800	12,100			14,100	13,200	12,800		
45	13,700	13,000	12,800	12,100	11,500		14,000	13,200	12,800	12,100	10,800
51	13,500	13,000	12,800	12,100	11,500		13,900	13,200	12,800	12,100	10,800
57	13,400	13,000	12,600	12,100	11,500		13,700	13,100	12,600	12,000	10,700
63	13,100	12,700	12,400	12,000	11,400		13,400	12,700	12,500	11,900	10,600
69	12,700	12,400	12,100	11,700	11,300		13,000	11,800	12,300	11,300	10,600
75	12,200	12,000	11,800	11,400	11,100		12,600	10,700	12,000	10,400	10,200
81	11,800	11,600	11,500	11,200	10,800		12,300	9,700	11,600	9,400	9,200
87	11,300	11,200	11,100	10,800	10,500		11,800	8,800	11,300	8,500	8,300
93	10,900	10,800	10,800	10,200	10,200		11,300	8,000	10,800	7,600	7,500
99	10,400	10,400	10,400	9,500	9,700		10,100	7,300	9,800	6,900	6,700
105	10,000	10,000	10,000	8,800	8,300		8,700	6,600	8,400	6,200	6,000
111	9,600	9,600	9,700	8,100	7,100		7,500	5,700	7,100	5,500	5,400
117	9,200	9,300	8,700	7,300	6,000		6,400	4,700	6,000	4,400	4,500
123	8,800	8,700	7,700	6,300	5,000		5,300	3,700	5,000	3,400	3,500
129	8,500	7,800	6,700	5,400	4,100		4,400		4,100		
135	7,900	6,900	5,900	4,600	3,300		3,500		3,300		
141	7,200	6,100	5,100	3,800							
147	6,300	5,400	4,400								
153	5,600	4,700	3,700								
159	4,900	4,100	3,100								
165	4,300	3,500									
171	3,700	2,900									
177	3,200	2,300									
183	2,700										
189	2,200										
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		428	428	428	428	428	428	428	428	428	428







070225

21.40

 ft	CODE > 0232 < L151 0642 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	11,800								
57	8,700	11,200	11,200	11,300						
63	7,400	10,500	10,900	10,900	10,600	10,100				
69	6,300	9,800	10,300	10,300	10,300	10,000	9,900	9,500	10,100	
75	5,200	9,200	9,700	9,700	9,800	9,700	9,700	9,400	9,900	9,300
81	4,300	8,700	9,200	9,300	9,300	9,300	9,300	9,200	9,600	9,200
87		8,200	8,700	8,800	8,900	8,900	8,900	8,900	9,200	8,800
93		7,700	8,200	8,400	8,600	8,600	8,600	8,600	8,900	8,500
99		7,400	7,800	8,000	8,200	8,200	8,300	8,300	8,600	8,300
105		7,000	7,500	7,700	7,900	7,900	8,000	8,000	8,300	8,000
111		6,700	7,100	7,400	7,600	7,700	7,700	7,800	8,100	7,800
117		6,400	6,800	7,100	7,300	7,400	7,500	7,500	7,800	7,600
123		6,200	6,600	6,800	7,000	7,100	7,300	7,300	7,600	7,300
129			6,400	6,600	6,800	6,900	7,100	7,100	7,100	7,100
135			6,200	6,400	6,600	6,700	6,800	6,900	6,200	7,000
141				6,200	6,400	6,500	6,700	6,700	5,300	6,800
147				6,100	6,300	6,400	6,500	6,600	4,400	6,300
153					6,100	6,200	6,300	6,200	3,500	5,500
159					6,100	6,100	6,100	5,600		4,800
165						5,700	5,400	4,900		4,100
171						5,000	4,700	4,100		3,400
177						4,300	4,100	3,500		2,800
183							3,400	2,900		
189							2,800	2,300		
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
 %	1	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+
 ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	428	435	435	435	435	435	435	435	435	435







070225

21.40

				ft > < lbs		CODE > 0232 <					L151 0642 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57									11,200	11,300		
63									10,900	10,900	10,600	
69									10,300	10,300	10,300	
75	9,300	9,300	9,000						9,700	9,700	9,800	
81	9,200	9,200	9,000	8,800	8,400				9,200	9,300	9,300	
87	9,000	9,000	8,700	8,800	8,300	8,200	7,700	8,700	8,700	8,800	8,900	
93	8,800	8,700	8,400	8,500	8,100	8,100	7,700	8,200	8,200	8,400	8,600	
99	8,500	8,400	8,200	8,300	7,900	7,900	7,500	7,800	7,800	8,000	8,200	
105	8,300	8,200	7,900	8,000	7,900	7,700	7,300	7,500	7,500	7,700	7,900	
111	8,000	7,900	7,700	7,800	7,700	7,500	7,200	7,100	7,100	7,400	7,600	
117	7,800	7,700	7,500	7,600	7,400	7,300	7,100	6,800	6,800	7,100	7,300	
123	7,000	7,500	7,300	6,800	7,300	6,800	6,400	6,600	6,600	6,800	7,000	
129	5,900	6,900	7,100	5,800	6,900	5,800	5,400	6,400	6,400	6,600	6,800	
135	4,900	6,000	6,800	4,700	6,000	4,800	4,400	6,200	6,400	6,400	6,600	
141	3,900	5,100	6,200	3,800	5,100	3,900	3,500			6,200	6,400	
147		4,200	5,300		4,200					6,100	6,300	
153		3,400	4,500		3,400						6,100	
159			3,700								6,100	
165			3,000									
171												
177												
183												
189												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%												
												
ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		435	435	435	435	435	435	435	435	435	435	







070225

21.40

 ft	CODE > 0232 < L151 0642 .x(x)									
	100	114	128	142	157	171	142	157	157	171
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63	10,100									
69	10,000	9,900	9,500				10,100			
75	9,700	9,700	9,400	9,300	9,000		9,900	9,300	9,300	
81	9,300	9,300	9,200	9,200	9,000	8,400	9,600	9,200	9,200	8,800
87	8,900	8,900	8,900	8,800	8,700	8,300	9,200	9,000	9,000	8,800
93	8,600	8,600	8,600	8,500	8,400	8,100	8,900	8,800	8,700	8,500
99	8,200	8,300	8,300	8,300	8,200	7,900	8,600	8,500	8,400	8,200
105	7,900	8,000	8,000	8,000	7,900	7,900	8,300	8,000	8,200	7,700
111	7,700	7,700	7,800	7,800	7,700	7,700	8,100	7,200	7,900	7,000
117	7,400	7,500	7,500	7,600	7,500	7,400	7,800	6,600	7,700	6,300
123	7,100	7,300	7,300	7,300	7,300	7,300	7,600	6,000	7,500	5,700
129	6,900	7,100	7,100	7,100	7,100	6,900	7,100	5,400	6,900	5,100
135	6,700	6,800	6,900	7,000	6,700	6,000	6,200	4,700	6,000	4,500
141	6,500	6,700	6,700	6,800	6,000	5,100	5,300	3,900	5,100	3,800
147	6,400	6,500	6,600	6,300	5,300	4,200	4,400		4,200	
153	6,200	6,300	6,200	5,500	4,500	3,400	3,500		3,400	
159	6,100	6,100	5,600	4,800	3,700					
165	5,700	5,400	4,900	4,100	3,000					
171	5,000	4,700	4,100	3,400						
177	4,300	4,100	3,500	2,800						
183		3,400	2,900							
189		2,800	2,300							
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	435	435	435	435	435	435	435	435	435	435











070225

21.40

	CODE > 0232 < L151 0642 .x(x)									
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			7,400	7,300	7,300					
87	8,200	5,200	7,000	7,200	7,200	7,000	7,000			
93	8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600
99	7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600
105	7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600
111	6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400
117	6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400
123	5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300
129	5,000			6,100	6,100	6,100	6,100	6,100	6,100	6,200
135	4,400				6,100	6,000	6,000	6,000	6,000	6,100
141	3,800				6,000	6,000	6,000	5,900	5,900	6,000
147						6,000	5,900	5,900	5,900	5,800
153						6,000	5,900	5,900	5,800	5,300
159							5,900	5,900	5,800	4,300
165							5,800	5,800	5,700	3,400
171								5,300	5,000	
177								4,400	4,100	
183								3,500	3,300	
189									2,600	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	435	435	442	442	442	442	442	442	442	442












070225

21.40

				ft > < lbs		CODE > 0232 <		L151 0642 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										7,300	7,300
87										7,200	7,200
93										6,900	6,900
99	6,400	6,400	6,400	6,200						6,700	6,700
105	6,400	6,400	6,400	6,200						6,500	6,500
111	6,400	6,400	6,400	6,200	6,200	6,000	6,000			6,300	6,400
117	6,300	6,200	6,300	6,200	6,200	6,000	6,000	5,700		6,200	6,200
123	6,200	6,200	6,200	6,100	6,100	6,000	6,000	5,700		6,100	6,100
129	6,100	6,100	6,100	6,000	6,000	6,000	5,900	5,700		6,100	6,100
135	6,000	6,000	6,000	6,000	6,000	5,900	5,800	5,700			6,100
141	5,900	5,800	5,900	5,900	5,800	5,800	5,700	5,500			6,000
147	5,900	5,200	5,700	5,800	5,200	5,700	5,300	5,000			
153	5,800	4,200	5,200	5,700	4,200	5,300	4,300	4,000			
159	5,700	3,200	4,300	5,300	3,200	4,400	3,400	3,100			
165	5,300		3,400	4,400		3,600					
171	4,500			3,600							
177	3,700			2,900							
183	3,000										
189	2,300										
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		442	442	442	442	442	442	442	442	442	442












070225

21.40

 ft		CODE > 0232 < L151 0642 .x(x)									
		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87		7,000	7,000								
93		7,000	6,900	6,800	6,600				6,600		
99		6,800	6,700	6,700	6,600	6,400	6,200		6,600	6,400	6,400
105		6,600	6,600	6,600	6,500	6,400	6,200		6,600	6,400	6,400
111		6,400	6,400	6,400	6,400	6,400	6,200	6,000	6,400	6,400	6,400
117		6,300	6,300	6,300	6,300	6,300	6,200	6,000	6,400	6,200	6,300
123		6,200	6,200	6,200	6,200	6,200	6,100	6,000	6,300	6,200	6,200
129		6,100	6,100	6,100	6,100	6,100	6,000	6,000	6,200	6,100	6,100
135		6,000	6,000	6,000	6,000	6,000	6,000	5,900	6,100	5,700	6,000
141		6,000	6,000	5,900	5,900	5,900	5,900	5,800	6,000	5,200	5,900
147		6,000	5,900	5,900	5,900	5,900	5,800	5,700	5,800	4,700	5,700
153		6,000	5,900	5,900	5,800	5,800	5,700	5,300	5,300	4,100	5,200
159			5,900	5,900	5,800	5,700	5,200	4,400	4,300	3,200	4,300
165			5,800	5,800	5,700	5,300	4,400	3,600	3,400		3,400
171				5,300	5,000	4,500	3,600				
177				4,400	4,100	3,700	2,900				
183				3,500	3,300	3,000					
189					2,600	2,300					
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1		0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2		0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3		0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
4		46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
5		92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		442	442	442	442	442	442	442	442	442	442











070225

21.40


 ft	ft > < lbs			CODE > 0232 < L151 0642 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,200	6,000								
117	6,200	6,000	3,700							
123	6,100	6,000	3,200							
129	6,000	5,900	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,200	3,300								
165										
171										
177										
183										
189										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	442	442	442							










070225

21.40

				ft > < lbs		CODE > 0233 <		L151 0742 .x(x)			
		ft	44	58	72	86	100	114	128	142	142
	16	17,200	17,200								
	18	17,200	17,200	16,300							
	21	17,200	17,200	16,300	15,700						
	24	17,200	17,200	16,200	15,600	14,800					
	27	17,200	17,200	16,100	15,400	14,800	14,100				
	30	17,000	17,200	16,100	15,400	14,700	14,100	13,200	14,100		
	33	16,800	17,100	16,100	15,200	14,600	14,100	13,200	14,100		
	36	16,500	16,900	16,100	15,200	14,600	13,900	13,200	14,100	12,800	
	39	16,100	16,600	15,900	15,000	14,400	13,900	13,000	14,100	12,800	13,200
	45	15,300	16,000	15,500	15,000	14,300	13,700	13,000	14,000	12,800	13,200
	51	14,400	15,200	14,900	14,700	14,100	13,500	13,000	13,900	12,800	13,200
	57	13,500	14,400	14,200	14,200	13,800	13,400	13,000	13,700	12,600	13,100
	63	12,500	13,500	13,500	13,600	13,300	13,100	12,700	13,400	12,400	12,800
	69	11,700	12,700	12,800	13,000	12,800	12,700	12,400	13,000	12,100	12,600
	75	10,900	11,900	12,100	12,400	12,300	12,200	12,000	12,600	11,800	12,200
	81	10,100	11,100	11,500	11,800	11,700	11,800	11,600	12,300	11,500	11,900
	87	9,400	10,500	10,800	11,200	11,200	11,300	11,200	11,800	11,100	11,600
	93	8,700	9,800	10,200	10,600	10,700	10,900	10,800	11,400	10,800	11,200
	99	8,000	9,100	9,700	10,100	10,200	10,400	10,400	11,000	10,400	10,800
	105	7,300	8,500	9,100	9,600	9,700	10,000	10,000	10,600	10,000	10,000
111	6,800	7,900	8,600	9,100	9,300	9,600	9,600	10,200	9,700	8,600	
117	6,300	7,300	8,100	8,600	8,900	9,200	9,300	9,100	9,400	7,400	
123	5,800	6,800	7,600	8,200	8,600	8,800	8,900	8,000	9,000	6,300	
129	5,400	6,400	7,100	7,800	8,200	8,500	8,600	7,000	8,700	5,300	
135		5,900	6,700	7,300	7,800	8,100	8,300	6,000	8,200	4,300	
141		5,500	6,300	6,900	7,500	7,800	8,000	5,100	7,500	3,500	
147			5,900	6,600	7,100	7,500	7,500	4,300	6,600		
153			5,600	6,200	6,700	7,200	6,800	3,600	5,900		
159				5,900	6,400	6,800	6,000		5,200		
165				5,600	6,100	6,100	5,300		4,500		
171					5,800	5,500	4,700		3,900		
177					5,400	4,900	4,100		3,300		
183					4,900	4,300	3,500		2,800		
189						3,900	3,000		2,300		
195						3,400	2,500				
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
 ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	427	427	427	427	427	427	427	427	427	427	











070225

21.40

		ft > < lbs		CODE > 0233 <							L151 0742 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								17,200				
18								17,200	16,300			
21								17,200	16,300	15,700		
24								17,200	16,200	15,600	14,800	
27								17,200	16,100	15,400	14,800	
30								17,200	16,100	15,400	14,700	
33								17,100	16,100	15,200	14,600	
36								16,900	16,100	15,200	14,600	
39	12,800	12,100						16,600	15,900	15,000	14,400	
45	12,800	12,100	12,100	11,500	10,800			16,000	15,500	15,000	14,300	
51	12,800	12,100	12,100	11,500	10,800	9,700		15,200	14,900	14,700	14,100	
57	12,600	12,100	12,000	11,500	10,700	9,700		14,400	14,200	14,200	13,800	
63	12,500	12,000	11,900	11,400	10,600	9,700		13,500	13,500	13,600	13,300	
69	12,300	11,700	11,800	11,300	10,600	9,700		12,700	12,800	13,000	12,800	
75	12,000	11,400	11,500	11,100	10,500	9,700		11,900	12,100	12,400	12,300	
81	11,600	11,200	11,200	10,800	10,300	9,600		11,100	11,500	11,800	11,700	
87	11,300	10,900	10,900	10,500	10,100	9,400		10,500	10,800	11,200	11,200	
93	11,000	10,500	10,700	10,300	9,900	9,200		9,800	10,200	10,600	10,700	
99	10,600	10,200	10,300	10,000	9,700	9,000		9,100	9,700	10,100	10,200	
105	10,300	9,900	9,700	9,700	9,400	8,800		8,500	9,100	9,600	9,700	
111	9,900	9,600	8,400	9,500	8,400	7,800		7,900	8,600	9,100	9,300	
117	8,800	9,300	7,200	8,700	7,200	6,700		7,300	8,100	8,600	8,900	
123	7,700	8,800	6,100	7,600	6,100	5,600		6,800	7,600	8,200	8,600	
129	6,700	8,000	5,100	6,600	5,100	4,600		6,400	7,100	7,800	8,200	
135	5,700	7,000	4,100	5,700	4,200	3,700		5,900	6,700	7,300	7,800	
141	4,900	6,100	3,300	4,900	3,300			5,500	6,300	6,900	7,500	
147	4,100	5,300		4,100					5,900	6,600	7,100	
153	3,300	4,600		3,300					5,600	6,200	6,700	
159		3,900								5,900	6,400	
165		3,300								5,600	6,100	
171											5,800	
177											5,400	
183											4,900	
189												
195												
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	427	427	427	427	427	427	427	427	427	427	427	











070225

21.40

		ft > < lbs		CODE > 0233 < L151 0742 .x(x)							
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	14,100										
30	14,100	13,200					14,100				
33	14,100	13,200					14,100				
36	13,900	13,200	12,800				14,100				
39	13,900	13,000	12,800	12,100			14,100	13,200	12,800		
45	13,700	13,000	12,800	12,100	11,500		14,000	13,200	12,800	12,100	10,800
51	13,500	13,000	12,800	12,100	11,500		13,900	13,200	12,800	12,100	10,800
57	13,400	13,000	12,600	12,100	11,500		13,700	13,100	12,600	12,000	10,700
63	13,100	12,700	12,400	12,000	11,400		13,400	12,700	12,500	11,900	10,600
69	12,700	12,400	12,100	11,700	11,300		13,000	11,800	12,300	11,300	10,600
75	12,200	12,000	11,800	11,400	11,100		12,600	10,700	12,000	10,400	10,200
81	11,800	11,600	11,500	11,200	10,800		12,300	9,700	11,600	9,400	9,200
87	11,300	11,200	11,100	10,800	10,500		11,800	8,800	11,300	8,500	8,300
93	10,900	10,800	10,800	10,200	10,300		11,400	8,000	11,000	7,600	7,500
99	10,400	10,400	10,400	9,500	10,000		11,000	7,300	10,600	6,900	6,700
105	10,000	10,000	10,000	8,800	9,700		10,600	6,600	10,300	6,200	6,000
111	9,600	9,600	9,700	8,100	9,500		10,200	5,900	9,900	5,500	5,400
117	9,200	9,300	9,400	7,500	8,700		9,100	5,300	8,800	4,900	4,700
123	8,800	8,900	9,000	6,900	7,600		8,000	4,800	7,700	4,300	4,200
129	8,500	8,600	8,700	6,400	6,600		7,000	4,200	6,700	3,800	3,700
135	8,100	8,300	8,200	5,900	5,700		6,000	3,800	5,700	3,400	3,200
141	7,800	8,000	7,500	5,500	4,900		5,100	3,300	4,900		
147	7,500	7,500	6,600	5,100	4,100		4,300		4,100		
153	7,200	6,800	5,900	4,600	3,300		3,600		3,300		
159	6,800	6,000	5,200	3,900							
165	6,100	5,300	4,500	3,300							
171	5,500	4,700	3,900								
177	4,900	4,100	3,300								
183	4,300	3,500	2,800								
189	3,900	3,000	2,300								
195	3,400	2,500									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	427	427	427	427	427	427	427	427	427	427	427











070225

21.40

 ft	CODE > 0233 < L151 0742 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	11,800								
57	8,700	11,200	11,200	11,300						
63	7,400	10,500	10,900	10,900	10,600	10,100				
69	6,300	9,800	10,300	10,300	10,300	10,000	9,900	9,500	10,100	
75	5,200	9,200	9,700	9,700	9,800	9,700	9,700	9,400	9,900	9,300
81	4,300	8,700	9,200	9,300	9,300	9,300	9,300	9,200	9,600	9,200
87		8,200	8,700	8,800	8,900	8,900	8,900	8,900	9,200	8,800
93		7,700	8,200	8,400	8,600	8,600	8,600	8,600	8,900	8,500
99		7,400	7,800	8,000	8,200	8,200	8,300	8,300	8,600	8,300
105		7,000	7,500	7,700	7,900	7,900	8,000	8,000	8,300	8,000
111		6,700	7,100	7,400	7,600	7,700	7,700	7,800	8,100	7,800
117		6,400	6,800	7,100	7,300	7,400	7,500	7,500	7,800	7,600
123		6,200	6,600	6,800	7,000	7,100	7,300	7,300	7,600	7,300
129			6,400	6,600	6,800	6,900	7,100	7,100	7,400	7,100
135			6,200	6,400	6,600	6,700	6,800	6,900	7,200	7,000
141				6,200	6,400	6,500	6,700	6,700	7,000	6,800
147				6,100	6,300	6,400	6,500	6,600	6,500	6,600
153					6,100	6,200	6,300	6,400	5,700	6,500
159					6,100	6,100	6,200	6,300	4,900	6,300
165						6,000	6,100	6,100	4,100	6,100
171						6,000	6,000	5,900	3,400	5,400
177						6,000	5,800	5,200	2,600	4,700
183							5,100	4,500		4,000
189							4,400	3,900		3,400
195								3,300		2,800
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	427	434	434	434	434	434	434	434	434	434











070225

21.40

 ft	ft > < lbs			CODE > 0233 < L151 0742 .x(x)						
	157	157	157	171	171	185	197	58	72	86
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57								11,200	11,300	
63								10,900	10,900	10,600
69								10,300	10,300	10,300
75	9,300	9,300	9,000					9,700	9,700	9,800
81	9,200	9,200	9,000	8,800	8,400			9,200	9,300	9,300
87	9,000	9,000	8,700	8,800	8,300	8,200	7,700	8,700	8,800	8,900
93	8,800	8,700	8,400	8,500	8,100	8,100	7,700	8,200	8,400	8,600
99	8,500	8,400	8,200	8,300	7,900	7,900	7,500	7,800	8,000	8,200
105	8,300	8,200	7,900	8,000	7,900	7,700	7,300	7,500	7,700	7,900
111	8,000	7,900	7,700	7,800	7,700	7,500	7,200	7,100	7,400	7,600
117	7,800	7,700	7,500	7,600	7,400	7,300	7,100	6,800	7,100	7,300
123	7,600	7,500	7,300	7,400	7,300	7,200	6,900	6,600	6,800	7,000
129	7,400	7,300	7,100	7,200	7,100	7,000	6,800	6,400	6,600	6,800
135	7,000	7,100	6,900	6,900	6,900	6,800	6,500	6,200	6,400	6,600
141	6,300	6,900	6,800	6,100	6,800	6,200	5,800		6,200	6,400
147	5,300	6,400	6,600	5,200	6,400	5,200	4,900		6,100	6,300
153	4,400	5,600	6,400	4,300	5,600	4,400	4,000			6,100
159	3,500	4,700	5,800	3,400	4,800	3,600	3,200			6,100
165		3,900	5,100		4,000					
171		3,200	4,300		3,300					
177		2,500	3,700		2,600					
183			3,000							
189			2,400							
195										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	434	434	434	434	434	434	434	434	434	434











070225

21.40

		ft > < lbs		CODE > 0233 < L151 0742 .x(x)							
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	10,100										
69	10,000	9,900	9,500					10,100			
75	9,700	9,700	9,400	9,300	9,000			9,900	9,300	9,300	
81	9,300	9,300	9,200	9,200	9,000	8,400		9,600	9,200	9,200	8,800
87	8,900	8,900	8,900	8,800	8,700	8,300		9,200	9,000	9,000	8,800
93	8,600	8,600	8,600	8,500	8,400	8,100		8,900	8,800	8,700	8,500
99	8,200	8,300	8,300	8,300	8,200	7,900		8,600	8,500	8,400	8,200
105	7,900	8,000	8,000	8,000	7,900	7,900		8,300	8,000	8,200	7,700
111	7,700	7,700	7,800	7,800	7,700	7,700		8,100	7,200	7,900	7,000
117	7,400	7,500	7,500	7,600	7,500	7,400		7,800	6,600	7,700	6,300
123	7,100	7,300	7,300	7,300	7,300	7,300		7,600	6,000	7,500	5,700
129	6,900	7,100	7,100	7,100	7,100	7,100		7,400	5,400	7,300	5,100
135	6,700	6,800	6,900	7,000	6,700	6,900		7,200	4,900	7,100	4,500
141	6,500	6,700	6,700	6,800	6,200	6,800		7,000	4,300	6,900	4,000
147	6,400	6,500	6,600	6,600	5,700	6,400		6,500	3,900	6,400	3,500
153	6,200	6,300	6,400	6,500	5,300	5,600		5,700	3,400	5,600	3,100
159	6,100	6,200	6,300	6,300	4,800	4,800		4,900	3,000	4,700	
165	6,000	6,100	6,100	6,100	4,500	4,000		4,100		3,900	
171	6,000	6,000	5,900	5,400	4,100	3,300		3,400		3,200	
177	6,000	5,800	5,200	4,700	3,700	2,600		2,600		2,500	
183		5,100	4,500	4,000	3,000						
189		4,400	3,900	3,400	2,400						
195			3,300	2,800							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	434	434	434	434	434	434	434	434	434	434	434










070225

21.40


	ft > < lbs		CODE > 0233 < L151 0742 .x(x)							
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			7,400	7,300	7,300					
87	8,200	5,200	7,000	7,200	7,200	7,000	7,000			
93	8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600
99	7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600
105	7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600
111	6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400
117	6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400
123	5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300
129	5,000			6,100	6,100	6,100	6,100	6,100	6,100	6,200
135	4,400				6,100	6,000	6,000	6,000	6,000	6,100
141	3,900				6,000	6,000	6,000	5,900	5,900	6,000
147	3,400					6,000	5,900	5,900	5,900	5,900
153	3,000					6,000	5,900	5,900	5,800	5,900
159							5,900	5,900	5,800	5,800
165							5,900	5,900	5,800	5,500
171								5,900	5,800	4,600
177								5,900	5,800	3,700
183								5,100	5,000	2,900
189									4,200	
195										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	434	434	441	441	441	441	441	441	441	441





T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0233 <					L151 0742 .x(x)	
ft		142	157	157	157	171	171	185	197	58	72	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81										7,300	7,300	
87										7,200	7,200	
93										6,900	6,900	
99		6,400	6,400	6,400	6,200					6,700	6,700	
105		6,400	6,400	6,400	6,200					6,500	6,500	
111		6,400	6,400	6,400	6,200	6,200	6,000	6,000		6,300	6,400	
117		6,300	6,200	6,300	6,200	6,200	6,000	6,000	5,700	6,200	6,200	
123		6,200	6,200	6,200	6,100	6,100	6,000	6,000	5,700	6,100	6,100	
129		6,100	6,100	6,100	6,000	6,000	6,000	5,900	5,700	6,100	6,100	
135		6,000	6,000	6,000	6,000	6,000	5,900	5,800	5,700		6,100	
141		5,900	6,000	5,900	5,900	5,900	5,800	5,800	5,700		6,000	
147		5,900	5,900	5,900	5,800	5,800	5,800	5,700	5,600			
153		5,800	5,800	5,800	5,800	5,700	5,700	5,700	5,500			
159		5,800	5,400	5,700	5,700	5,300	5,700	5,400	5,200			
165		5,800	4,400	5,500	5,700	4,400	5,500	4,600	4,300			
171		5,700	3,500	4,600	5,600	3,500	4,800	3,700	3,500			
177		5,500	2,600	3,800	4,800	2,700	4,000	2,900	2,700			
183		4,800		3,000	4,000		3,200					
189		4,000			3,300		2,500					
195		3,200			2,600							
* n *		1	1	1	1	1	1	1	1	1	1	
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
		1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
		2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
		5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%												
												
ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		441	441	441	441	441	441	441	441	441	441	






	T	NZK xx° 95ft	 101,400 lbs	 29 x 18 ft	 360°		




070225

21.40

				ft > < lbs		CODE > 0233 <		L151 0742 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,000	7,000									
93	7,000	6,900	6,800	6,600					6,600		
99	6,800	6,700	6,700	6,600	6,400	6,200			6,600	6,400	6,400
105	6,600	6,600	6,600	6,500	6,400	6,200			6,600	6,400	6,400
111	6,400	6,400	6,400	6,400	6,400	6,200	6,000	6,000	6,400	6,400	6,400
117	6,300	6,300	6,300	6,300	6,300	6,200	6,000	6,000	6,400	6,200	6,300
123	6,200	6,200	6,200	6,200	6,200	6,100	6,000	6,000	6,300	6,200	6,200
129	6,100	6,100	6,100	6,100	6,100	6,000	6,000	6,000	6,200	6,100	6,100
135	6,000	6,000	6,000	6,000	6,000	6,000	5,900	6,100	5,700	6,000	
141	6,000	6,000	5,900	5,900	5,900	5,900	5,800	6,000	5,200	5,900	
147	6,000	5,900	5,900	5,900	5,900	5,800	5,800	5,900	4,700	5,900	
153	6,000	5,900	5,900	5,800	5,800	5,700	5,700	5,900	4,200	5,800	
159		5,900	5,900	5,800	5,800	5,300	5,700	5,800	3,700	5,700	
165		5,900	5,900	5,800	5,800	4,900	5,500	5,500	3,200	5,500	
171			5,900	5,800	5,700	4,500	4,800	4,600	2,800	4,600	
177			5,900	5,800	5,500	4,100	4,000	3,700	2,400	3,800	
183			5,100	5,000	4,800	3,800	3,200	2,900		3,000	
189				4,200	4,000	3,300	2,500				
195				3,300	3,200	2,600					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	441	441	441	441	441	441	441	441	441	441	441











070225

21.40

 ft	 ft > < lbs			CODE > 0233 < L151 0742 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,200	6,000								
117	6,200	6,000	3,700							
123	6,100	6,000	3,200							
129	6,000	5,900	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	441	441	441							












070225

21.40

		ft > < lbs		CODE > 0234 <							L151 0842 .x(x)	
ft		44	58	72	86	100	114	128	142	142	157	
16	17,200	17,200										
18	17,200	17,200	16,300									
21	17,200	17,200	16,300	15,700								
24	17,200	17,200	16,200	15,600	14,800							
27	17,200	17,200	16,100	15,400	14,800	14,100						
30	17,000	17,200	16,100	15,400	14,700	14,100	13,200	14,100				
33	16,800	17,100	16,100	15,200	14,600	14,100	13,200	14,100	12,800			
36	16,500	16,900	16,100	15,200	14,600	13,900	13,200	14,100				
39	16,100	16,600	15,900	15,000	14,400	13,900	13,000	14,100	12,800	13,200		
45	15,300	16,000	15,500	15,000	14,300	13,700	13,000	14,000	12,800	13,200		
51	14,400	15,200	14,900	14,700	14,100	13,500	13,000	13,900	12,800	13,200		
57	13,500	14,400	14,200	14,200	13,800	13,400	13,000	13,700	12,600	13,100		
63	12,500	13,500	13,500	13,600	13,300	13,100	12,700	13,400	12,400	12,800		
69	11,700	12,700	12,800	13,000	12,800	12,700	12,400	13,000	12,100	12,600		
75	10,900	11,900	12,100	12,400	12,300	12,200	12,000	12,600	11,800	12,200		
81	10,100	11,100	11,500	11,800	11,700	11,800	11,600	12,300	11,500	11,900		
87	9,400	10,500	10,800	11,200	11,200	11,300	11,200	11,800	11,100	11,600		
93	8,700	9,800	10,200	10,600	10,700	10,900	10,800	11,400	10,800	11,200		
99	8,000	9,100	9,700	10,100	10,200	10,400	10,400	11,000	10,400	10,900		
105	7,300	8,500	9,100	9,600	9,700	10,000	10,000	10,600	10,000	10,500		
111	6,800	7,900	8,600	9,100	9,300	9,600	9,600	10,200	9,700	9,300		
117	6,300	7,300	8,100	8,600	8,900	9,200	9,300	9,700	9,400	8,100		
123	5,800	6,800	7,600	8,200	8,600	8,800	8,900	8,700	9,000	6,900		
129	5,400	6,400	7,100	7,800	8,200	8,500	8,600	7,600	8,700	5,900		
135		5,900	6,700	7,300	7,800	8,100	8,300	6,600	8,400	4,900		
141		5,500	6,300	6,900	7,500	7,800	8,000	5,700	7,900	4,000		
147			5,900	6,600	7,100	7,500	7,700	4,900	7,200	3,200		
153			5,600	6,200	6,700	7,200	7,300	4,100	6,400			
159				5,900	6,400	6,900	6,500	3,400	5,700			
165				5,600	6,100	6,500	5,800		5,000			
171					5,800	5,900	5,100		4,400			
177					5,600	5,300	4,500		3,700			
183					5,300	4,800	3,900		3,200			
189						4,300	3,400		2,700			
195						3,800	2,900					
207												
* n *	1	1	1	1	1	1	1	1	1	1		
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+		
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+		
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+		
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+		
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+		
%												
ft /s	23	23	23	23	23	23	23	23	23	23		
TAB 151	426	426	426	426	426	426	426	426	426	426		







070225

21.40

				ft > < lbs		CODE > 0234 <		L151 0842 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								17,200			
18								17,200	16,300		
21								17,200	16,300	15,700	
24								17,200	16,200	15,600	14,800
27								17,200	16,100	15,400	14,800
30								17,200	16,100	15,400	14,700
33								17,100	16,100	15,200	14,600
36								16,900	16,100	15,200	14,600
39	12,800	12,100						16,600	15,900	15,000	14,400
45	12,800	12,100	12,100	11,500	10,800			16,000	15,500	15,000	14,300
51	12,800	12,100	12,100	11,500	10,800	9,700		15,200	14,900	14,700	14,100
57	12,600	12,100	12,000	11,500	10,700	9,700		14,400	14,200	14,200	13,800
63	12,500	12,000	11,900	11,400	10,600	9,700		13,500	13,500	13,600	13,300
69	12,300	11,700	11,800	11,300	10,600	9,700		12,700	12,800	13,000	12,800
75	12,000	11,400	11,500	11,100	10,500	9,700		11,900	12,100	12,400	12,300
81	11,600	11,200	11,200	10,800	10,300	9,600		11,100	11,500	11,800	11,700
87	11,300	10,900	10,900	10,500	10,100	9,400		10,500	10,800	11,200	11,200
93	11,000	10,500	10,700	10,300	9,900	9,200		9,800	10,200	10,600	10,700
99	10,600	10,200	10,400	10,000	9,700	9,000		9,100	9,700	10,100	10,200
105	10,300	9,900	10,100	9,700	9,400	8,800		8,500	9,100	9,600	9,700
111	9,900	9,600	9,000	9,500	9,000	8,400		7,900	8,600	9,100	9,300
117	9,400	9,300	7,800	9,200	7,900	7,300		7,300	8,100	8,600	8,900
123	8,300	9,000	6,700	8,300	6,700	6,200		6,800	7,600	8,200	8,600
129	7,300	8,400	5,700	7,300	5,700	5,200		6,400	7,100	7,800	8,200
135	6,300	7,600	4,700	6,300	4,800	4,300		5,900	6,700	7,300	7,800
141	5,400	6,700	3,900	5,400	3,900	3,400		5,500	6,300	6,900	7,500
147	4,600	5,900		4,600					5,900	6,600	7,100
153	3,800	5,100		3,900					5,600	6,200	6,700
159	3,100	4,400		3,100						5,900	6,400
165		3,700								5,600	6,100
171		3,100									5,800
177		2,600									5,600
183											5,200
189											
195											
207											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	426	426	426	426	426	426	426	426	426	426	426










070225

21.40

		ft > < lbs		CODE > 0234 < L151 0842 .x(x)							
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27		14,100									
30		14,100	13,200				14,100				
33		14,100	13,200				14,100				
36		13,900	13,200	12,800			14,100				
39		13,900	13,000	12,800	12,100		14,100	13,200	12,800		
45		13,700	13,000	12,800	12,100	11,500	14,000	13,200	12,800	12,100	10,800
51		13,500	13,000	12,800	12,100	11,500	13,900	13,200	12,800	12,100	10,800
57		13,400	13,000	12,600	12,100	11,500	13,700	13,100	12,600	12,000	10,700
63		13,100	12,700	12,400	12,000	11,400	13,400	12,700	12,500	11,900	10,600
69		12,700	12,400	12,100	11,700	11,300	13,000	11,800	12,300	11,300	10,600
75		12,200	12,000	11,800	11,400	11,100	12,600	10,700	12,000	10,400	10,200
81		11,800	11,600	11,500	11,200	10,800	12,300	9,700	11,600	9,400	9,200
87		11,300	11,200	11,100	10,800	10,500	11,800	8,800	11,300	8,500	8,300
93		10,900	10,800	10,800	10,200	10,300	11,400	8,000	11,000	7,600	7,500
99		10,400	10,400	10,400	9,500	10,000	11,000	7,300	10,600	6,900	6,700
105		10,000	10,000	10,000	8,800	9,700	10,600	6,600	10,300	6,200	6,000
111		9,600	9,600	9,700	8,100	9,500	10,200	5,900	9,900	5,500	5,400
117		9,200	9,300	9,400	7,500	9,200	9,700	5,300	9,400	4,900	4,700
123		8,800	8,900	9,000	6,900	8,300	8,700	4,800	8,300	4,300	4,200
129		8,500	8,600	8,700	6,400	7,300	7,600	4,200	7,300	3,800	3,700
135		8,100	8,300	8,400	5,900	6,300	6,600	3,800	6,300	3,400	3,200
141		7,800	8,000	7,900	5,500	5,400	5,700	3,300	5,400		
147		7,500	7,700	7,200	5,100	4,600	4,900	2,900	4,600		
153		7,200	7,300	6,400	4,700	3,900	4,100		3,800		
159		6,900	6,500	5,700	4,200	3,100	3,400		3,100		
165		6,500	5,800	5,000	3,700						
171		5,900	5,100	4,400	3,100						
177		5,300	4,500	3,700	2,600						
183		4,800	3,900	3,200							
189		4,300	3,300	2,700							
195		3,800	2,700								
207											
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		426	426	426	426	426	426	426	426	426	426







070225

21.40

 ft	CODE > 0234 < L151 0842 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	11,800								
57	8,700	11,200	11,200	11,300						
63	7,400	10,500	10,900	10,900	10,600	10,100				
69	6,300	9,800	10,300	10,300	10,300	10,000	9,900	9,500	10,100	
75	5,200	9,200	9,700	9,700	9,800	9,700	9,700	9,400	9,900	9,300
81	4,300	8,700	9,200	9,300	9,300	9,300	9,300	9,200	9,600	9,200
87		8,200	8,700	8,800	8,900	8,900	8,900	8,900	9,200	8,800
93		7,700	8,200	8,400	8,600	8,600	8,600	8,600	8,900	8,500
99		7,400	7,800	8,000	8,200	8,200	8,300	8,300	8,600	8,300
105		7,000	7,500	7,700	7,900	7,900	8,000	8,000	8,300	8,000
111		6,700	7,100	7,400	7,600	7,700	7,700	7,800	8,100	7,800
117		6,400	6,800	7,100	7,300	7,400	7,500	7,500	7,800	7,600
123		6,200	6,600	6,800	7,000	7,100	7,300	7,300	7,600	7,300
129			6,400	6,600	6,800	6,900	7,100	7,100	7,400	7,100
135			6,200	6,400	6,600	6,700	6,800	6,900	7,200	7,000
141				6,200	6,400	6,500	6,700	6,700	7,000	6,800
147				6,100	6,300	6,400	6,500	6,600	6,800	6,600
153					6,100	6,200	6,300	6,400	6,300	6,500
159					6,100	6,100	6,200	6,300	5,400	6,300
165						6,000	6,100	6,100	4,600	6,200
171						6,000	6,000	6,000	3,800	5,800
177						6,000	5,900	5,600	3,100	5,100
183							5,500	4,900	2,400	4,400
189							4,800	4,300		3,800
195								3,600		3,100
207								2,400		
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	426	433	433	433	433	433	433	433	433	433











070225

21.40

				ft > < lbs		CODE > 0234 <		L151 0842 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57									11,200	11,300	
63									10,900	10,900	10,600
69									10,300	10,300	10,300
75	9,300	9,300	9,000						9,700	9,700	9,800
81	9,200	9,200	9,000	8,800	8,400				9,200	9,300	9,300
87	9,000	9,000	8,700	8,800	8,300	8,200	7,700	8,700	8,800	8,900	8,900
93	8,800	8,700	8,400	8,500	8,100	8,100	7,700	8,200	8,400	8,600	8,600
99	8,500	8,400	8,200	8,300	7,900	7,900	7,500	7,800	8,000	8,200	8,200
105	8,300	8,200	7,900	8,000	7,900	7,700	7,300	7,500	7,700	7,900	7,900
111	8,000	7,900	7,700	7,800	7,700	7,500	7,200	7,100	7,400	7,600	7,600
117	7,800	7,700	7,500	7,600	7,400	7,300	7,100	6,800	7,100	7,300	7,300
123	7,600	7,500	7,300	7,400	7,300	7,200	6,900	6,600	6,800	7,000	7,000
129	7,400	7,300	7,100	7,200	7,100	7,000	6,800	6,400	6,600	6,800	6,800
135	7,200	7,100	6,900	7,100	6,900	6,800	6,600	6,200	6,400	6,600	6,600
141	6,700	6,900	6,800	6,600	6,800	6,500	6,200		6,200	6,400	6,400
147	5,800	6,600	6,600	5,700	6,600	5,800	5,400		6,100	6,300	6,300
153	4,900	6,100	6,500	4,800	6,100	4,900	4,500			6,100	6,100
159	4,100	5,200	6,200	4,000	5,300	4,100	3,700			6,100	6,100
165	3,200	4,400	5,600	3,200	4,500	3,300					
171		3,700	4,800		3,800						
177		3,000	4,100		3,100						
183		2,300	3,500		2,400						
189			2,900								
195			2,300								
207											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	433	433	433	433	433	433	433	433	433	433	433











070225

21.40

		CODE > 0234 < L151 0842 .x(x)									
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	10,100										
69	10,000	9,900	9,500					10,100			
75	9,700	9,700	9,400	9,300	9,000			9,900	9,300	9,300	
81	9,300	9,300	9,200	9,200	9,000	8,400		9,600	9,200	9,200	8,800
87	8,900	8,900	8,900	8,800	8,700	8,300		9,200	9,000	9,000	8,800
93	8,600	8,600	8,600	8,500	8,400	8,100		8,900	8,800	8,700	8,500
99	8,200	8,300	8,300	8,300	8,200	7,900		8,600	8,500	8,400	8,200
105	7,900	8,000	8,000	8,000	7,900	7,900		8,300	8,000	8,200	7,700
111	7,700	7,700	7,800	7,800	7,700	7,700		8,100	7,200	7,900	7,000
117	7,400	7,500	7,500	7,600	7,500	7,400		7,800	6,600	7,700	6,300
123	7,100	7,300	7,300	7,300	7,300	7,300		7,600	6,000	7,500	5,700
129	6,900	7,100	7,100	7,100	7,100	7,100		7,400	5,400	7,300	5,100
135	6,700	6,800	6,900	7,000	6,700	6,900		7,200	4,900	7,100	4,500
141	6,500	6,700	6,700	6,800	6,200	6,800		7,000	4,300	6,900	4,000
147	6,400	6,500	6,600	6,600	5,700	6,600		6,800	3,900	6,600	3,500
153	6,200	6,300	6,400	6,500	5,300	6,100		6,300	3,400	6,100	3,100
159	6,100	6,200	6,300	6,300	4,800	5,300		5,400	3,000	5,200	
165	6,000	6,100	6,100	6,200	4,500	4,500		4,600		4,400	
171	6,000	6,000	6,000	5,800	4,100	3,800		3,800		3,700	
177	6,000	5,900	5,600	5,100	3,800	3,100		3,100		3,000	
183		5,500	4,900	4,400	3,400	2,400		2,400		2,300	
189		4,800	4,200	3,800	2,900						
195			3,600	3,100							
207											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	433	433	433	433	433	433	433	433	433	433	433











070225

21.40


 ft		ft > < lbs		CODE > 0234 < L151 0842 .x(x)								
ft		185	197	44	58	72	86	100	114	128	142	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81				7,400	7,300	7,300						
87		8,200	5,200	7,000	7,200	7,200	7,000	7,000				
93		8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600	
99		7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600	
105		7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600	
111		6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400	
117		6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400	
123		5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300	
129		5,000			6,100	6,100	6,100	6,100	6,100	6,100	6,200	
135		4,400				6,100	6,000	6,000	6,000	6,000	6,100	
141		3,900				6,000	6,000	6,000	5,900	5,900	6,000	
147		3,400					6,000	5,900	5,900	5,900	5,900	
153		3,000					6,000	5,900	5,900	5,800	5,900	
159								5,900	5,900	5,800	5,800	
165								5,900	5,900	5,800	5,700	
171									5,900	5,800	5,100	
177									5,900	5,800	4,200	
183									5,500	5,400	3,400	
189										4,600	2,600	
195												
207												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
 %		1	92-	100-	0+	0+	0+	0+	0+	0+	46+	
		2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
		3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
		4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
		5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		433	433	440	440	440	440	440	440	440	440	







070225

21.40


				ft > < lbs		CODE > 0234 <					L151 0842 .x(x)	
ft		142	157	157	157	171	171	185	197	58	72	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81										7,300	7,300	
87										7,200	7,200	
93										6,900	6,900	
99		6,400	6,400	6,400	6,200					6,700	6,700	
105		6,400	6,400	6,400	6,200					6,500	6,500	
111		6,400	6,400	6,400	6,200	6,200	6,000	6,000		6,300	6,400	
117		6,300	6,200	6,300	6,200	6,200	6,000	6,000	5,700	6,200	6,200	
123		6,200	6,200	6,200	6,100	6,100	6,000	6,000	5,700	6,100	6,100	
129		6,100	6,100	6,100	6,000	6,000	6,000	5,900	5,700	6,100	6,100	
135		6,000	6,000	6,000	6,000	6,000	5,900	5,800	5,700		6,100	
141		5,900	6,000	5,900	5,900	5,900	5,800	5,800	5,700		6,000	
147		5,900	5,900	5,900	5,800	5,800	5,800	5,700	5,600			
153		5,800	5,800	5,800	5,800	5,800	5,700	5,700	5,600			
159		5,800	5,600	5,800	5,700	5,600	5,700	5,500	5,400			
165		5,800	4,900	5,600	5,700	4,900	5,600	5,100	4,800			
171		5,800	4,000	5,100	5,700	4,000	5,200	4,200	3,900			
177		5,800	3,100	4,200	5,300	3,200	4,400	3,400	3,100			
183		5,100	2,300	3,400	4,500	2,400	3,600	2,600	2,400			
189		4,400		2,700	3,800		2,900					
195		3,600			3,000							
207												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
		1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
		2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
		5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%												
												
ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		440	440	440	440	440	440	440	440	440	440	











070225

21.40

				ft > < lbs		CODE > 0234 <		L151 0842 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87		7,000	7,000								
93		7,000	6,900	6,800	6,600				6,600		
99		6,800	6,700	6,700	6,600	6,400	6,200		6,600	6,400	6,400
105		6,600	6,600	6,600	6,500	6,400	6,200		6,600	6,400	6,400
111		6,400	6,400	6,400	6,400	6,400	6,200	6,000	6,400	6,400	6,400
117		6,300	6,300	6,300	6,300	6,300	6,200	6,000	6,400	6,200	6,300
123		6,200	6,200	6,200	6,200	6,200	6,100	6,000	6,300	6,200	6,200
129		6,100	6,100	6,100	6,100	6,100	6,000	6,000	6,200	6,100	6,100
135		6,000	6,000	6,000	6,000	6,000	6,000	5,900	6,100	5,700	6,000
141		6,000	6,000	5,900	5,900	5,900	5,900	5,800	6,000	5,200	5,900
147		6,000	5,900	5,900	5,900	5,900	5,800	5,800	5,900	4,700	5,900
153		6,000	5,900	5,900	5,800	5,800	5,700	5,700	5,900	4,200	5,800
159			5,900	5,900	5,800	5,800	5,300	5,700	5,800	3,700	5,800
165			5,900	5,900	5,800	5,800	4,900	5,600	5,700	3,200	5,600
171				5,900	5,800	5,800	4,500	5,200	5,100	2,800	5,100
177				5,900	5,800	5,800	4,100	4,400	4,200	2,400	4,200
183				5,500	5,400	5,100	3,800	3,600	3,400		3,400
189					4,600	4,400	3,400	2,900	2,600		2,700
195					3,600	3,600	2,900				
207											
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1		0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2		0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3		0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
4		46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
5		92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		440	440	440	440	440	440	440	440	440	440












070225

21.40

 ft	 ft > < lbs			CODE > 0234 < L151 0842 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,200	6,000								
117	6,200	6,000	3,700							
123	6,100	6,000	3,200							
129	6,000	5,900	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
207										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	440	440	440							










070225


21.40

		ft > < lbs		CODE > 0235 < L151 0942 .x(x)							
ft		44	58	72	86	100	114	128	142	142	157
21				16,300	15,700						
24	17,200	17,200	16,200	15,600	14,800						
27	17,200	17,200	16,100	15,400	14,800	14,100					
30	17,000	17,200	16,100	15,400	14,700	14,100	13,200	14,100			
33	16,800	17,100	16,100	15,200	14,600	14,100	13,200	14,100			
36	16,500	16,900	16,100	15,200	14,600	13,900	13,200	14,100	12,800		
39	16,100	16,600	15,900	15,000	14,400	13,900	13,000	14,100	12,800	13,200	
45	15,300	16,000	15,500	15,000	14,300	13,700	13,000	14,000	12,800	13,200	
51	14,400	15,200	14,900	14,700	14,100	13,500	13,000	13,900	12,800	13,200	
57	13,500	14,400	14,200	14,200	13,800	13,400	13,000	13,700	12,600	13,100	
63	12,500	13,500	13,500	13,600	13,300	13,100	12,700	13,400	12,400	12,800	
69	11,700	12,700	12,800	13,000	12,800	12,700	12,400	13,000	12,100	12,600	
75	10,900	11,900	12,100	12,400	12,300	12,200	12,000	12,600	11,800	12,200	
81	10,100	11,100	11,500	11,800	11,700	11,800	11,600	12,300	11,500	11,900	
87	9,400	10,500	10,800	11,200	11,200	11,300	11,200	11,800	11,100	11,600	
93	8,700	9,800	10,200	10,600	10,700	10,900	10,800	11,400	10,800	11,200	
99	8,000	9,100	9,700	10,100	10,200	10,400	10,400	11,000	10,400	10,900	
105	7,300	8,500	9,100	9,600	9,700	10,000	10,000	10,600	10,000	10,500	
111	6,800	7,900	8,600	9,100	9,300	9,600	9,600	10,200	9,700	10,200	
117	6,300	7,300	8,100	8,600	8,900	9,200	9,300	9,900	9,400	9,800	
123	5,800	6,800	7,600	8,200	8,600	8,800	8,900	9,500	9,000	9,500	
129	5,400	6,400	7,100	7,800	8,200	8,500	8,600	9,200	8,700	8,900	
135		5,900	6,700	7,300	7,800	8,100	8,300	8,800	8,400	7,900	
141		5,500	6,300	6,900	7,500	7,800	8,000	8,400	8,200	6,900	
147			5,900	6,600	7,100	7,500	7,700	7,700	7,900	6,000	
153			5,600	6,200	6,700	7,200	7,400	6,800	7,700	5,200	
159				5,900	6,400	6,900	7,200	6,000	7,400	4,400	
165				5,600	6,100	6,600	6,900	5,300	7,100	3,600	
171					5,800	6,300	6,700	4,600	6,600	3,000	
177					5,600	6,100	6,400	3,900	5,900	2,300	
183					5,300	5,800	6,000	3,200	5,300		
189						5,600	5,400	2,600	4,700		
195						5,400	4,800		4,100		
207							3,900		3,100		
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		425	425	425	425	425	425	425	425	425	425



21.40


	T	NZK xx° 95ft	 127,900 lbs	 29 x 18 ft	 360°		




070225

21.40

		ft > < lbs		CODE > 0235 < L151 0942 .x(x)							
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27	14,100										
30	14,100	13,200					14,100				
33	14,100	13,200					14,100				
36	13,900	13,200	12,800				14,100				
39	13,900	13,000	12,800	12,100			14,100	13,200	12,800		
45	13,700	13,000	12,800	12,100	11,500		14,000	13,200	12,800	12,100	10,800
51	13,500	13,000	12,800	12,100	11,500	13,900	13,200	12,800	12,100	10,800	
57	13,400	13,000	12,600	12,100	11,500	13,700	13,100	12,600	12,000	10,700	
63	13,100	12,700	12,400	12,000	11,400	13,400	12,700	12,500	11,900	10,600	
69	12,700	12,400	12,100	11,700	11,300	13,000	11,800	12,300	11,300	10,600	
75	12,200	12,000	11,800	11,400	11,100	12,600	10,700	12,000	10,400	10,200	
81	11,800	11,600	11,500	11,200	10,800	12,300	9,700	11,600	9,400	9,200	
87	11,300	11,200	11,100	10,800	10,500	11,800	8,800	11,300	8,500	8,300	
93	10,900	10,800	10,800	10,200	10,300	11,400	8,000	11,000	7,600	7,500	
99	10,400	10,400	10,400	9,500	10,000	11,000	7,300	10,600	6,900	6,700	
105	10,000	10,000	10,000	8,800	9,700	10,600	6,600	10,300	6,200	6,000	
111	9,600	9,600	9,700	8,100	9,500	10,200	5,900	9,900	5,500	5,400	
117	9,200	9,300	9,400	7,500	9,200	9,900	5,300	9,600	4,900	4,700	
123	8,800	8,900	9,000	6,900	8,900	9,500	4,800	9,300	4,300	4,200	
129	8,500	8,600	8,700	6,400	8,700	9,200	4,200	9,000	3,800	3,700	
135	8,100	8,300	8,400	5,900	8,400	8,800	3,800	8,700	3,400	3,200	
141	7,800	8,000	8,200	5,500	8,100	8,400	3,300	8,200			
147	7,500	7,700	7,900	5,100	7,400	7,700	2,900	7,400			
153	7,200	7,400	7,700	4,700	6,500	6,800		6,500			
159	6,900	7,000	7,400	4,300	5,700	6,000		5,700			
165	6,600	6,200	7,100	3,900	5,000	5,300		5,000			
171	6,300	5,400	6,600	3,500	4,300	4,600		4,300			
177	6,100	4,700	5,900	2,800	3,700	3,900		3,700			
183	5,800	4,000	5,300		3,100	3,200		3,100			
189	5,600	3,300	4,700		2,500	2,600		2,500			
195	5,400	2,700	4,100								
207			3,100								
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		425	425	425	425	425	425	425	425	425	425






070225

21.40

		CODE > 0235 < L151 0942 .x(x)								
ft		197	44	58	72	86	100	114	128	142
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700									
57	8,700	11,200	11,200	11,300						
63	7,400	10,500	10,900	10,900	10,600	10,100				
69	6,300	9,800	10,300	10,300	10,300	10,000	9,900	9,500	10,100	
75	5,200	9,200	9,700	9,700	9,800	9,700	9,700	9,400	9,900	9,300
81	4,300	8,700	9,200	9,300	9,300	9,300	9,300	9,200	9,600	9,200
87		8,200	8,700	8,800	8,900	8,900	8,900	8,900	9,200	8,800
93		7,700	8,200	8,400	8,600	8,600	8,600	8,600	8,900	8,500
99		7,400	7,800	8,000	8,200	8,200	8,300	8,300	8,600	8,300
105		7,000	7,500	7,700	7,900	7,900	8,000	8,000	8,300	8,000
111		6,700	7,100	7,400	7,600	7,700	7,700	7,800	8,100	7,800
117		6,400	6,800	7,100	7,300	7,400	7,500	7,500	7,800	7,600
123		6,200	6,600	6,800	7,000	7,100	7,300	7,300	7,600	7,300
129			6,400	6,600	6,800	6,900	7,100	7,100	7,400	7,100
135			6,200	6,400	6,600	6,700	6,800	6,900	7,200	7,000
141				6,200	6,400	6,500	6,700	6,700	7,000	6,800
147				6,100	6,300	6,400	6,500	6,600	6,800	6,600
153					6,100	6,200	6,300	6,400	6,600	6,500
159					6,100	6,100	6,200	6,300	6,500	6,300
165						6,000	6,100	6,100	6,400	6,200
171						6,000	6,000	6,000	6,200	6,100
177						6,000	5,900	6,000	5,500	6,000
183							5,900	5,900	4,700	5,900
189							5,900	5,800	4,000	5,700
195								5,500	3,300	5,100
207								4,300		3,800
* n *		1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	92+
%										
ft / s		23	23	23	23	23	23	23	23	23
TAB 151		425	432	432	432	432	432	432	432	432




21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 95ft	 127,900 lbs	 29 x 18 ft	 360°		




070225

21.40


 ft	CODE > 0235 < L151 0942 .x(x)									
	185	197	44	58	72	86	100	114	128	142
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			7,400	7,300	7,300					
87	8,200	5,200	7,000	7,200	7,200	7,000	7,000			
93	8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600
99	7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600
105	7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600
111	6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400
117	6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400
123	5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300
129	5,000			6,100	6,100	6,100	6,100	6,100	6,100	6,200
135	4,400				6,100	6,000	6,000	6,000	6,000	6,100
141	3,900				6,000	6,000	6,000	5,900	5,900	6,000
147	3,400					6,000	5,900	5,900	5,900	5,900
153	3,000					6,000	5,900	5,900	5,800	5,900
159							5,900	5,900	5,800	5,800
165							5,900	5,900	5,800	5,800
171								5,900	5,800	5,800
177								5,900	5,800	5,800
183								5,900	5,800	5,500
189									5,800	4,700
195										3,800
207										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
 ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	432	432	439	439	439	439	439	439	439







070225

21.40

				ft > < lbs		CODE > 0235 <					L151 0942 .x(x)	
ft		142	157	157	157	171	171	185	197	58	72	
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81										7,300	7,300	
87										7,200	7,200	
93										6,900	6,900	
99		6,400	6,400	6,400	6,200					6,700	6,700	
105		6,400	6,400	6,400	6,200					6,500	6,500	
111		6,400	6,400	6,400	6,200	6,200	6,000	6,000		6,300	6,400	
117		6,300	6,200	6,300	6,200	6,200	6,000	6,000	5,700	6,200	6,200	
123		6,200	6,200	6,200	6,100	6,100	6,000	6,000	5,700	6,100	6,100	
129		6,100	6,100	6,100	6,000	6,000	6,000	5,900	5,700	6,100	6,100	
135		6,000	6,000	6,000	6,000	6,000	5,900	5,800	5,700		6,100	
141		5,900	6,000	5,900	5,900	5,900	5,800	5,800	5,700		6,000	
147		5,900	5,900	5,900	5,800	5,800	5,800	5,700	5,600			
153		5,800	5,800	5,800	5,800	5,800	5,700	5,700	5,600			
159		5,800	5,800	5,800	5,700	5,700	5,700	5,600	5,500			
165		5,800	5,700	5,700	5,700	5,700	5,600	5,600	5,500			
171		5,800	5,700	5,700	5,700	5,600	5,600	5,600	5,500			
177		5,800	5,500	5,700	5,700	5,500	5,500	5,500	5,400			
183		5,800	4,600	5,700	5,700	4,700	5,500	4,900	4,600			
189		5,800	3,800	4,900	5,700	3,900	5,100	4,100	3,900			
195		5,400	2,900	4,100	5,100	3,100	4,400	3,300	3,100			
207		3,900		2,500	3,500		3,000					
* n *		1	1	1	1	1	1	1	1	1	1	
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
		1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
		2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
		4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
		5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%												
		ft /s	23	23	23	23	23	23	23	23	23	
TAB 151			439	439	439	439	439	439	439	439	439	










070225

21.40

				ft > < lbs		CODE > 0235 <		L151 0942 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,000	7,000									
93	7,000	6,900	6,800	6,600					6,600		
99	6,800	6,700	6,700	6,600	6,400	6,200			6,600	6,400	6,400
105	6,600	6,600	6,600	6,500	6,400	6,200			6,600	6,400	6,400
111	6,400	6,400	6,400	6,400	6,400	6,200	6,000	6,400	6,400	6,400	6,400
117	6,300	6,300	6,300	6,300	6,300	6,200	6,000	6,400	6,200	6,300	6,300
123	6,200	6,200	6,200	6,200	6,200	6,100	6,000	6,300	6,200	6,200	6,200
129	6,100	6,100	6,100	6,100	6,100	6,000	6,000	6,200	6,100	6,100	6,100
135	6,000	6,000	6,000	6,000	6,000	6,000	5,900	6,100	5,700	6,000	6,000
141	6,000	6,000	5,900	5,900	5,900	5,900	5,800	6,000	5,200	5,900	5,900
147	6,000	5,900	5,900	5,900	5,900	5,800	5,800	5,900	4,700	5,900	5,900
153	6,000	5,900	5,900	5,800	5,800	5,700	5,700	5,900	4,200	5,800	5,800
159		5,900	5,900	5,800	5,800	5,300	5,700	5,800	3,700	5,800	5,800
165		5,900	5,900	5,800	5,800	4,900	5,600	5,800	3,200	5,700	5,700
171			5,900	5,800	5,800	4,500	5,600	5,800	2,800	5,700	5,700
177			5,900	5,800	5,800	4,100	5,500	5,800	2,400	5,700	5,700
183			5,900	5,400	5,800	3,800	5,500	5,500		5,700	5,700
189				4,600	5,800	3,400	5,100	4,700		4,900	4,900
195				3,600	5,400	2,900	4,400	3,800		4,100	4,100
207					3,900		3,000			2,500	2,500
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
		1	0+	0+	0+	0+	0+	46-	46-	92-	46-
		2	0+	0+	0+	0+	46-	92-	92+	92+	92+
		3	0+	0+	46-	92-	92+	92+	92+	92+	92+
		4	46-	92-	92+	92+	92+	92+	46+	46+	92+
		5	92+	92+	92+	92+	92+	92+	46+	46+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		439	439	439	439	439	439	439	439	439	439




T	NZK xx° 95ft

070225

21.40

	ft	 ft > < lbs			CODE > 0235 < L151 0942 .x(x)					
		171	185	197						
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111		6,200	6,000							
117		6,200	6,000	3,700						
123		6,100	6,000	3,200						
129		6,000	5,900	2,500						
135		5,600	5,500							
141		5,000	4,900							
147		4,400	4,400							
153		3,900	3,900							
159		3,400	3,400							
165		3,000	2,900							
171										
177										
183										
189										
195										
207										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
	ft /s	23	23	23						
TAB 151		439	439	439						

	T	NZK xx° 95ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 18 ft	 360°		


21.40

Diagram of a lighting fixture with dimensions and labels:

- Label: T
- Label: NZK xx°
- Label: 95ft
- Label: 172,000 lbs
- Label: 29 x 18 ft
- Label: 360°

21.40







	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		



070225

21.40

		ft > < lbs		CODE > 0262 <							L151 0C42.x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								17,200				
18								17,200	16,300			
21								17,200	16,300	15,700		
24								17,200	16,200	15,600	14,800	
27								17,200	16,100	15,400	14,800	
30								17,200	16,100	15,400	14,700	
33								17,100	16,100	15,200	14,600	
36								16,900	16,100	15,200	14,600	
39	12,800	12,100						16,600	15,900	15,000	14,400	
45	12,800	12,100	12,100	11,500	10,800			16,000	15,500	15,000	14,300	
51	12,800	12,100	12,100	11,500	10,800	9,700		15,200	14,900	14,700	14,100	
57	12,600	12,100	12,000	11,500	10,700	9,700		14,400	14,200	14,200	13,800	
63	12,500	12,000	11,900	11,400	10,600	9,700		13,500	13,500	13,600	13,300	
69	12,300	11,700	11,800	11,300	10,600	9,700		12,700	12,800	13,000	12,800	
75	12,000	11,400	11,500	11,100	10,500	9,700		11,900	12,100	12,400	12,300	
81	11,600	11,200	11,000	10,800	10,300	9,600		11,100	11,500	11,800	11,700	
87	11,100	10,900	10,000	10,500	9,800	9,100		10,500	10,800	11,200	11,200	
93	10,100	10,500	8,300	10,000	8,300	7,700		9,800	10,200	10,600	10,700	
99	8,600	10,000	6,800	8,500	6,800	6,300		9,100	9,700	10,100	10,200	
105	7,200	8,600	5,500	7,100	5,500	5,000		8,500	9,100	9,600	9,700	
111	6,000	7,400	4,300	6,000	4,400	3,800		7,900	8,600	9,100	9,300	
117	4,900	6,300		4,900				7,300	8,100	8,600	8,900	
123	3,900	5,300		3,900				6,800	7,600	8,200	8,600	
129		4,300						6,400	7,100	7,800	8,200	
135		3,500						5,900	6,700	7,300	7,500	
141								5,500	6,300	6,900	6,700	
147									5,900	6,500	5,900	
153									5,600	5,900	5,200	
159										5,200	4,500	
165										4,600	3,900	
171											3,400	
177											2,900	
183											2,400	
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		404	404	404	404	404	404	404	404	404	404	




21.40

	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40







	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		



070225


21.40

 ft	CODE > 0262 < L151 0C42.x(x)									
	157	157	157	171	171	185	197	58	72	86
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57								11,200	11,300	
63								10,900	10,900	10,600
69								10,300	10,300	10,300
75	9,300	9,300	9,000					9,700	9,700	9,800
81	9,200	9,200	9,000	8,800	8,400			9,200	9,300	9,300
87	9,000	9,000	8,700	8,800	8,300	8,200	7,700	8,700	8,800	8,900
93	8,800	8,700	8,400	8,500	8,100	8,100	7,700	8,200	8,400	8,600
99	8,500	8,400	8,200	8,300	7,900	7,900	7,500	7,800	8,000	8,200
105	8,300	8,200	7,900	8,000	7,900	7,700	7,300	7,500	7,700	7,900
111	8,000	7,900	7,700	7,800	7,700	7,500	7,200	7,100	7,400	7,600
117	7,100	7,700	7,500	7,000	7,400	6,900	6,500	6,800	7,100	7,300
123	6,000	7,000	7,300	5,800	7,000	5,900	5,400	6,600	6,800	7,000
129	4,900	6,000	6,900	4,700	6,000	4,800	4,400	6,400	6,600	6,800
135	3,800	5,000	6,100	3,700	5,000	3,800	3,400	6,200	6,400	6,600
141		4,100	5,200		4,100				6,200	6,400
147		3,200	4,300		3,300				6,100	6,300
153			3,500							6,100
159										5,900
165										
171										
177										
183										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	413	413	413	413	413	413	413	413	413	413



21.40







	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		



070225

21.40

	ft > < lbs		CODE > 0262 < L151 0C42.x(x)							
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			7,400	7,300	7,300					
87	8,200	5,200	7,000	7,200	7,200	7,000	7,000			
93	8,100	5,100	6,700	6,900	6,900	7,000	6,900	6,800	6,600	6,600
99	7,900	4,300	6,500	6,700	6,700	6,800	6,700	6,700	6,600	6,600
105	7,600	3,500	6,300	6,500	6,500	6,600	6,600	6,600	6,500	6,600
111	6,900	2,900	6,200	6,300	6,400	6,400	6,400	6,400	6,400	6,400
117	6,200		6,100	6,200	6,200	6,300	6,300	6,300	6,300	6,400
123	5,600			6,100	6,100	6,200	6,200	6,200	6,200	6,300
129	4,700			6,100	6,100	6,100	6,100	6,100	6,100	6,200
135	3,800				6,100	6,000	6,000	6,000	6,000	6,100
141					6,000	6,000	6,000	5,900	5,900	5,900
147						6,000	5,900	5,900	5,900	5,300
153						6,000	5,900	5,900	5,800	4,300
159							5,800	5,800	5,700	3,400
165							5,300	5,300	5,000	
171								4,400	4,100	
177								3,600	3,300	
183								2,600	2,500	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
	ft /s	23	23	23	23	23	23	23	23	23
TAB 151	413	413	422	422	422	422	422	422	422	422




21.40

	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40






	T	NZK xx° 95ft	 35,300 lbs	 29 x 27 ft	 360°		



070225

21.40

	ft > < lbs			CODE > 0262 < L151 0C42.x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,200	6,000								
117	6,200	6,000	3,700							
123	6,100	6,000	3,200							
129	6,000	5,900	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,200	4,200								
153	3,200	3,300								
159										
165										
171										
177										
183										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	422	422	422							




85%

T	NZK xx° 95ft





070225

21.40

				ft > < lbs		CODE > 0263 <		L151 0D42.x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,200	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	9,800	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,100	10,300	8,400	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	8,900	10,000	7,200	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	7,800	9,600	6,000	
135		6,500	7,300	8,100	8,600	9,000	9,100	6,700	9,000	5,000	
141		6,100	6,900	7,600	8,200	8,600	8,800	5,800	8,200	4,100	
147			6,500	7,200	7,800	8,300	8,300	4,900	7,300	3,200	
153			6,100	6,800	7,400	7,900	7,500	4,100	6,500		
159				6,500	7,000	7,500	6,800	3,400	5,700		
165				6,100	6,700	7,000	6,000		5,000		
171					6,400	6,200	5,300		4,400		
177					6,100	5,500	4,600		3,700		
183					5,600	4,900	4,000		3,100		
189						4,300	3,400		2,500		
195						3,800	2,800				
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	506	506	506	506	506	506	506	506	506	506	



T	NZK xx° 95ft




85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0263 <		L151 0D42.x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,000	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	9,500	10,400	9,500	8,900		8,600	9,500	10,000	10,300
117	9,800	10,200	8,200	9,700	8,200	7,700		8,000	8,900	9,500	9,800
123	8,600	9,800	6,900	8,600	7,000	6,500		7,500	8,300	9,000	9,400
129	7,500	8,800	5,800	7,500	5,900	5,400		7,000	7,800	8,600	9,000
135	6,400	7,800	4,800	6,500	4,900	4,400		6,500	7,300	8,100	8,600
141	5,500	6,800	3,900	5,500	4,000	3,500		6,100	6,900	7,600	8,200
147	4,600	6,000		4,700					6,500	7,200	7,800
153	3,800	5,200		3,900					6,100	6,800	7,400
159	3,100	4,400		3,100						6,500	7,000
165		3,700								6,100	6,700
171		3,100									6,400
177		2,500									6,000
183											5,200
189											
195											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	506	506	506	506	506	506	506	506	506	506	506





T	NZK xx° 95ft


57,300 lbs

29 x 27 ft

360°




85%



070225

21.40

		ft > < lbs		CODE > 0263 < L151 0D42.x(x)							
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27		15,500									
30		15,500	14,600				15,500				
33		15,500	14,600				15,500				
36		15,300	14,600	14,100			15,500				
39		15,300	14,300	14,100	13,300		15,500	14,600	14,100		
45		15,100	14,300	14,100	13,300	12,600	15,400	14,600	14,100	13,300	11,900
51		14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900
57		14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700
63		14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600
69		14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200
75		13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200
81		12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200
87		12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300
93		11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500
99		11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700
105		11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000
111		10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400
117		10,100	10,200	10,300	7,500	9,700	10,100	5,300	9,800	4,900	4,700
123		9,700	9,700	10,000	6,900	8,600	8,900	4,800	8,600	4,300	4,200
129		9,300	9,200	9,600	6,400	7,500	7,800	4,200	7,500	3,800	3,700
135		9,000	8,700	9,000	5,900	6,500	6,700	3,800	6,400	3,400	3,200
141		8,600	8,300	8,200	5,500	5,500	5,800	3,300	5,500		
147		8,300	7,900	7,300	5,100	4,700	4,900	2,900	4,600		
153		7,900	7,400	6,500	4,700	3,900	4,100		3,800		
159		7,500	6,800	5,700	4,200	3,100	3,400		3,100		
165		7,000	6,000	5,000	3,700						
171		6,200	5,300	4,400	3,100						
177		5,500	4,600	3,700	2,500						
183		4,900	4,000	3,100							
189		4,300	3,300	2,500							
195		3,800	2,700								
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		506	506	506	506	506	506	506	506	506	506




85%

T	NZK xx° 95ft

070225


21.40

 ft	 ft > < lbs CODE > 0263 < L151 0D42.x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,200	7,300
153					6,700	6,900	7,000	7,100	6,400	7,100
159					6,700	6,700	6,800	6,900	5,500	7,000
165						6,600	6,700	6,800	4,600	6,700
171						6,600	6,600	6,600	3,800	5,900
177						6,600	6,500	5,900	3,100	5,200
183							5,700	5,100	2,400	4,500
189							5,000	4,400		3,800
195								3,700		3,100
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	506	513	513	513	513	513	513	513	513	513





T	NZK xx° 95ft

 57,300 lbs

 29 x 27 ft

 360°






85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0263 <					L151 0D42.x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57									12,400	12,400		
63									12,000	11,900	11,600	
69									11,300	11,300	11,300	
75	10,200	10,200	9,900						10,700	10,700	10,800	
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300	
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800		
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400		
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000		
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600		
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300		
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000		
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700		
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500		
135	7,800	7,800	7,600	7,700	7,600	7,500	7,300	6,800	7,100	7,300		
141	7,000	7,600	7,500	6,900	7,400	6,900	6,600		6,900	7,100		
147	6,000	7,100	7,300	5,900	7,000	6,000	5,600		6,700	6,900		
153	5,000	6,200	7,000	4,900	6,300	5,000	4,600			6,700		
159	4,100	5,300	6,400	4,000	5,400	4,100	3,800			6,700		
165	3,200	4,500	5,600	3,200	4,600	3,300						
171		3,700	4,800		3,800							
177		3,000	4,100		3,100							
183		2,300	3,400		2,400							
189			2,800									
195												
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	513	513	513	513	513	513	513	513	513	513	513	


	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft





070225

21.40


				ft > < lbs		CODE > 0263 <		L151 0D42.x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,000		7,200	3,900	7,100	3,500
153	6,900	7,000	7,100	7,100	5,300	6,300		6,400	3,400	6,200	3,100
159	6,700	6,800	6,900	7,000	4,800	5,400		5,500	3,000	5,300	
165	6,600	6,700	6,700	6,700	4,500	4,600		4,600		4,500	
171	6,600	6,600	6,500	5,900	4,100	3,800		3,800		3,700	
177	6,600	6,500	5,800	5,200	3,800	3,100		3,100		3,000	
183		5,700	5,000	4,500	3,400	2,400		2,400		2,300	
189		5,000	4,300	3,800	2,800						
195			3,600	3,100							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	513	513	513	513	513	513	513	513	513	513	513



T	NZK xx° 95ft









85%



070225

21.40

		ft > < lbs		CODE > 0263 < L151 0D42.x(x)							
ft		185	197	44	58	72	86	100	114	128	142
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81				8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,500	6,400	6,400
159							6,500	6,500	6,500	6,400	6,400
165							6,500	6,500	6,500	6,400	6,100
171								6,500	6,500	6,400	5,100
177								6,500	6,500	6,400	4,200
183									5,800	5,700	3,300
189										4,700	2,500
195											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	513	513	520	520	520	520	520	520	520	520	520




85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0263 <		L151 0D42.x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,300	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,000	6,300	6,300	6,000	6,300	6,000	5,800			
165	6,300	5,000	6,100	6,300	5,000	6,100	5,200	4,900			
171	6,300	4,000	5,100	6,200	4,000	5,300	4,300	4,000			
177	6,100	3,100	4,200	5,300	3,200	4,500	3,400	3,200			
183	5,300		3,400	4,500	2,400	3,700	2,600	2,400			
189	4,500		2,600	3,700		2,900					
195	3,600			3,000							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	520	520	520	520	520	520	520	520	520	520	520

	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0263 <		L151 0D42.x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,700	7,700									
93	7,700	7,600	7,400	7,300					7,300		
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300
165		6,500	6,500	6,400	6,300	4,900	6,100	6,100	6,100	3,200	6,100
171			6,500	6,400	6,300	4,500	5,300	5,300	5,100	2,800	5,100
177			6,500	6,300	6,100	4,100	4,500	4,500	4,200	2,400	4,200
183			5,800	5,500	5,300	3,800	3,700	3,700	3,300		3,400
189				4,600	4,500	3,400	2,900	2,900	2,500		2,600
195				3,600	3,600	2,900					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2	0+	0+	0+	0+	46-	92-	92-	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	520	520	520	520	520	520	520	520	520	520	520

	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft

070225

21.40

		 ft > < lbs			CODE > 0263 < L151 0D42.x(x)					
ft		171	185	197						
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111		6,800	6,600							
117		6,800	6,600	3,700						
123		6,700	6,600	3,200						
129		6,200	6,100	2,500						
135		5,600	5,500							
141		5,000	4,900							
147		4,400	4,400							
153		3,900	3,900							
159		3,400	3,400							
165		3,000	2,900							
171										
177										
183										
189										
195										
* n *		1	1	1						
xx		45.0	45.0	45.0						
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s		23	23	23						
TAB 151		520	520	520						

	T	NZK xx° 95ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft





070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	9,900	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	8,900	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,300	9,000	7,800	
147			6,500	7,200	7,800	8,300	8,500	8,600	8,700	6,800	
153			6,100	6,800	7,400	7,900	8,200	7,600	8,400	5,900	
159				6,500	7,000	7,600	7,900	6,700	8,100	5,000	
165				6,100	6,700	7,200	7,600	5,900	7,900	4,300	
171					6,400	7,000	7,300	5,200	7,600	3,500	
177					6,100	6,600	7,000	4,400	6,800	2,800	
183					5,900	6,400	6,800	3,700	6,000		
189						6,100	6,200	3,000	5,300		
195						5,900	5,500	2,400	4,700		
207							4,400		3,500		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	505	505	505	505	505	505	505	505	505	505	



T	NZK xx° 95ft





85%

T	NZK xx° 95ft




070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400
129	9,900	9,600	9,600	9,500	9,400	8,900		7,000	7,800	8,600	9,000
135	9,600	9,300	8,700	9,300	8,700	8,200		6,500	7,300	8,100	8,600
141	9,100	9,000	7,600	8,900	7,700	7,200		6,100	6,900	7,600	8,200
147	8,300	8,800	6,600	8,300	6,700	6,200			6,500	7,200	7,800
153	7,300	8,400	5,700	7,300	5,800	5,300			6,100	6,800	7,400
159	6,500	7,800	4,900	6,500	5,000	4,500				6,500	7,000
165	5,700	7,000	4,100	5,700	4,200	3,700				6,100	6,700
171	4,900	6,200	3,400	4,900	3,400	3,000					6,400
177	4,200	5,500	2,700	4,300	2,800	2,300					6,000
183	3,600	4,900		3,600							5,200
189	2,900	4,200		3,000							
195	2,300	3,600		2,500							
207		2,400									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	505	505	505	505	505	505	505	505	505	505	505



T	NZK xx° 95ft




85%

T	NZK xx°
	95ft

070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900	
57	14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700	
63	14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600	
69	14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200	
75	13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200	
81	12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200	
87	12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300	
93	11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500	
99	11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700	
105	11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000	
111	10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400	
117	10,100	10,200	10,300	7,500	10,100	10,900	5,300	10,600	4,900	4,700	
123	9,700	9,700	10,000	6,900	9,800	10,500	4,800	10,300	4,300	4,200	
129	9,300	9,200	9,600	6,400	9,500	10,100	4,200	9,900	3,800	3,700	
135	9,000	8,700	9,300	5,900	9,300	9,700	3,800	9,600	3,400	3,200	
141	8,600	8,300	9,000	5,500	8,900	9,300	3,300	9,100			
147	8,300	7,900	8,700	5,100	8,300	8,600	2,900	8,300			
153	7,900	7,500	8,400	4,700	7,300	7,600		7,300			
159	7,600	7,000	8,100	4,300	6,500	6,700		6,500			
165	7,200	6,200	7,900	3,900	5,700	5,900		5,700			
171	7,000	5,400	7,600	3,500	4,900	5,200		4,900			
177	6,600	4,700	6,800	2,800	4,300	4,400		4,200			
183	6,400	4,000	6,000		3,600	3,700		3,600			
189	6,100	3,300	5,300		3,000	3,000		2,900			
195	5,900	2,700	4,700		2,500	2,400		2,300			
207			3,500								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	505	505	505	505	505	505	505	505	505	505	505

	T	NZK xx°					
		95ft	79,400 lbs	29 x 27 ft	360°		


85%

T	NZK xx°
	95ft





070225

21.40

				ft > < lbs		CODE > 0264 <					L151 0E42 .x(x)	
ft		197	44	58	72	86	100	114	128	142	142	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51	9,700	13,000										
57	8,700	12,300	12,400	12,400								
63	7,400	11,500	12,000	11,900	11,600	11,200						
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100			
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200		
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100		
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700		
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400		
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100		
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800		
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500		
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300		
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100		
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800		
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700		
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500		
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300		
153					6,700	6,900	7,000	7,100	7,300	7,100		
159					6,700	6,700	6,800	6,900	7,100	7,000		
165						6,600	6,700	6,800	7,000	6,800		
171						6,600	6,600	6,600	6,800	6,700		
177						6,600	6,500	6,600	6,100	6,600		
183							6,500	6,500	5,300	6,500		
189							6,500	6,300	4,500	6,400		
195								6,200	3,700	5,800		
207								4,800		4,400		
* n *	1	1	1	1	1	1	1	1	1	1		
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+	
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+	
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+	
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+	
%												
ft / s		23	23	23	23	23	23	23	23	23	23	
TAB 151		505	512	512	512	512	512	512	512	512	512	



T	NZK xx°
	95ft




85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57									12,400	12,400	
63									12,000	11,900	11,600
69									11,300	11,300	11,300
75	10,200	10,200	9,900						10,700	10,700	10,800
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800	
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400	
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000	
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600	
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300	
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000	
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700	
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500	
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300	
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100	
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900	
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700	
159	7,100	7,100	7,000	7,000	7,000	6,900	6,700				
165	6,500	6,900	6,800	6,400	6,900	6,500	6,100				
171	5,600	6,800	6,700	5,500	6,700	5,700	5,300				
177	4,800	6,000	6,600	4,700	6,100	4,900	4,500				
183	4,000	5,200	6,300	3,900	5,300	4,100	3,700				
189	3,200	4,500	5,700	3,200	4,600	3,400	3,000				
195	2,600	3,800	4,900	2,500	3,900	2,700	2,400				
207			3,500		2,700						
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	512	512	512	512	512	512	512	512	512

	T	NZK xx° 95ft					
			79,400 lbs	29 x 27 ft	360°		


85%

T	NZK xx° 95ft


070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,300		7,500	3,900	7,400	3,500
153	6,900	7,000	7,100	7,100	5,300	7,100		7,300	3,400	7,300	3,100
159	6,700	6,800	6,900	7,000	4,800	7,000		7,100	3,000	7,100	
165	6,600	6,700	6,700	6,800	4,500	6,900		7,000		6,900	
171	6,600	6,600	6,500	6,700	4,100	6,700		6,800		6,800	
177	6,600	6,500	5,800	6,600	3,800	6,100		6,100		6,000	
183		6,500	5,000	6,500	3,400	5,300		5,300		5,200	
189		6,500	4,300	6,400	2,900	4,600		4,500		4,500	
195			3,600	5,800		3,900		3,700		3,800	
207				4,400		2,700					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	512	512	512	512	512	512	512	512	512

	T	NZK xx° 95ft	 79,400 lbs	 29 x 27 ft	 360°		







85%



070225

21.40

		ft > < lbs		CODE > 0264 < L151 0E42 .x(x)							
ft		185	197	44	58	72	86	100	114	128	142
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81				8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,500	6,400	6,400
159							6,500	6,500	6,500	6,400	6,400
165							6,500	6,500	6,500	6,400	6,400
171								6,500	6,500	6,400	6,400
177								6,500	6,500	6,400	6,400
183								6,500	6,500	6,400	6,200
189									6,400	6,400	5,300
195											4,300
207											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	519	519	519	519	519	519	519	519	519




85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,100	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	5,200	6,300	6,300	5,300	6,100	5,500	5,300			
189	6,300	4,300	5,500	6,300	4,400	5,700	4,700	4,400			
195	6,100	3,400	4,600	5,700	3,600	4,900	3,900	3,700			
207	4,400		2,900	4,000		3,400					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519

	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0264 <		L151 0E42 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,700	7,700									
93	7,700	7,600	7,400	7,300					7,300		
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300
183			6,500	5,500	6,300	3,800	6,100	6,200			6,300
189				4,600	6,300	3,400	5,700	5,300			5,500
195				3,600	6,100	2,900	4,900	4,300			4,600
207					4,400		3,400				2,900
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519

	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs			CODE > 0264 < L151 0E42 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,800	6,600								
117	6,800	6,600	3,700							
123	6,700	6,600	3,200							
129	6,200	6,100	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
207										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	519	519	519							

	T	NZK xx° 95ft	 79,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft




070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	10,100	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	9,500	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,400	9,000	8,600	
147			6,500	7,200	7,800	8,300	8,500	9,000	8,700	7,600	
153			6,100	6,800	7,400	7,900	8,200	8,300	8,400	6,600	
159				6,500	7,000	7,600	7,900	7,400	8,100	5,700	
165				6,100	6,700	7,200	7,600	6,600	7,900	4,900	
171					6,400	7,000	7,300	5,800	7,700	4,100	
177					6,100	6,600	7,000	5,000	7,300	3,400	
183					5,900	6,400	6,800	4,300	6,600	2,800	
189						6,100	6,600	3,600	5,900		
195						5,900	6,000	2,900	5,200		
207							4,900		4,000		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	504	504	504	504	504	504	504	504	504	504	



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400
129	9,900	9,600	9,800	9,500	9,400	8,900		7,000	7,800	8,600	9,000
135	9,600	9,300	9,300	9,300	9,100	8,600		6,500	7,300	8,100	8,600
141	9,300	9,000	8,400	9,000	8,400	7,900		6,100	6,900	7,600	8,200
147	8,800	8,800	7,300	8,700	7,400	6,900			6,500	7,200	7,800
153	8,000	8,500	6,400	8,000	6,500	6,000			6,100	6,800	7,400
159	7,100	8,200	5,500	7,100	5,600	5,100				6,500	7,000
165	6,300	7,600	4,700	6,300	4,800	4,300				6,100	6,700
171	5,500	6,800	4,000	5,600	4,100	3,600					6,400
177	4,800	6,100	3,300	4,900	3,400	2,900					6,000
183	4,200	5,500	2,600	4,200	2,700	2,300					5,200
189	3,500	4,800		3,600							
195	2,800	4,100		3,000							
207		2,900									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504




T	NZK xx° 95ft









T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft





070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900	
57	14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700	
63	14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600	
69	14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200	
75	13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200	
81	12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200	
87	12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300	
93	11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500	
99	11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700	
105	11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000	
111	10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400	
117	10,100	10,200	10,300	7,500	10,100	10,900	5,300	10,600	4,900	4,700	
123	9,700	9,700	10,000	6,900	9,800	10,500	4,800	10,300	4,300	4,200	
129	9,300	9,200	9,600	6,400	9,500	10,100	4,200	9,900	3,800	3,700	
135	9,000	8,700	9,300	5,900	9,300	9,700	3,800	9,600	3,400	3,200	
141	8,600	8,300	9,000	5,500	9,000	9,400	3,300	9,300			
147	8,300	7,900	8,700	5,100	8,700	9,000	2,900	8,800			
153	7,900	7,500	8,400	4,700	8,000	8,300		8,000			
159	7,600	7,000	8,100	4,300	7,100	7,400		7,100			
165	7,200	6,200	7,900	3,900	6,300	6,600		6,300			
171	7,000	5,400	7,700	3,500	5,600	5,800		5,500			
177	6,600	4,700	7,300	2,800	4,900	5,000		4,800			
183	6,400	4,000	6,600		4,200	4,300		4,200			
189	6,100	3,300	5,900		3,600	3,600		3,500			
195	5,900	2,700	5,200		3,000	2,900		2,800			
207			4,000								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504



T	NZK xx° 95ft




T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

 ft	 ft > < lbs CODE > 0265 < L151 0F42 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300
153					6,700	6,900	7,000	7,100	7,300	7,100
159					6,700	6,700	6,800	6,900	7,100	7,000
165						6,600	6,700	6,800	7,000	6,800
171						6,600	6,600	6,600	6,800	6,700
177						6,600	6,500	6,600	6,700	6,600
183							6,500	6,500	5,900	6,500
189							6,500	6,300	5,100	6,500
195								6,300	4,200	6,200
207								5,300	2,700	4,900
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	504	511	511	511	511	511	511	511	511	511






85%

T	NZK xx° 95ft


070225

21.40

	CODE > 0265 < L151 0F42 .x(x)									
	ft	197	44	58	72	86	100	114	128	142
219										

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57									12,400	12,400	
63									12,000	11,900	11,600
69									11,300	11,300	11,300
75	10,200	10,200	9,900						10,700	10,700	10,800
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800	
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400	
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000	
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600	
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300	
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000	
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700	
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500	
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300	
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100	
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900	
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700	
159	7,200	7,100	7,000	7,100	7,000	6,900	6,800				
165	6,900	6,900	6,800	6,900	6,900	6,700	6,600				
171	6,200	6,800	6,700	6,100	6,700	6,300	5,900				
177	5,400	6,600	6,600	5,300	6,600	5,400	5,100				
183	4,600	5,800	6,500	4,500	5,900	4,700	4,300				
189	3,800	5,100	6,200	3,800	5,200	3,900	3,600				
195	3,100	4,300	5,500	3,100	4,500	3,200	2,900				
207		2,900	4,000		3,200						
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-	
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511



T	NZK xx° 95ft

21.40

Diagram of a lighting fixture with the following specifications:

- Material: T
- Finish: NZK xx°
- Height: 95ft
- Weight: 83,800 lbs
- Dimensions: 29 x 27 ft
- Rotation: 360°


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,300		7,500	3,900	7,400	3,500
153	6,900	7,000	7,100	7,100	5,300	7,100		7,300	3,400	7,300	3,100
159	6,700	6,800	6,900	7,000	4,800	7,000		7,100	3,000	7,100	
165	6,600	6,700	6,700	6,800	4,500	6,900		7,000		6,900	
171	6,600	6,600	6,500	6,700	4,100	6,700		6,800		6,800	
177	6,600	6,500	5,800	6,600	3,800	6,600		6,700		6,600	
183		6,500	5,000	6,500	3,400	5,900		5,900		5,800	
189		6,500	4,300	6,500	2,900	5,200		5,100		5,100	
195			3,600	6,200		4,500		4,200		4,300	
207				4,900		3,200		2,700		2,900	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511




T	NZK xx° 95ft

83,800 lbs

29 x 27 ft

360°




T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		






85%



070225

21.40

	CODE > 0265 < L151 0F42 .x(x)									
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,400	6,400
159							6,500	6,500	6,400	6,400
165							6,500	6,500	6,400	6,400
171								6,500	6,400	6,400
177								6,500	6,400	6,400
183								6,500	6,400	6,300
189									6,400	5,800
195										4,800
207										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	518	518	518	518	518	518	518	518



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	5,700	6,300	6,300	5,800	6,100	6,000	5,800			
189	6,300	4,900	5,900	6,300	5,000	6,100	5,300	5,000			
195	6,300	4,000	5,200	6,100	4,100	5,500	4,400	4,200			
207	4,900		3,400	4,500	2,600	3,900	2,900	2,700			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0265 <		L151 0F42 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,700	7,700									
93	7,700	7,600	7,400	7,300					7,300		
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300
183			6,500	5,500	6,300	3,800	6,100	6,100	6,300		6,300
189				4,600	6,300	3,400	6,100	5,800			5,900
195				3,600	6,300	2,900	5,500	4,800			5,200
207					4,900		3,900				3,400
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

	ft	 ft > < lbs			CODE > 0265 < L151 0F42 .x(x)					
		171	185	197						
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111		6,800	6,600							
117		6,800	6,600	3,700						
123		6,700	6,600	3,200						
129		6,200	6,100	2,500						
135		5,600	5,500							
141		5,000	4,900							
147		4,400	4,400							
153		3,900	3,900							
159		3,400	3,400							
165		3,000	2,900							
171										
177										
183										
189										
195										
207										
* n *		1	1	1						
xx		45.0	45.0	45.0						
	1	92-	92-	100-						
	2	92+	92-	100-						
	3	92+	92-	100-						
	4	92+	92-	100-						
	5	46+	92-	100-						
%										
	ft /s	23	23	23						
TAB 151		518	518	518						

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500	14,100		
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500			
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	10,100	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	9,800	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,400	9,000	9,400	
147			6,500	7,200	7,800	8,300	8,500	9,100	8,700	9,100	
153			6,100	6,800	7,400	7,900	8,200	8,800	8,400	8,800	
159				6,500	7,000	7,600	7,900	8,400	8,100	8,400	
165				6,100	6,700	7,200	7,600	8,200	7,900	7,500	
171					6,400	7,000	7,300	7,900	7,700	6,600	
177					6,100	6,600	7,000	7,400	7,400	5,800	
183					5,900	6,400	6,800	6,500	7,100	5,100	
189						6,100	6,600	5,800	6,900	4,400	
195						5,900	6,300	5,100	6,700	3,600	
207							5,900	3,800	6,000		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	503	503	503	503	503	503	503	503	503	503	

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400
129	9,900	9,600	9,800	9,500	9,400	8,900		7,000	7,800	8,600	9,000
135	9,600	9,300	9,600	9,300	9,100	8,700		6,500	7,300	8,100	8,600
141	9,300	9,000	9,300	9,000	8,900	8,500		6,100	6,900	7,600	8,200
147	9,000	8,800	9,000	8,800	8,700	8,300			6,500	7,200	7,800
153	8,700	8,500	8,700	8,500	8,400	8,100			6,100	6,800	7,400
159	8,500	8,300	8,200	8,300	8,100	7,700				6,500	7,000
165	8,200	8,000	7,300	8,100	7,300	6,800				6,100	6,700
171	7,900	7,800	6,400	7,800	6,500	6,000					6,400
177	7,200	7,600	5,700	7,200	5,700	5,300					6,000
183	6,500	7,300	5,000	6,500	5,000	4,600					5,200
189	5,700	6,900	4,300	5,900	4,400	3,900					
195	5,000	6,200	3,600	5,200	3,700	3,300					
207	3,700	4,900		3,900	2,600						
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft




070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900	
57	14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700	
63	14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600	
69	14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200	
75	13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200	
81	12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200	
87	12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300	
93	11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500	
99	11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700	
105	11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000	
111	10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400	
117	10,100	10,200	10,300	7,500	10,100	10,900	5,300	10,600	4,900	4,700	
123	9,700	9,700	10,000	6,900	9,800	10,500	4,800	10,300	4,300	4,200	
129	9,300	9,200	9,600	6,400	9,500	10,100	4,200	9,900	3,800	3,700	
135	9,000	8,700	9,300	5,900	9,300	9,700	3,800	9,600	3,400	3,200	
141	8,600	8,300	9,000	5,500	9,000	9,400	3,300	9,300			
147	8,300	7,900	8,700	5,100	8,800	9,100	2,900	9,000			
153	7,900	7,500	8,400	4,700	8,500	8,800		8,700			
159	7,600	7,000	8,100	4,300	8,300	8,400		8,500			
165	7,200	6,200	7,900	3,900	8,100	8,200		8,200			
171	7,000	5,400	7,700	3,500	7,800	7,900		7,900			
177	6,600	4,700	7,400	2,800	7,200	7,400		7,200			
183	6,400	4,000	7,100		6,500	6,500		6,500			
189	6,100	3,300	6,900		5,900	5,800		5,700			
195	5,900	2,700	6,700		5,200	5,100		5,000			
207			6,000		3,900	3,800		3,700			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	503	503	503	503	503	503	503	503	503	503	503



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs CODE > 0266 < L151 1042 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300
153					6,700	6,900	7,000	7,100	7,300	7,100
159					6,700	6,700	6,800	6,900	7,100	7,000
165						6,600	6,700	6,800	7,000	6,800
171						6,600	6,600	6,600	6,800	6,700
177						6,600	6,500	6,600	6,700	6,600
183							6,500	6,500	6,600	6,500
189							6,500	6,300	6,500	6,500
195								6,300	6,200	6,300
207								6,300	4,700	6,300
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	503	510	510	510	510	510	510	510	510	510


	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		

85%

T	NZK xx° 95ft

070225

21.40

	 ft > < lbs CODE > 0266 < L151 1042 .x(x)									
	ft	197	44	58	72	86	100	114	128	142
219										


	T	NZK xx° 95ft		29 x 27 ft	360°		


85%

T	NZK xx° 95ft




070225

21.40

				ft > < lbs		CODE > 0266 <					L151 1042 .x(x)		
ft		157	157	157	171	171	185	197	58	72	86		
16													
18													
21													
24													
27													
30													
33													
36													
39													
45													
51													
57									12,400	12,400			
63									12,000	11,900	11,600		
69									11,300	11,300	11,300		
75	10,200	10,200	9,900						10,700	10,700	10,800		
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300		
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800			
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400			
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000			
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600			
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300			
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000			
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700			
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500			
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300			
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100			
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900			
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700			
159	7,200	7,100	7,000	7,100	7,000	6,900	6,800						
165	7,000	6,900	6,800	6,900	6,900	6,800	6,700						
171	6,900	6,800	6,700	6,800	6,700	6,700	6,500						
177	6,800	6,700	6,600	6,700	6,600	6,600	6,500						
183	6,600	6,600	6,500	6,600	6,500	6,500	6,400						
189	6,000	6,500	6,400	6,000	6,400	6,100	5,800						
195	5,200	6,300	6,400	5,300	6,300	5,400	5,100						
207	3,700	4,900	6,000	3,800	5,200	4,100	3,700						
* n *	1	1	1	1	1	1	1	1	1	1	1		
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+			
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+			
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+			
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-			
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+			
%													
ft / s	23	23	23	23	23	23	23	23	23	23	23		
TAB 151	510	510	510	510	510	510	510	510	510	510	510		



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,300		7,500	3,900	7,400	3,500
153	6,900	7,000	7,100	7,100	5,300	7,100		7,300	3,400	7,300	3,100
159	6,700	6,800	6,900	7,000	4,800	7,000		7,100	3,000	7,100	
165	6,600	6,700	6,700	6,800	4,500	6,900		7,000		6,900	
171	6,600	6,600	6,500	6,700	4,100	6,700		6,800		6,800	
177	6,600	6,500	5,800	6,600	3,800	6,600		6,700		6,700	
183		6,500	5,000	6,500	3,400	6,500		6,600		6,600	
189		6,500	4,300	6,500	2,900	6,400		6,500		6,500	
195			3,600	6,300		6,300		6,200		6,300	
207				6,300		5,200		4,700		4,900	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	510	510	510	510	510	510	510	510	510


	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		






85%



070225

21.40

	CODE > 0266 < L151 1042 .x(x)									
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,400	6,400
159							6,500	6,500	6,400	6,400
165							6,500	6,500	6,400	6,400
171								6,500	6,400	6,400
177								6,500	6,400	6,400
183								6,500	6,400	6,300
189									6,400	6,300
195										6,300
207										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	517	517	517	517	517	517	517	517



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
189	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
195	6,300	6,000	6,300	6,300	6,100	6,100	6,100	6,000			
207	6,300	4,200	5,400	6,100	4,600	5,800	5,000	4,800			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0266 <		L151 1042 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,700	7,700									
93	7,700	7,600	7,400	7,300					7,300		
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300
183			6,500	5,500	6,300	3,800	6,100	6,100	6,300		6,300
189				4,600	6,300	3,400	6,100	6,100	6,300		6,300
195				3,600	6,300	2,900	6,100	6,300			6,300
207					6,300		5,800				5,400
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs			CODE > 0266 < L151 1042 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,800	6,600								
117	6,800	6,600	3,700							
123	6,700	6,600	3,200							
129	6,200	6,100	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
207										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	517	517	517							

	T	NZK xx° 95ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

Diagram of a stage set for 'The Sound of Music'. The set includes a table with a lamp, a chair, and a desk. The table is labeled '29 x 27 ft'. The chair is labeled '101,400 lbs'. The desk is labeled '360°'. The set is labeled 'NZK xx° 95ft'.


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0267 <		L151 1142 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	10,100	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	9,800	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,400	9,000	9,400	
147			6,500	7,200	7,800	8,300	8,500	9,100	8,700	9,100	
153			6,100	6,800	7,400	7,900	8,200	8,800	8,400	8,900	
159				6,500	7,000	7,600	7,900	8,400	8,100	8,600	
165				6,100	6,700	7,200	7,600	8,200	7,900	8,000	
171					6,400	7,000	7,300	7,900	7,700	7,200	
177					6,100	6,600	7,000	7,700	7,400	6,400	
183					5,900	6,400	6,800	7,000	7,100	5,600	
189						6,100	6,600	6,300	6,900	4,800	
195						5,900	6,300	5,500	6,700	4,100	
207							5,900	4,200	6,300	2,800	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	502	502	502	502	502	502	502	502	502	502	





T	NZK xx° 95ft

105,800 lbs

29 x 27 ft

360°



T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft




070225

21.40

				ft > < lbs		CODE > 0267 <		L151 1142 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400
129	9,900	9,600	9,800	9,500	9,400	8,900		7,000	7,800	8,600	9,000
135	9,600	9,300	9,600	9,300	9,100	8,700		6,500	7,300	8,100	8,600
141	9,300	9,000	9,300	9,000	8,900	8,500		6,100	6,900	7,600	8,200
147	9,000	8,800	9,000	8,800	8,700	8,300			6,500	7,200	7,800
153	8,700	8,500	8,700	8,500	8,400	8,100			6,100	6,800	7,400
159	8,500	8,300	8,400	8,300	8,200	7,900				6,500	7,000
165	8,200	8,000	7,800	8,100	7,900	7,400				6,100	6,700
171	7,900	7,800	7,000	7,800	7,100	6,600					6,400
177	7,700	7,600	6,200	7,700	6,300	5,800					6,000
183	7,000	7,300	5,500	7,000	5,500	5,100					5,200
189	6,200	7,100	4,800	6,300	4,900	4,400					
195	5,500	6,700	4,100	5,600	4,200	3,800					
207	4,100	5,400	2,800	4,300	3,000	2,600					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
 ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502	502



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0267 <		L151 1142 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600		15,300	14,500	14,100	13,300	11,900
57	14,800	14,300	13,900	13,300	12,600		15,000	14,000	13,900	13,200	11,700
63	14,500	14,000	13,700	13,200	12,600		14,700	13,000	13,700	12,500	11,600
69	14,000	13,600	13,400	12,900	12,400		14,300	11,800	13,500	11,500	11,200
75	13,500	13,200	13,000	12,600	12,200		13,900	10,700	13,200	10,400	10,200
81	12,900	12,700	12,600	12,000	11,900		13,500	9,700	12,800	9,400	9,200
87	12,400	12,300	12,200	11,100	11,600		13,000	8,800	12,400	8,500	8,300
93	11,900	11,800	11,800	10,200	11,300		12,600	8,000	12,100	7,600	7,500
99	11,400	11,400	11,400	9,500	11,000		12,100	7,300	11,700	6,900	6,700
105	11,000	11,000	11,000	8,800	10,700		11,700	6,600	11,300	6,200	6,000
111	10,500	10,600	10,700	8,100	10,400		11,300	5,900	10,900	5,500	5,400
117	10,100	10,200	10,300	7,500	10,100		10,900	5,300	10,600	4,900	4,700
123	9,700	9,700	10,000	6,900	9,800		10,500	4,800	10,300	4,300	4,200
129	9,300	9,200	9,600	6,400	9,500		10,100	4,200	9,900	3,800	3,700
135	9,000	8,700	9,300	5,900	9,300		9,700	3,800	9,600	3,400	3,200
141	8,600	8,300	9,000	5,500	9,000		9,400	3,300	9,300		
147	8,300	7,900	8,700	5,100	8,800		9,100	2,900	9,000		
153	7,900	7,500	8,400	4,700	8,500		8,800		8,700		
159	7,600	7,000	8,100	4,300	8,300		8,400		8,500		
165	7,200	6,200	7,900	3,900	8,100		8,200		8,200		
171	7,000	5,400	7,700	3,500	7,800		7,900		7,900		
177	6,600	4,700	7,400	2,800	7,700		7,700		7,700		
183	6,400	4,000	7,100		7,000		7,000		7,000		
189	6,100	3,300	6,900		6,300		6,300		6,200		
195	5,900	2,700	6,700		5,600		5,500		5,500		
207			6,300		4,300		4,200		4,100		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502	502

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs CODE > 0267 < L151 1142 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300
153					6,700	6,900	7,000	7,100	7,300	7,100
159					6,700	6,700	6,800	6,900	7,100	7,000
165						6,600	6,700	6,800	7,000	6,800
171						6,600	6,600	6,600	6,800	6,700
177						6,600	6,500	6,600	6,700	6,600
183							6,500	6,500	6,600	6,500
189							6,500	6,300	6,500	6,500
195								6,300	6,400	6,300
207								6,300	5,200	6,300
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	502	509	509	509	509	509	509	509	509	509

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0267 <					L151 1142 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57									12,400	12,400		
63									12,000	11,900	11,600	
69									11,300	11,300	11,300	
75	10,200	10,200	9,900						10,700	10,700	10,800	
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300	
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800		
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400		
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000		
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600		
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300		
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000		
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700		
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500		
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300		
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100		
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900		
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700		
159	7,200	7,100	7,000	7,100	7,000	6,900	6,800					
165	7,000	6,900	6,800	6,900	6,900	6,800	6,700					
171	6,900	6,800	6,700	6,800	6,700	6,700	6,500					
177	6,800	6,700	6,600	6,700	6,600	6,600	6,500					
183	6,600	6,600	6,500	6,600	6,500	6,500	6,400					
189	6,500	6,500	6,400	6,400	6,400	6,400	6,200					
195	5,700	6,400	6,400	5,800	6,300	5,900	5,500					
207	4,100	5,300	6,200	4,300	5,600	4,500	4,200					
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	509	509	509	509	509	509	509	509	509	509	509	

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40



	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft		 ft > < lbs		CODE > 0267 < L151 1142 .x(x)							
		100	114	128	142	157	171	142	157	157	171
	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63	11,200									
	69	11,000	10,900	10,400				11,100			
	75	10,700	10,700	10,400	10,200	9,900		10,900	10,200	10,200	
	81	10,200	10,300	10,100	10,100	9,900	9,200	10,500	10,100	10,100	9,700
	87	9,800	9,800	9,800	9,700	9,600	9,200	10,200	9,900	9,900	9,600
	93	9,400	9,500	9,400	9,400	9,300	8,900	9,800	9,500	9,600	9,300
	99	9,100	9,100	9,100	9,100	9,000	8,700	9,500	8,700	9,200	8,500
	105	8,700	8,800	8,800	8,800	8,700	8,600	9,200	8,000	9,000	7,700
	111	8,400	8,500	8,500	8,500	8,500	8,400	8,900	7,200	8,700	7,000
	117	8,100	8,300	8,300	8,300	8,300	8,200	8,600	6,600	8,500	6,300
	123	7,900	8,000	8,000	8,100	7,800	8,000	8,300	6,000	8,200	5,700
	129	7,600	7,800	7,800	7,800	7,200	7,800	8,100	5,400	8,000	5,100
	135	7,400	7,500	7,600	7,700	6,700	7,600	7,900	4,900	7,800	4,500
	141	7,200	7,300	7,400	7,500	6,200	7,400	7,700	4,300	7,600	4,000
	147	7,000	7,200	7,200	7,300	5,700	7,300	7,500	3,900	7,400	3,500
	153	6,900	7,000	7,100	7,100	5,300	7,100	7,300	3,400	7,300	3,100
	159	6,700	6,800	6,900	7,000	4,800	7,000	7,100	3,000	7,100	
	165	6,600	6,700	6,700	6,800	4,500	6,900	7,000		6,900	
	171	6,600	6,600	6,500	6,700	4,100	6,700	6,800		6,800	
	177	6,600	6,500	5,800	6,600	3,800	6,600	6,700		6,700	
	183		6,500	5,000	6,500	3,400	6,500	6,600		6,600	
	189		6,500	4,300	6,500	2,900	6,400	6,500		6,500	
	195			3,600	6,300		6,300	6,400		6,400	
	207				6,300		5,600	5,200		5,300	
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
		1	0+	0+	0+	0+	0+	46-	46-	92-	46-
2		0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3		0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4		92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5		92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
	%										
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		509	509	509	509	509	509	509	509	509	509


	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 lbs	 29 x 27 ft	 360°		






85%



070225

21.40

				ft > < lbs		CODE > 0267 <		L151 1142 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81				8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,500	6,400	6,400
159							6,500	6,500	6,500	6,400	6,400
165							6,500	6,500	6,500	6,400	6,400
171								6,500	6,500	6,400	6,400
177								6,500	6,500	6,400	6,400
183								6,500	6,500	6,400	6,300
189									6,500	6,400	6,300
195											6,300
207											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	516	516	516	516	516	516	516	516	516



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0267 <		L151 1142 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
189	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
195	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
207	6,300	4,700	5,800	6,300	5,100	6,000	5,500	5,200			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0267 <					L151 1142 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81												
87	7,700	7,700										
93	7,700	7,600	7,400	7,300					7,300			
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000	
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000	
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000	
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900	
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800	
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700	
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600	
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500	
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400	
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400	
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300	
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300	
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300	
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300	
183			6,500	5,500	6,300	3,800	6,100	6,100	6,300		6,300	
189				4,600	6,300	3,400	6,100	6,100	6,300		6,300	
195				3,600	6,300	2,900	6,100	6,300			6,300	
207					6,300		6,000				5,800	
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	516	516	516	516	516	516	516	516	516	516	516	

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 lbs	 29 x 27 ft	 360°		



85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs			CODE > 0267 < L151 1142 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,800	6,600								
117	6,800	6,600	3,700							
123	6,700	6,600	3,200							
129	6,200	6,100	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
207										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	516	516	516							

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft





070225

21.40

				ft > < lbs		CODE > 0268 <		L151 1242 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	10,100	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	9,800	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,400	9,000	9,400	
147			6,500	7,200	7,800	8,300	8,500	9,100	8,700	9,100	
153			6,100	6,800	7,400	7,900	8,200	8,800	8,400	8,900	
159				6,500	7,000	7,600	7,900	8,400	8,100	8,600	
165				6,100	6,700	7,200	7,600	8,200	7,900	8,300	
171					6,400	7,000	7,300	7,900	7,700	8,000	
177					6,100	6,600	7,000	7,700	7,400	7,800	
183					5,900	6,400	6,800	7,400	7,100	7,600	
189						6,100	6,600	7,100	6,900	7,300	
195						5,900	6,300	6,900	6,700	6,600	
207							5,900	6,300	6,300	5,100	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	501	501	501	501	501	501	501	501	501	501	



T	NZK xx° 95ft




T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		







85%



070225

21.40

		ft > < lbs		CODE > 0268 <							L151 1242 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
16								18,900				
18								18,900	18,000			
21								18,900	18,000	17,200		
24								18,900	17,900	17,100	16,300	
27								18,900	17,700	17,000	16,300	
30								18,900	17,700	16,900	16,200	
33								18,800	17,700	16,700	16,000	
36								18,500	17,700	16,700	16,000	
39	14,100	13,300						18,300	17,500	16,500	15,800	
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800	
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600	
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200	
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600	
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100	
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500	
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900	
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400	
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800	
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300	
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700	
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300	
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800	
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400	
129	9,900	9,600	9,800	9,500	9,400	8,900		7,000	7,800	8,600	9,000	
135	9,600	9,300	9,600	9,300	9,100	8,700		6,500	7,300	8,100	8,600	
141	9,300	9,000	9,300	9,000	8,900	8,500		6,100	6,900	7,600	8,200	
147	9,000	8,800	9,000	8,800	8,700	8,300			6,500	7,200	7,800	
153	8,700	8,500	8,700	8,500	8,400	8,100			6,100	6,800	7,400	
159	8,500	8,300	8,500	8,300	8,200	8,000				6,500	7,000	
165	8,200	8,000	8,300	8,100	8,000	7,800				6,100	6,700	
171	7,900	7,800	8,000	7,800	7,800	7,600					6,400	
177	7,700	7,600	7,800	7,700	7,700	7,400					6,000	
183	7,500	7,300	7,600	7,500	7,500	7,200					5,200	
189	7,300	7,100	7,300	7,300	7,300	6,900						
195	7,100	6,900	6,600	7,100	6,700	6,200						
207	6,400	6,500	5,100	6,500	5,300	4,900						
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	0+	
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	0+	
4	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-	92-	
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	92+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	501	501	501	501	501	501	501	501	501	501	501	



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0268 <		L151 1242 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900	
57	14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700	
63	14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600	
69	14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200	
75	13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200	
81	12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200	
87	12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300	
93	11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500	
99	11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700	
105	11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000	
111	10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400	
117	10,100	10,200	10,300	7,500	10,100	10,900	5,300	10,600	4,900	4,700	
123	9,700	9,700	10,000	6,900	9,800	10,500	4,800	10,300	4,300	4,200	
129	9,300	9,200	9,600	6,400	9,500	10,100	4,200	9,900	3,800	3,700	
135	9,000	8,700	9,300	5,900	9,300	9,700	3,800	9,600	3,400	3,200	
141	8,600	8,300	9,000	5,500	9,000	9,400	3,300	9,300			
147	8,300	7,900	8,700	5,100	8,800	9,100	2,900	9,000			
153	7,900	7,500	8,400	4,700	8,500	8,800		8,700			
159	7,600	7,000	8,100	4,300	8,300	8,400		8,500			
165	7,200	6,200	7,900	3,900	8,100	8,200		8,200			
171	7,000	5,400	7,700	3,500	7,800	7,900		7,900			
177	6,600	4,700	7,400	2,800	7,700	7,700		7,700			
183	6,400	4,000	7,100		7,500	7,400		7,500			
189	6,100	3,300	6,900		7,300	7,100		7,300			
195	5,900	2,700	6,700		7,100	6,900		7,100			
207			6,300		6,500	6,300		6,400			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	501	501	501	501	501	501	501	501	501	501	501

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft





070225

21.40

 ft	 ft > < lbs		CODE > 0268 < L151 1242 .x(x)							
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300
153					6,700	6,900	7,000	7,100	7,300	7,100
159					6,700	6,700	6,800	6,900	7,100	7,000
165						6,600	6,700	6,800	7,000	6,800
171						6,600	6,600	6,600	6,800	6,700
177						6,600	6,500	6,600	6,700	6,600
183							6,500	6,500	6,600	6,500
189							6,500	6,300	6,500	6,500
195								6,300	6,400	6,300
207								6,300	6,300	6,300
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	501	508	508	508	508	508	508	508	508	508



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0268 <					L151 1242 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57									12,400	12,400		
63									12,000	11,900	11,600	
69									11,300	11,300	11,300	
75	10,200	10,200	9,900						10,700	10,700	10,800	
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300	
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800		
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400		
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000		
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600		
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300		
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000		
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700		
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500		
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300		
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100		
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900		
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700		
159	7,200	7,100	7,000	7,100	7,000	6,900	6,800					
165	7,000	6,900	6,800	6,900	6,900	6,800	6,700					
171	6,900	6,800	6,700	6,800	6,700	6,700	6,500					
177	6,800	6,700	6,600	6,700	6,600	6,600	6,500					
183	6,600	6,600	6,500	6,600	6,500	6,500	6,400					
189	6,500	6,500	6,400	6,500	6,400	6,400	6,300					
195	6,500	6,400	6,400	6,400	6,300	6,300	6,200					
207	6,200	6,300	6,200	6,200	6,100	6,200	6,000					
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	508	508	508	508	508	508	508	508	508	508	508	

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0268 <		L151 1242 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,300		7,500	3,900	7,400	3,500
153	6,900	7,000	7,100	7,100	5,300	7,100		7,300	3,400	7,300	3,100
159	6,700	6,800	6,900	7,000	4,800	7,000		7,100	3,000	7,100	
165	6,600	6,700	6,700	6,800	4,500	6,900		7,000		6,900	
171	6,600	6,600	6,500	6,700	4,100	6,700		6,800		6,800	
177	6,600	6,500	5,800	6,600	3,800	6,600		6,700		6,700	
183		6,500	5,000	6,500	3,400	6,500		6,600		6,600	
189		6,500	4,300	6,500	2,900	6,400		6,500		6,500	
195			3,600	6,300		6,300		6,400		6,400	
207				6,300		6,100		6,300		6,300	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs		CODE > 0268 < L151 1242 .x(x)							
	185	197	44	58	72	86	100	114	128	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81			8,100	8,000	8,000					
87	9,000	5,200	7,700	7,900	7,900	7,700	7,700			
93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,400	7,300	7,300
99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,300	7,300
105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,000	7,100
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	7,000
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,900
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,800
135	4,400				6,700	6,600	6,600	6,600	6,600	6,700
141	3,900				6,600	6,600	6,600	6,500	6,500	6,600
147	3,400					6,600	6,500	6,500	6,500	6,500
153	3,000					6,600	6,500	6,500	6,400	6,400
159							6,500	6,500	6,400	6,400
165							6,500	6,500	6,400	6,400
171								6,500	6,400	6,400
177								6,500	6,400	6,400
183								6,500	6,400	6,300
189									6,400	6,300
195										6,300
207										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
 ft /s										
	TAB 151	508	508	515	515	515	515	515	515	515

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0268 <		L151 1242 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
189	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
195	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
207	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s											
TAB 151	23	23	23	23	23	23	23	23	23	23	23
	515	515	515	515	515	515	515	515	515	515	515


	T	NZK xx° 95ft					
			127,900 lbs	29 x 27 ft	360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

				ft > < lbs		CODE > 0268 <					L151 1242 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81												
87	7,700	7,700										
93	7,700	7,600	7,400	7,300					7,300			
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000	
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000	
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000	
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900	
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800	
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700	
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600	
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500	
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400	
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400	
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300	
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300	
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300	
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300	
183			6,500	5,500	6,300	3,800	6,100	6,100	6,300		6,300	
189				4,600	6,300	3,400	6,100	6,100	6,300		6,300	
195				3,600	6,300	2,900	6,100	6,100	6,300		6,300	
207					6,300						6,300	
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	515	515	515	515	515	515	515	515	515	515	515	



T	NZK xx° 95ft

21.40


	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

	ft	 ft > < lbs			CODE > 0268 < L151 1242 .x(x)					
		171	185	197						
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111		6,800	6,600							
117		6,800	6,600	3,700						
123		6,700	6,600	3,200						
129		6,200	6,100	2,500						
135		5,600	5,500							
141		5,000	4,900							
147		4,400	4,400							
153		3,900	3,900							
159		3,400	3,400							
165		3,000	2,900							
171										
177										
183										
189										
195										
207										
* n *		1	1	1						
xx		45.0	45.0	45.0						
	1	92-	92-	100-						
	2	92+	92-	100-						
	3	92+	92-	100-						
	4	92+	92-	100-						
	5	46+	92-	100-						
%										
	ft /s	23	23	23						
TAB 151		515	515	515						



	T	NZK xx° 95ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

		ft	>	<	lbs	CODE > 0268 < L151 1242 .x(x)				
		171	185	197						
	1	92-	92-	100-						
	2	92+	92-	100-						
	3	92+	92-	100-						
	4	92+	92-	100-						
	5	46+	92-	100-						
* n *		1	1	1						
xx		45.0	45.0	45.0						
%										
ft /s		23	23	23						
TAB 151		515	515	515						

	T	NZK xx° 95ft					


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
16	18,900	18,900									
18	18,900	18,900	18,000								
21	18,900	18,900	18,000	17,200							
24	18,900	18,900	17,900	17,100	16,300						
27	18,900	18,900	17,700	17,000	16,300	15,500					
30	18,700	18,900	17,700	16,900	16,200	15,500	14,600	15,500			
33	18,400	18,800	17,700	16,700	16,000	15,500	14,600	15,500			
36	18,100	18,500	17,700	16,700	16,000	15,300	14,600	15,500	14,100		
39	17,800	18,300	17,500	16,500	15,800	15,300	14,300	15,500	14,100	14,600	
45	16,800	17,600	17,000	16,500	15,800	15,100	14,300	15,400	14,100	14,600	
51	15,800	16,700	16,400	16,200	15,600	14,900	14,300	15,300	14,100	14,500	
57	14,800	15,800	15,600	15,600	15,200	14,800	14,300	15,000	13,900	14,400	
63	13,800	14,900	14,900	14,900	14,600	14,500	14,000	14,700	13,700	14,100	
69	12,800	14,000	14,100	14,300	14,100	14,000	13,600	14,300	13,400	13,800	
75	12,000	13,100	13,400	13,600	13,500	13,500	13,200	13,900	13,000	13,500	
81	11,100	12,300	12,600	12,900	12,900	12,900	12,700	13,500	12,600	13,100	
87	10,300	11,500	11,900	12,300	12,400	12,400	12,300	13,000	12,200	12,700	
93	9,500	10,800	11,300	11,600	11,800	11,900	11,800	12,600	11,800	12,300	
99	8,800	10,000	10,600	11,100	11,300	11,400	11,400	12,100	11,400	11,900	
105	8,100	9,400	10,000	10,500	10,700	11,000	11,000	11,700	11,000	11,600	
111	7,500	8,600	9,500	10,000	10,300	10,500	10,600	11,300	10,700	11,200	
117	6,900	8,000	8,900	9,500	9,800	10,100	10,200	10,900	10,300	10,800	
123	6,400	7,500	8,300	9,000	9,400	9,700	9,800	10,500	10,000	10,500	
129	6,000	7,000	7,800	8,600	9,000	9,300	9,500	10,100	9,600	10,100	
135		6,500	7,300	8,100	8,600	9,000	9,100	9,700	9,300	9,800	
141		6,100	6,900	7,600	8,200	8,600	8,800	9,400	9,000	9,400	
147			6,500	7,200	7,800	8,300	8,500	9,100	8,700	9,100	
153			6,100	6,800	7,400	7,900	8,200	8,800	8,400	8,900	
159				6,500	7,000	7,600	7,900	8,400	8,100	8,600	
165				6,100	6,700	7,200	7,600	8,200	7,900	8,300	
171					6,400	7,000	7,300	7,900	7,700	8,000	
177					6,100	6,600	7,000	7,700	7,400	7,800	
183					5,900	6,400	6,800	7,400	7,100	7,600	
189						6,100	6,600	7,100	6,900	7,400	
195						5,900	6,300	6,900	6,700	7,200	
207							5,900	6,400	6,300	6,700	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	500	500	500	500	500	500	500	500	500	500	


	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40



	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
16								18,900			
18								18,900	18,000		
21								18,900	18,000	17,200	
24								18,900	17,900	17,100	16,300
27								18,900	17,700	17,000	16,300
30								18,900	17,700	16,900	16,200
33								18,800	17,700	16,700	16,000
36								18,500	17,700	16,700	16,000
39	14,100	13,300						18,300	17,500	16,500	15,800
45	14,100	13,300	13,300	12,600	11,900			17,600	17,000	16,500	15,800
51	14,100	13,300	13,300	12,600	11,900	10,700		16,700	16,400	16,200	15,600
57	13,900	13,300	13,200	12,600	11,700	10,700		15,800	15,600	15,600	15,200
63	13,700	13,200	13,100	12,600	11,600	10,700		14,900	14,900	14,900	14,600
69	13,500	12,900	12,900	12,400	11,600	10,700		14,000	14,100	14,300	14,100
75	13,200	12,600	12,700	12,200	11,600	10,600		13,100	13,400	13,600	13,500
81	12,800	12,300	12,300	11,900	11,400	10,500		12,300	12,600	12,900	12,900
87	12,400	11,900	12,000	11,600	11,100	10,400		11,500	11,900	12,300	12,400
93	12,100	11,600	11,700	11,300	10,900	10,200		10,800	11,300	11,600	11,800
99	11,700	11,300	11,400	11,000	10,600	9,900		10,000	10,600	11,100	11,300
105	11,300	10,900	11,100	10,700	10,400	9,700		9,400	10,000	10,500	10,700
111	10,900	10,600	10,800	10,400	10,100	9,500		8,600	9,500	10,000	10,300
117	10,600	10,200	10,400	10,100	9,900	9,300		8,000	8,900	9,500	9,800
123	10,300	9,900	10,100	9,800	9,600	9,100		7,500	8,300	9,000	9,400
129	9,900	9,600	9,800	9,500	9,400	8,900		7,000	7,800	8,600	9,000
135	9,600	9,300	9,600	9,300	9,100	8,700		6,500	7,300	8,100	8,600
141	9,300	9,000	9,300	9,000	8,900	8,500		6,100	6,900	7,600	8,200
147	9,000	8,800	9,000	8,800	8,700	8,300			6,500	7,200	7,800
153	8,700	8,500	8,700	8,500	8,400	8,100			6,100	6,800	7,400
159	8,500	8,300	8,500	8,300	8,200	8,000				6,500	7,000
165	8,200	8,000	8,300	8,100	8,000	7,800				6,100	6,700
171	7,900	7,800	8,000	7,800	7,800	7,600					6,400
177	7,700	7,600	7,800	7,700	7,700	7,400					6,000
183	7,500	7,300	7,600	7,500	7,500	7,200					5,200
189	7,300	7,100	7,400	7,300	7,300	7,000					
195	7,100	6,900	7,200	7,100	7,100	6,800					
207	6,700	6,500	6,900	6,800	6,800	6,400					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
 ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft



070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
16											
18											
21											
24											
27	15,500										
30	15,500	14,600					15,500				
33	15,500	14,600					15,500				
36	15,300	14,600	14,100				15,500				
39	15,300	14,300	14,100	13,300			15,500	14,600	14,100		
45	15,100	14,300	14,100	13,300	12,600		15,400	14,600	14,100	13,300	11,900
51	14,900	14,300	14,100	13,300	12,600	15,300	14,500	14,100	13,300	11,900	
57	14,800	14,300	13,900	13,300	12,600	15,000	14,000	13,900	13,200	11,700	
63	14,500	14,000	13,700	13,200	12,600	14,700	13,000	13,700	12,500	11,600	
69	14,000	13,600	13,400	12,900	12,400	14,300	11,800	13,500	11,500	11,200	
75	13,500	13,200	13,000	12,600	12,200	13,900	10,700	13,200	10,400	10,200	
81	12,900	12,700	12,600	12,000	11,900	13,500	9,700	12,800	9,400	9,200	
87	12,400	12,300	12,200	11,100	11,600	13,000	8,800	12,400	8,500	8,300	
93	11,900	11,800	11,800	10,200	11,300	12,600	8,000	12,100	7,600	7,500	
99	11,400	11,400	11,400	9,500	11,000	12,100	7,300	11,700	6,900	6,700	
105	11,000	11,000	11,000	8,800	10,700	11,700	6,600	11,300	6,200	6,000	
111	10,500	10,600	10,700	8,100	10,400	11,300	5,900	10,900	5,500	5,400	
117	10,100	10,200	10,300	7,500	10,100	10,900	5,300	10,600	4,900	4,700	
123	9,700	9,700	10,000	6,900	9,800	10,500	4,800	10,300	4,300	4,200	
129	9,300	9,200	9,600	6,400	9,500	10,100	4,200	9,900	3,800	3,700	
135	9,000	8,700	9,300	5,900	9,300	9,700	3,800	9,600	3,400	3,200	
141	8,600	8,300	9,000	5,500	9,000	9,400	3,300	9,300			
147	8,300	7,900	8,700	5,100	8,800	9,100	2,900	9,000			
153	7,900	7,500	8,400	4,700	8,500	8,800		8,700			
159	7,600	7,000	8,100	4,300	8,300	8,400		8,500			
165	7,200	6,200	7,900	3,900	8,100	8,200		8,200			
171	7,000	5,400	7,700	3,500	7,800	7,900		7,900			
177	6,600	4,700	7,400	2,800	7,700	7,700		7,700			
183	6,400	4,000	7,100		7,500	7,400		7,500			
189	6,100	3,300	6,900		7,300	7,100		7,300			
195	5,900	2,700	6,700		7,100	6,900		7,100			
207			6,300		6,800	6,400		6,700			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500



T	NZK xx° 95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx°
	95ft





070225

21.40

 ft	CODE > 0269 < L151 1342 .x(x)									
	197	44	58	72	86	100	114	128	142	142
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51	9,700	13,000								
57	8,700	12,300	12,400	12,400						
63	7,400	11,500	12,000	11,900	11,600	11,200				
69	6,300	10,800	11,300	11,300	11,300	11,000	10,900	10,400	11,100	
75	5,200	10,200	10,700	10,700	10,800	10,700	10,700	10,400	10,900	10,200
81	4,300	9,500	10,100	10,200	10,300	10,200	10,300	10,100	10,500	10,100
87		9,000	9,500	9,700	9,800	9,800	9,800	9,800	10,200	9,700
93		8,500	9,100	9,200	9,400	9,400	9,500	9,400	9,800	9,400
99		8,100	8,600	8,800	9,000	9,100	9,100	9,100	9,500	9,100
105		7,700	8,200	8,400	8,600	8,700	8,800	8,800	9,200	8,800
111		7,400	7,800	8,100	8,300	8,400	8,500	8,500	8,900	8,500
117		7,100	7,500	7,800	8,000	8,100	8,300	8,300	8,600	8,300
123		6,800	7,300	7,500	7,700	7,900	8,000	8,000	8,300	8,100
129			7,000	7,300	7,500	7,600	7,800	7,800	8,100	7,800
135			6,800	7,100	7,300	7,400	7,500	7,600	7,900	7,700
141				6,900	7,100	7,200	7,300	7,400	7,700	7,500
147				6,700	6,900	7,000	7,200	7,200	7,500	7,300
153					6,700	6,900	7,000	7,100	7,300	7,100
159					6,700	6,700	6,800	6,900	7,100	7,000
165						6,600	6,700	6,800	7,000	6,800
171						6,600	6,600	6,600	6,800	6,700
177						6,600	6,500	6,600	6,700	6,600
183							6,500	6,500	6,600	6,500
189							6,500	6,300	6,500	6,500
195								6,300	6,400	6,300
207								6,300	6,300	6,300
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	500	507	507	507	507	507	507	507	507	507



T	NZK xx°
	95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0269 <					L151 1342 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
16												
18												
21												
24												
27												
30												
33												
36												
39												
45												
51												
57									12,400	12,400		
63									12,000	11,900	11,600	
69									11,300	11,300	11,300	
75	10,200	10,200	9,900						10,700	10,700	10,800	
81	10,100	10,100	9,900	9,700	9,200				10,100	10,200	10,300	
87	9,900	9,900	9,600	9,600	9,200	9,000	8,500	9,500	9,700	9,800		
93	9,700	9,600	9,300	9,400	8,900	8,900	8,500	9,100	9,200	9,400		
99	9,400	9,200	9,000	9,100	8,700	8,700	8,200	8,600	8,800	9,000		
105	9,100	9,000	8,700	8,800	8,600	8,500	8,000	8,200	8,400	8,600		
111	8,800	8,700	8,500	8,600	8,400	8,300	8,000	7,800	8,100	8,300		
117	8,600	8,500	8,300	8,400	8,200	8,100	7,800	7,500	7,800	8,000		
123	8,300	8,200	8,000	8,100	8,000	7,900	7,600	7,300	7,500	7,700		
129	8,100	8,000	7,800	8,000	7,800	7,700	7,500	7,000	7,300	7,500		
135	7,900	7,800	7,600	7,800	7,600	7,500	7,300	6,800	7,100	7,300		
141	7,700	7,600	7,500	7,600	7,400	7,400	7,200		6,900	7,100		
147	7,500	7,400	7,300	7,400	7,300	7,200	7,000		6,700	6,900		
153	7,300	7,300	7,200	7,200	7,100	7,100	6,900			6,700		
159	7,200	7,100	7,000	7,100	7,000	6,900	6,800					
165	7,000	6,900	6,800	6,900	6,900	6,800	6,700					
171	6,900	6,800	6,700	6,800	6,700	6,700	6,500					
177	6,800	6,700	6,600	6,700	6,600	6,600	6,500					
183	6,600	6,600	6,500	6,600	6,500	6,500	6,400					
189	6,500	6,500	6,400	6,500	6,400	6,400	6,300					
195	6,500	6,400	6,400	6,400	6,300	6,300	6,200					
207	6,300	6,300	6,200	6,200	6,100	6,200	6,000					
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
%												
ft / s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	507	507	507	507	507	507	507	507	507	507	507	

	T	NZK xx° 95ft					

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63	11,200										
69	11,000	10,900	10,400					11,100			
75	10,700	10,700	10,400	10,200	9,900			10,900	10,200	10,200	
81	10,200	10,300	10,100	10,100	9,900	9,200		10,500	10,100	10,100	9,700
87	9,800	9,800	9,800	9,700	9,600	9,200		10,200	9,900	9,900	9,600
93	9,400	9,500	9,400	9,400	9,300	8,900		9,800	9,500	9,600	9,300
99	9,100	9,100	9,100	9,100	9,000	8,700		9,500	8,700	9,200	8,500
105	8,700	8,800	8,800	8,800	8,700	8,600		9,200	8,000	9,000	7,700
111	8,400	8,500	8,500	8,500	8,500	8,400		8,900	7,200	8,700	7,000
117	8,100	8,300	8,300	8,300	8,300	8,200		8,600	6,600	8,500	6,300
123	7,900	8,000	8,000	8,100	7,800	8,000		8,300	6,000	8,200	5,700
129	7,600	7,800	7,800	7,800	7,200	7,800		8,100	5,400	8,000	5,100
135	7,400	7,500	7,600	7,700	6,700	7,600		7,900	4,900	7,800	4,500
141	7,200	7,300	7,400	7,500	6,200	7,400		7,700	4,300	7,600	4,000
147	7,000	7,200	7,200	7,300	5,700	7,300		7,500	3,900	7,400	3,500
153	6,900	7,000	7,100	7,100	5,300	7,100		7,300	3,400	7,300	3,100
159	6,700	6,800	6,900	7,000	4,800	7,000		7,100	3,000	7,100	
165	6,600	6,700	6,700	6,800	4,500	6,900		7,000		6,900	
171	6,600	6,600	6,500	6,700	4,100	6,700		6,800		6,800	
177	6,600	6,500	5,800	6,600	3,800	6,600		6,700		6,700	
183		6,500	5,000	6,500	3,400	6,500		6,600		6,600	
189		6,500	4,300	6,500	2,900	6,400		6,500		6,500	
195			3,600	6,300		6,300		6,400		6,400	
207				6,300		6,100		6,300		6,300	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	507	507	507	507	507	507	507	507	507


	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%



070225

21.40

 ft		ft > < lbs		CODE > 0269 < L151 1342 .x(x)							
		185	197	44	58	72	86	100	114	128	142
 %	16										
	18										
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63										
	69										
	75										
	81			8,100	8,000	8,000					
	87	9,000	5,200	7,700	7,900	7,900	7,700	7,700			
	93	8,900	5,100	7,400	7,600	7,600	7,700	7,600	7,400	7,300	7,300
	99	8,400	4,300	7,100	7,300	7,400	7,400	7,400	7,400	7,300	7,300
	105	7,600	3,500	6,900	7,100	7,200	7,200	7,200	7,200	7,200	7,300
111	6,900	2,900	6,800	6,900	7,000	7,100	7,100	7,100	7,000	7,100	
117	6,200		6,700	6,800	6,800	6,900	6,900	6,900	6,900	7,000	
123	5,600			6,700	6,800	6,800	6,800	6,800	6,800	6,900	
129	5,000			6,700	6,700	6,700	6,700	6,700	6,700	6,800	
135	4,400				6,700	6,600	6,600	6,600	6,600	6,700	
141	3,900				6,600	6,600	6,600	6,500	6,500	6,600	
147	3,400					6,600	6,500	6,500	6,500	6,500	
153	3,000					6,600	6,500	6,500	6,400	6,400	
159							6,500	6,500	6,400	6,400	
165							6,500	6,500	6,400	6,400	
171								6,500	6,400	6,400	
177								6,500	6,400	6,400	
183								6,500	6,400	6,300	
189									6,400	6,300	
195										6,300	
207											
* n *	1	1	1	1	1	1	1	1	1	1	
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+	
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	
 ft /s	23	23	23	23	23	23	23	23	23	23	
	TAB 151	507	507	514	514	514	514	514	514	514	



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft





070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81										8,000	8,000
87										7,900	7,900
93										7,600	7,600
99	7,000	7,000	7,000	6,800						7,300	7,400
105	7,000	7,000	7,000	6,800						7,100	7,200
111	7,000	7,000	7,000	6,800	6,800	6,600	6,600			6,900	7,000
117	6,900	6,800	6,900	6,800	6,800	6,600	6,600	6,300		6,800	6,800
123	6,800	6,800	6,800	6,700	6,700	6,600	6,600	6,300		6,700	6,800
129	6,700	6,700	6,700	6,600	6,600	6,600	6,500	6,300		6,700	6,700
135	6,600	6,600	6,600	6,500	6,500	6,500	6,400	6,300			6,700
141	6,500	6,600	6,500	6,500	6,500	6,400	6,300	6,200			6,600
147	6,400	6,500	6,400	6,400	6,400	6,300	6,300	6,200			
153	6,400	6,400	6,400	6,300	6,300	6,300	6,200	6,100			
159	6,300	6,300	6,300	6,300	6,300	6,300	6,200	6,100			
165	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,100			
171	6,300	6,300	6,300	6,300	6,200	6,200	6,100	6,000			
177	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
183	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
189	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
195	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
207	6,300	6,300	6,300	6,300	6,100	6,100	6,100	6,000			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514




T	NZK xx° 95ft



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

				ft > < lbs		CODE > 0269 <		L151 1342 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
16											
18											
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87	7,700	7,700									
93	7,700	7,600	7,400	7,300					7,300		
99	7,400	7,400	7,400	7,300	7,000	6,800			7,300	7,000	7,000
105	7,200	7,200	7,200	7,200	7,000	6,800			7,300	7,000	7,000
111	7,100	7,100	7,100	7,000	7,000	6,800		6,600	7,100	7,000	7,000
117	6,900	6,900	6,900	6,900	6,900	6,800	6,600	6,600	7,000	6,800	6,900
123	6,800	6,800	6,800	6,800	6,800	6,700	6,600	6,600	6,900	6,800	6,800
129	6,700	6,700	6,700	6,700	6,700	6,600	6,600	6,600	6,800	6,400	6,700
135	6,600	6,600	6,600	6,600	6,600	6,500	6,500	6,500	6,700	5,800	6,600
141	6,600	6,600	6,500	6,500	6,500	6,500	6,500	6,400	6,600	5,200	6,500
147	6,600	6,500	6,500	6,500	6,400	6,200	6,300	6,300	6,500	4,700	6,400
153	6,600	6,500	6,500	6,400	6,400	5,800	6,300	6,300	6,400	4,200	6,400
159		6,500	6,500	6,400	6,300	5,300	6,300	6,300	6,400	3,700	6,300
165		6,500	6,500	6,400	6,300	4,900	6,200	6,200	6,400	3,200	6,300
171			6,500	6,400	6,300	4,500	6,200	6,200	6,400	2,800	6,300
177			6,500	6,300	6,300	4,100	6,100	6,100	6,400	2,400	6,300
183			6,500	5,500	6,300	3,800	6,100	6,100	6,300		6,300
189				4,600	6,300	3,400	6,100	6,100	6,300		6,300
195				3,600	6,300	2,900	6,100	6,100	6,300		6,300
207					6,300		6,100	6,100			6,300
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2	0+	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514





T	NZK xx° 95ft

172,000 lbs

29 x 27 ft

360°



T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 95ft

070225

21.40

 ft	 ft > < lbs			CODE > 0269 < L151 1342 .x(x)						
	171	185	197							
16										
18										
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111	6,800	6,600								
117	6,800	6,600	3,700							
123	6,700	6,600	3,200							
129	6,200	6,100	2,500							
135	5,600	5,500								
141	5,000	4,900								
147	4,400	4,400								
153	3,900	3,900								
159	3,400	3,400								
165	3,000	2,900								
171										
177										
183										
189										
195										
207										
* n *	1	1	1							
xx	45.0	45.0	45.0							
1	92-	92-	100-							
2	92+	92-	100-							
3	92+	92-	100-							
4	92+	92-	100-							
5	46+	92-	100-							
%										
ft /s	23	23	23							
TAB 151	514	514	514							

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 95ft

21.40

	T	NZK xx° 95ft	 172,000 lbs	 29 x 27 ft	 360°		

21.40


Diagram showing a table with dimensions 29' x 18' and a weight capacity of 57,300 lbs. The table is labeled with 'T' and 'NZK xx° 118ft'. The table is shown with a 360° rotation arrow.

21.40

	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	CODE > 0237 < L151 0443 .x(x)									
	197	44	58	72	86	100	114	128	142	142
21										
24										
27										
30										
33										
36										
39										
45										
51										
57	6,600									
63	6,500	7,600								
69	5,800	7,300	7,300	7,200						
75	4,800	6,800	7,100	7,000	6,600	6,700				
81	3,900	6,300	6,600	6,600	6,500	6,500	6,200	6,200	6,400	
87	3,100	5,900	6,200	6,200	6,300	6,200	6,100	6,100	6,300	5,700
93		5,600	5,900	5,900	5,900	5,900	5,900	5,800	6,100	5,700
99		5,200	5,600	5,600	5,600	5,600	5,600	5,600	5,800	5,500
105		4,900	5,200	5,300	5,400	5,400	5,400	5,400	5,600	5,300
111		4,600	4,900	5,000	5,100	5,100	5,200	5,200	5,400	5,100
117		4,400	4,700	4,800	4,900	4,900	5,000	4,900	5,200	4,900
123		4,200	4,500	4,600	4,700	4,700	4,800	4,800	5,000	4,700
129		4,000	4,300	4,400	4,500	4,500	4,600	4,600	4,200	4,600
135		3,900	4,100	4,200	4,300	4,400	4,400	4,500	3,300	4,500
141		3,700	4,000	4,100	4,200	4,300	4,300	4,300		4,100
147		3,700	3,800	3,900	4,100	4,100	4,200	4,000		3,400
153			3,700	3,800	3,900	4,000	4,000	3,400		
159			3,700	3,700	3,800	3,900	3,600			
165				3,600	3,700	3,600	3,000			
171				3,400	3,400	3,000				
177				2,700	2,800	2,400				
183					2,200					
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	430	437	437	437	437	437	437	437	437	437




21.40

	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		


21.40






	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		



070225

21.40

		CODE > 0237 < L151 0443 .x(x)									
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,400	4,400						
99	5,100			4,400	4,400	4,200	4,200				
105	5,100			4,300	4,300	4,200	4,200				
111	4,900	2,800		4,100	4,200	4,200	4,200	4,100			
117	4,600	2,300		3,900	4,000	4,000	4,100	4,000	4,000	4,000	4,000
123	3,700			3,800	3,900	3,900	4,000	3,900	3,900	3,900	4,000
129				3,700	3,800	3,800	3,900	3,800	3,800	3,800	3,900
135				3,700	3,700	3,700	3,800	3,800	3,800	3,700	3,800
141				3,600	3,700	3,700	3,700	3,700	3,700	3,700	3,700
147					3,600	3,600	3,600	3,600	3,600	3,600	3,700
153						3,600	3,600	3,600	3,600	3,600	3,300
159						3,600	3,600	3,500	3,500	3,500	
165							3,600	3,500	3,500	3,400	
171							3,600	3,500	3,500	3,100	
177							3,200	3,200	3,000	2,400	
183								2,500	2,300		
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	437	437	444	444	444	444	444	444	444	444	444



21.40

	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		


21.40


	T	NZK xx° 118ft	 57,300 lbs	 29 x 18 ft	 360°		

T	NZK xx° 118ft




070225

21.40

	 ft > < lbs		CODE > 0237 < L151 0443 .x(x)							
	ft	171	185							
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129		3,800	3,500							
135		3,700	3,500							
141		3,700	3,500							
147		3,200	3,200							
153										
159										
165										
171										
177										
183										
* n *		1	1							
xx		45.0	45.0							
	1	92-	92-							
	2	92+	92-							
	3	92+	92-							
	4	92+	92-							
	5	46+	92-							
%										
	ft /s	23	23							
TAB 151		444	444							



T	NZK xx° 118ft



21.40


	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	CODE > 0238 < L151 0543 .x(x)									
	197	44	58	72	86	100	114	128	142	142
21										
24										
27										
30										
33										
36										
39										
45										
51										
57	6,600									
63	6,500	7,600								
69	5,800	7,300	7,300	7,200						
75	4,800	6,800	7,100	7,000	6,600	6,700				
81	3,900	6,300	6,600	6,600	6,500	6,500	6,200	6,200	6,400	
87	3,100	5,900	6,200	6,200	6,300	6,200	6,100	6,100	6,300	5,700
93		5,600	5,900	5,900	5,900	5,900	5,900	5,800	6,100	5,700
99		5,200	5,600	5,600	5,600	5,600	5,600	5,600	5,800	5,500
105		4,900	5,200	5,300	5,400	5,400	5,400	5,400	5,600	5,300
111		4,600	4,900	5,000	5,100	5,100	5,200	5,200	5,400	5,100
117		4,400	4,700	4,800	4,900	4,900	5,000	4,900	5,200	4,900
123		4,200	4,500	4,600	4,700	4,700	4,800	4,800	5,000	4,700
129		4,000	4,300	4,400	4,500	4,500	4,600	4,600	4,800	4,600
135		3,900	4,100	4,200	4,300	4,400	4,400	4,500	4,700	4,500
141		3,700	4,000	4,100	4,200	4,300	4,300	4,300	4,500	4,400
147		3,700	3,800	3,900	4,100	4,100	4,200	4,200	4,200	4,200
153			3,700	3,800	3,900	4,000	4,100	4,100	3,700	4,100
159			3,700	3,700	3,800	3,900	3,900	4,000		4,000
165				3,700	3,700	3,800	3,900	3,900		3,900
171				3,600	3,600	3,700	3,800	3,800		3,300
177				3,600	3,600	3,600	3,700	3,400		2,700
183					3,600	3,600	3,500	2,900		
189					3,500	3,300	3,000	2,300		
195						2,800	2,500			
* n *	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%										
ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	429	436	436	436	436	436	436	436	436	436




21.40

	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	CODE > 0238 < L151 0543 .x(x)									
	185	197	44	58	72	86	100	114	128	142
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93			4,400	4,400						
99	5,100		4,400	4,400	4,200	4,200				
105	5,100		4,300	4,300	4,200	4,200				
111	4,900	2,800	4,100	4,200	4,200	4,200	4,100			
117	4,700	2,300	3,900	4,000	4,000	4,100	4,000	4,000	4,000	4,000
123	4,600		3,800	3,900	3,900	4,000	3,900	3,900	3,900	4,000
129	4,500		3,700	3,800	3,800	3,900	3,800	3,800	3,800	3,900
135	4,200		3,700	3,700	3,700	3,800	3,800	3,800	3,700	3,800
141	3,700		3,600	3,700	3,700	3,700	3,700	3,700	3,700	3,700
147	3,100			3,600	3,600	3,600	3,600	3,600	3,600	3,700
153					3,600	3,600	3,600	3,600	3,600	3,600
159					3,600	3,600	3,500	3,500	3,500	3,600
165						3,600	3,500	3,500	3,500	3,500
171						3,600	3,500	3,500	3,500	3,400
177						3,600	3,500	3,500	3,400	2,600
183							3,500	3,500	3,400	
189							3,500	3,500	3,200	
195								3,000	2,700	
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
 ft /s										
	TAB 151	436	436	443	443	443	443	443	443	443



21.40

	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		


T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 79,400 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		



070225

21.40

				ft > < lbs		CODE > 0239 <		L151 0643 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								12,600			
24								12,600	11,700		
27								12,600	11,700	11,200	10,600
30								12,500	11,700	11,200	10,600
33								12,400	11,500	11,200	10,600
36								12,400	11,500	11,000	10,600
39								12,400	11,500	11,000	10,400
45	9,000	8,600	8,600	8,200				11,900	11,400	11,000	10,400
51	9,000	8,600	8,600	8,200	7,500			11,400	11,000	10,700	10,200
57	9,000	8,600	8,600	8,200	7,500	6,600		10,800	10,500	10,400	10,000
63	9,000	8,500	8,500	8,100	7,500	6,600		10,200	10,000	10,000	9,700
69	8,800	8,400	8,400	8,000	7,500	6,600		9,500	9,500	9,500	9,300
75	8,500	8,200	8,200	7,800	7,400	6,600		8,900	9,000	9,100	8,900
81	8,300	7,900	8,000	7,600	7,300	6,600		8,400	8,500	8,600	8,500
87	8,000	7,700	7,700	7,400	7,100	6,500		7,800	8,000	8,200	8,100
93	7,800	7,400	7,500	7,200	6,900	6,400		7,300	7,500	7,700	7,700
99	7,500	7,200	7,200	7,000	6,700	6,200		6,800	7,000	7,300	7,400
105	7,200	6,900	6,600	6,800	6,500	6,000		6,400	6,700	6,900	7,000
111	7,000	6,700	5,500	6,600	5,400	4,800		6,000	6,300	6,500	6,700
117	6,000	6,500	4,400	5,800	4,400	3,800		5,600	5,900	6,200	6,300
123	5,000	6,000	3,400	4,900	3,400			5,200	5,500	5,900	6,000
129	4,100	5,300		4,000				4,800	5,200	5,500	5,700
135	3,300	4,400						4,500	4,900	5,300	5,400
141		3,700						4,200	4,600	5,000	5,200
147								3,900	4,300	4,700	4,900
153								3,700	4,100	4,400	4,700
159								3,400	3,900	4,200	4,500
165									3,600	4,000	4,300
171									3,400	3,800	4,000
177									3,300	3,600	3,800
183										3,400	3,300
189										3,300	2,900
195											2,400
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	428	428	428	428	428	428	428	428	428	428	428



21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0239 <		L151 0643 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,400	
99										4,400	4,200
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123	3,800	3,800	3,800	3,800						3,900	3,900
129	3,800	3,800	3,800	3,800	3,800	3,500	3,500			3,800	3,800
135	3,700	3,800	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
147	3,600	3,700	3,600	3,600	3,600	3,500	3,500	3,300	3,600	3,600	3,600
153	3,600	3,600	3,600	3,500	3,500	3,500	3,500	3,300			3,600
159	3,500	3,500	3,500	3,500	3,500	3,500	3,400	3,300			3,600
165	3,500	3,400	3,500	3,400	3,400	3,400	3,300	3,200			
171	3,400		3,400	3,400		3,400					
177	3,400		3,000	3,400		3,100					
183	3,400		2,300	3,100		2,400					
189	3,200			2,400							
195	2,600										
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	442	442	442	442	442	442	442	442	442	442	442


	T	NZK xx° 118ft					

21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 18 ft	 360°		


21.40


Diagram showing a table with dimensions 29' x 18' and a 360° swivel base. The table is associated with a weight of 83,800 lbs and a canopy labeled NZK xx° 118ft.




070225

21.40

				ft > < lbs		CODE > 0240 <		L151 0743 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	12,600	12,600									
24	12,600	12,600	11,700								
27	12,500	12,600	11,700	11,200	10,600						
30	12,400	12,500	11,700	11,200	10,600	10,100					
33	12,300	12,400	11,500	11,200	10,600	10,100					
36	12,300	12,400	11,500	11,000	10,600	10,100	9,500				
39	12,100	12,400	11,500	11,000	10,400	10,100	9,500	10,100	9,000		
45	11,500	11,900	11,400	11,000	10,400	10,000	9,300	10,000	9,000	9,500	
51	10,900	11,400	11,000	10,700	10,200	9,900	9,100	9,900	9,000	9,300	
57	10,200	10,800	10,500	10,400	10,000	9,800	9,000	9,800	9,000	9,300	
63	9,500	10,200	10,000	10,000	9,700	9,500	9,000	9,700	8,900	9,200	
69	8,900	9,500	9,500	9,500	9,300	9,200	8,900	9,400	8,700	9,000	
75	8,200	8,900	9,000	9,100	8,900	8,800	8,600	9,100	8,400	8,800	
81	7,600	8,400	8,500	8,600	8,500	8,500	8,300	8,800	8,200	8,500	
87	7,100	7,800	8,000	8,200	8,100	8,100	8,000	8,500	7,900	8,200	
93	6,600	7,300	7,500	7,700	7,700	7,800	7,700	8,200	7,600	8,000	
99	6,200	6,800	7,000	7,300	7,400	7,400	7,400	7,800	7,300	7,700	
105	5,700	6,400	6,700	6,900	7,000	7,100	7,100	7,500	7,100	7,400	
111	5,300	6,000	6,300	6,500	6,700	6,800	6,800	7,200	6,800	7,100	
117	4,900	5,600	5,900	6,200	6,300	6,500	6,500	6,900	6,500	6,900	
123	4,500	5,200	5,500	5,900	6,000	6,200	6,200	6,700	6,300	6,200	
129	4,200	4,800	5,200	5,500	5,700	5,900	6,000	6,400	6,000	5,300	
135	3,900	4,500	4,900	5,300	5,400	5,600	5,700	5,900	5,800	4,400	
141	3,600	4,200	4,600	5,000	5,200	5,400	5,500	5,100	5,600	3,500	
147	3,400	3,900	4,300	4,700	4,900	5,100	5,300	4,300	5,300		
153		3,700	4,100	4,400	4,700	4,900	5,000	3,600	5,100		
159		3,400	3,900	4,200	4,500	4,700	4,800		4,900		
165			3,600	4,000	4,300	4,500	4,600		4,400		
171			3,400	3,800	4,000	4,400	4,400		3,800		
177			3,300	3,600	3,900	4,200	4,200		3,200		
183				3,400	3,700	4,000	3,600		2,700		
189				3,300	3,600	3,800	3,100		2,200		
195					3,400	3,400	2,600				
207					3,100	2,600					
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		427	427	427	427	427	427	427	427	427	427







070225

21.40

		ft > < lbs		CODE > 0240 <							L151 0743 .x(x)	
ft		157	157	171	171	185	197	58	72	86	100	
21								12,600				
24								12,600	11,700			
27								12,600	11,700	11,200	10,600	
30								12,500	11,700	11,200	10,600	
33								12,400	11,500	11,200	10,600	
36								12,400	11,500	11,000	10,600	
39								12,400	11,500	11,000	10,400	
45	9,000	8,600	8,600	8,200				11,900	11,400	11,000	10,400	
51	9,000	8,600	8,600	8,200	7,500			11,400	11,000	10,700	10,200	
57	9,000	8,600	8,600	8,200	7,500	6,600		10,800	10,500	10,400	10,000	
63	9,000	8,500	8,500	8,100	7,500	6,600		10,200	10,000	10,000	9,700	
69	8,800	8,400	8,400	8,000	7,500	6,600		9,500	9,500	9,500	9,300	
75	8,500	8,200	8,200	7,800	7,400	6,600		8,900	9,000	9,100	8,900	
81	8,300	7,900	8,000	7,600	7,300	6,600		8,400	8,500	8,600	8,500	
87	8,000	7,700	7,700	7,400	7,100	6,500		7,800	8,000	8,200	8,100	
93	7,800	7,400	7,500	7,200	6,900	6,400		7,300	7,500	7,700	7,700	
99	7,500	7,200	7,300	7,000	6,700	6,300		6,800	7,000	7,300	7,400	
105	7,200	6,900	7,000	6,800	6,500	6,100		6,400	6,700	6,900	7,000	
111	7,000	6,700	6,800	6,600	6,300	5,900		6,000	6,300	6,500	6,700	
117	6,700	6,500	6,600	6,400	6,100	5,700		5,600	5,900	6,200	6,300	
123	6,500	6,200	5,900	6,100	5,800	5,300		5,200	5,500	5,900	6,000	
129	6,200	6,000	5,000	5,900	5,000	4,500		4,800	5,200	5,500	5,700	
135	5,600	5,800	4,100	5,500	4,100	3,600		4,500	4,900	5,300	5,400	
141	4,800	5,600	3,300	4,700	3,300			4,200	4,600	5,000	5,200	
147	4,000	5,200		3,900				3,900	4,300	4,700	4,900	
153	3,300	4,500		3,200				3,700	4,100	4,400	4,700	
159		3,800						3,400	3,900	4,200	4,500	
165		3,100							3,600	4,000	4,300	
171									3,400	3,800	4,000	
177									3,300	3,600	3,900	
183										3,400	3,700	
189										3,300	3,600	
195											3,400	
207											2,900	
* n *		1	1	1	1	1	1	1	1	1	1	
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+	
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+	
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-	
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+	
%												
ft /s		23	23	23	23	23	23	23	23	23	23	
TAB 151		427	427	427	427	427	427	427	427	427	427	







070225

21.40


		ft > < lbs		CODE > 0240 < L151 0743 .x(x)							
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	10,100										
33	10,100										
36	10,100	9,500									
39	10,100	9,500	9,000				10,100				
45	10,000	9,300	9,000	8,600	8,200	10,000	9,500	9,000	8,600		
51	9,900	9,100	9,000	8,600	8,200	9,900	9,300	9,000	8,600	7,500	
57	9,800	9,000	9,000	8,600	8,200	9,800	9,300	9,000	8,600	7,500	
63	9,500	9,000	8,900	8,500	8,100	9,700	9,200	9,000	8,500	7,500	
69	9,200	8,900	8,700	8,400	8,000	9,400	9,000	8,800	8,400	7,500	
75	8,800	8,600	8,400	8,200	7,800	9,100	8,800	8,500	8,200	7,400	
81	8,500	8,300	8,200	7,900	7,600	8,800	8,500	8,300	8,000	7,300	
87	8,100	8,000	7,900	7,700	7,400	8,500	8,100	8,000	7,700	7,100	
93	7,800	7,700	7,600	7,400	7,200	8,200	7,500	7,800	7,100	6,800	
99	7,400	7,400	7,300	7,200	7,000	7,800	6,700	7,500	6,400	6,200	
105	7,100	7,100	7,100	6,900	6,800	7,500	6,000	7,200	5,700	5,500	
111	6,800	6,800	6,800	6,700	6,600	7,200	5,400	7,000	5,000	4,800	
117	6,500	6,500	6,500	6,500	6,400	6,900	4,800	6,700	4,400	4,200	
123	6,200	6,200	6,300	6,200	6,100	6,700	4,300	6,500	3,900	3,700	
129	5,900	6,000	6,000	5,800	5,900	6,400	3,800	6,200	3,300	3,200	
135	5,600	5,700	5,800	5,300	5,500	5,900	3,300	5,600		2,700	
141	5,400	5,500	5,600	4,800	4,700	5,100		4,800			
147	5,100	5,300	5,300	4,400	3,900	4,300		4,000			
153	4,900	5,000	5,100	4,000	3,200	3,600		3,300			
159	4,700	4,800	4,900	3,600							
165	4,500	4,600	4,400	3,100							
171	4,400	4,400	3,800								
177	4,200	4,200	3,200								
183	4,000	3,600	2,700								
189	3,800	3,100	2,200								
195	3,400	2,600									
207	2,600										
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		427	427	427	427	427	427	427	427	427	427







070225

21.40

				ft > < lbs		CODE > 0240 <		L151 0743 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	6,600										
63	6,500	7,600									
69	5,800	7,300	7,300	7,200							
75	4,800	6,800	7,100	7,000	6,600	6,700					
81	3,900	6,300	6,600	6,600	6,500	6,500	6,200	6,200	6,400		
87	3,100	5,900	6,200	6,200	6,300	6,200	6,100	6,100	6,300	5,700	
93		5,600	5,900	5,900	5,900	5,900	5,900	5,800	6,100	5,700	
99		5,200	5,600	5,600	5,600	5,600	5,600	5,600	5,800	5,500	
105		4,900	5,200	5,300	5,400	5,400	5,400	5,400	5,600	5,300	
111		4,600	4,900	5,000	5,100	5,100	5,200	5,200	5,400	5,100	
117		4,400	4,700	4,800	4,900	4,900	5,000	4,900	5,200	4,900	
123		4,200	4,500	4,600	4,700	4,700	4,800	4,800	5,000	4,700	
129		4,000	4,300	4,400	4,500	4,500	4,600	4,600	4,800	4,600	
135		3,900	4,100	4,200	4,300	4,400	4,400	4,500	4,700	4,500	
141		3,700	4,000	4,100	4,200	4,300	4,300	4,300	4,500	4,400	
147		3,700	3,800	3,900	4,100	4,100	4,200	4,200	4,400	4,200	
153			3,700	3,800	3,900	4,000	4,100	4,100	4,200	4,100	
159			3,700	3,700	3,800	3,900	3,900	4,000	4,100	4,000	
165				3,700	3,700	3,800	3,900	3,900	4,000	3,900	
171				3,600	3,600	3,700	3,800	3,800	3,900	3,800	
177				3,600	3,600	3,600	3,700	3,700	3,200	3,800	
183					3,600	3,600	3,600	3,600	2,600	3,700	
189					3,500	3,500	3,600	3,600		3,600	
195						3,500	3,500	3,500		3,200	
207							3,200	2,700			
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		427	434	434	434	434	434	434	434	434	434






070225


21.40

				ft > < lbs		CODE > 0240 < L151 0743 .x(x)						
ft		157	157	157	171	171	185	197	58	72	86	
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69									7,300	7,200		
75									7,100	7,000	6,600	
81									6,600	6,600	6,500	
87		6,000	5,700	5,500					6,200	6,200	6,300	
93		5,900	5,700	5,500	5,500	5,300			5,900	5,900	5,900	
99		5,700	5,500	5,300	5,500	5,300	5,100		5,600	5,600	5,600	
105		5,500	5,300	5,100	5,300	5,100	5,100		5,200	5,300	5,400	
111		5,300	5,100	4,900	5,100	4,900	4,900	4,600	4,900	5,000	5,100	
117		5,100	5,000	4,900	4,900	4,800	4,700	4,500	4,700	4,800	4,900	
123		4,900	4,900	4,700	4,800	4,700	4,600	4,400	4,500	4,600	4,700	
129		4,800	4,700	4,600	4,700	4,600	4,500	4,400	4,300	4,400	4,500	
135		4,600	4,600	4,500	4,500	4,400	4,400	4,300	4,100	4,200	4,300	
141		4,500	4,400	4,300	4,400	4,300	4,300	4,200	4,000	4,100	4,200	
147		4,400	4,300	4,200	4,300	4,200	4,200	4,100	3,800	3,900	4,100	
153		4,200	4,200	4,100	4,200	4,100	4,100	4,000	3,700	3,800	3,900	
159		4,000	4,100	4,000	3,900	4,000	3,900	3,700	3,700	3,700	3,800	
165		3,500	4,000	3,900	3,300	3,900	3,300			3,700	3,700	
171			3,800	3,800		3,800				3,600	3,600	
177			3,000	3,800		3,100				3,600	3,600	
183			2,400	3,400		2,400					3,600	
189				2,800							3,500	
195												
207												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
 %		1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
		2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
		5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
 ft /s		23	23	23	23	23	23	23	23	23	23	
		TAB 151	434	434	434	434	434	434	434	434	434	434



21.40






	T	NZK xx° 118ft	 101,400 lbs	 29 x 18 ft	 360°		




070225

21.40


				ft > < lbs		CODE > 0240 <		L151 0743 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,400	4,400						
99	5,100			4,400	4,400	4,200	4,200				
105	5,100			4,300	4,300	4,200	4,200				
111	4,900	2,800		4,100	4,200	4,200	4,200	4,100			
117	4,700	2,300		3,900	4,000	4,000	4,100	4,000	4,000	4,000	4,000
123	4,600			3,800	3,900	3,900	4,000	3,900	3,900	3,900	4,000
129	4,500			3,700	3,800	3,800	3,900	3,800	3,800	3,800	3,900
135	4,200			3,700	3,700	3,700	3,800	3,800	3,800	3,700	3,800
141	3,800			3,600	3,700	3,700	3,700	3,700	3,700	3,700	3,700
147	3,300				3,600	3,600	3,600	3,600	3,600	3,600	3,700
153	2,800					3,600	3,600	3,600	3,600	3,600	3,600
159						3,600	3,600	3,500	3,500	3,500	3,600
165							3,600	3,500	3,500	3,500	3,500
171							3,600	3,500	3,500	3,500	3,500
177							3,600	3,500	3,500	3,400	3,400
183								3,500	3,500	3,400	3,400
189								3,500	3,500	3,400	3,300
195									3,500	3,400	2,700
207										3,100	
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		434	434	441	441	441	441	441	441	441	441







070225

21.40

				ft > < lbs		CODE > 0240 <		L151 0743 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,400	
99										4,400	4,200
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123	3,800	3,800	3,800	3,800						3,900	3,900
129	3,800	3,800	3,800	3,800	3,800	3,500	3,500			3,800	3,800
135	3,700	3,800	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
147	3,600	3,700	3,600	3,600	3,600	3,500	3,500	3,300	3,600	3,600	3,600
153	3,600	3,600	3,600	3,500	3,500	3,500	3,500	3,300			3,600
159	3,500	3,500	3,500	3,500	3,500	3,500	3,400	3,300			3,600
165	3,500	3,500	3,500	3,400	3,400	3,400	3,400	3,300			
171	3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,300			
177	3,400	3,400	3,400	3,400	3,400	3,400	3,300	3,200			
183	3,400	3,100	3,400	3,400	3,100	3,300	3,200	2,900			
189	3,400	2,400	3,200	3,400	2,400	3,300	2,500				
195	3,400		2,600	3,300		2,800					
207	3,000										
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	441	441	441	441	441	441	441	441	441	441











070225

21.40


				ft > < lbs		CODE > 0240 <		L151 0743 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,200										
105	4,200										
111	4,200	4,100									
117	4,100	4,000	4,000	4,000					4,000		
123	4,000	3,900	3,900	3,900	3,800	3,800			4,000	3,800	3,800
129	3,900	3,800	3,800	3,800	3,800	3,800	3,500	3,900	3,800	3,800	3,800
135	3,800	3,800	3,800	3,700	3,700	3,700	3,500	3,800	3,800	3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,700	3,500	3,700	3,700	3,700	3,700
147	3,600	3,600	3,600	3,600	3,600	3,600	3,500	3,700	3,700	3,600	3,600
153	3,600	3,600	3,600	3,600	3,600	3,500	3,500	3,600	3,600	3,600	3,600
159	3,600	3,500	3,500	3,500	3,500	3,500	3,500	3,600	3,500	3,500	3,500
165	3,600	3,500	3,500	3,500	3,500	3,400	3,400	3,500	3,300	3,500	3,500
171	3,600	3,500	3,500	3,500	3,400	3,400	3,400	3,500	2,900	3,400	3,400
177	3,600	3,500	3,500	3,400	3,400	3,400	3,400	3,400	2,400	3,400	3,400
183		3,500	3,500	3,400	3,400	3,400	3,300	3,400		3,400	3,400
189		3,500	3,500	3,400	3,400	3,100	3,300	3,300		3,200	3,200
195			3,500	3,400	3,400	2,800	2,800	2,700		2,600	2,600
207				3,100	3,000						
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
		1	0+	0+	0+	0+	0+	46-	46-	92-	46-
		2	0+	0+	0+	0+	46-	92-	92+	92+	92+
		3	0+	0+	46-	92-	92+	92+	92+	92+	92+
		4	46-	92-	92+	92+	92+	92+	46+	46+	92+
		5	92+	92+	92+	92+	92+	92+	46+	46+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		441	441	441	441	441	441	441	441	441	441











070225

21.40


 ft	 ft > < lbs		CODE > 0240 < L151 0743 .x(x)							
	171	185								
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	3,800	3,500								
135	3,700	3,500								
141	3,700	3,500								
147	3,600	3,500								
153	3,500	3,500								
159	3,400	3,400								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
* n *	1	1								
xx	45.0	45.0								
 %	1	92-	92-							
	2	92+	92-							
	3	92+	92-							
	4	92+	92-							
	5	46+	92-							
 ft /s	23	23								
	TAB 151	441	441							







070225

21.40

				ft > < lbs		CODE > 0241 <		L151 0843 .x(x)																														
		44	58	72	86	100	114	128	142	142	157																											
ft		21	24	27	30	33	36	39	45	51	57	63	69	75	81	87	93	99	105	111	117	123	129	135	141	147	153	159	165	171	177	183	189	195	207			
		12,600	12,600	12,600	12,400	12,300	12,300	12,100	11,500	10,900	10,200	9,500	8,900	8,200	7,600	7,100	6,600	6,200	5,700	5,300	4,900	4,500	4,200	3,900	3,600	3,400	3,400											
		12,600	12,600	12,600	12,500	12,400	12,400	12,400	11,900	11,400	10,800	10,200	9,500	8,900	8,400	7,800	7,300	6,800	6,400	6,000	5,600	5,200	4,800	4,500	4,200	3,900	3,700	3,700	3,400	3,600	3,400	3,800	3,400	3,400	3,400	3,400		
				11,700	11,700	11,500	11,500	11,000	11,400	11,000	10,500	9,700	9,000	8,500	8,000	7,500	7,000	6,800	6,700	6,500	6,300	6,000	5,900	5,700	5,500	5,300	5,000	4,900	4,700	4,500	4,000	3,600	3,300	3,300	3,300	3,300		
					11,200	11,200	11,000	10,400	10,400	10,200	10,000	9,500	8,900	8,300	7,800	7,400	7,000	6,900	6,700	6,500	6,200	6,000	5,900	5,700	5,400	5,200	4,900	4,700	4,500	4,300	4,000	3,700	3,600	3,600	3,600	3,600		
					10,600	10,600	10,600	10,100	10,000	9,900	9,800	9,000	8,900	8,500	8,300	7,800	7,700	7,400	7,100	6,800	6,500	6,200	6,000	5,900	5,600	5,400	5,100	4,900	4,700	4,500	4,400	4,200	4,000	3,800	3,800	3,800		
					10,100	10,100	9,500	9,500	9,300	9,100	9,000	9,000	8,900	8,600	8,300	7,700	7,700	7,400	7,100	6,800	6,500	6,200	6,000	5,900	5,700	5,500	5,300	5,000	4,800	4,600	4,400	4,300	4,000	3,800	3,800	3,800		
								10,100	10,000	9,900	9,800	9,700	9,400	9,100	8,800	8,200	8,200	7,800	7,500	7,200	6,900	6,700	6,400	6,100	5,800	5,600	5,300	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800	
								9,500	9,300	9,100	9,000	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,600	5,300	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800	3,800	
									9,000	9,000	9,000	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,600	5,300	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800	3,800	
									9,000	9,000	9,000	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,600	5,300	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800	3,800	
									9,300	9,300	9,300	9,200	9,000	8,700	8,500	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800
									9,500	9,500	9,500	9,400	9,200	8,900	8,700	8,400	8,200	7,900	7,600	7,300	7,100	6,800	6,500	6,300	6,000	5,800	5,500	5,200	5,000	4,800	4,700	4,600	4,400	4,300	4,000	3,800	3,800	3,800











070225

21.40

		ft > < lbs		CODE > 0241 < L151 0843 .x(x)							
ft		157	157	171	171	185	197	58	72	86	100
21								12,600			
24								12,600	11,700		
27								12,600	11,700	11,200	10,600
30								12,500	11,700	11,200	10,600
33								12,400	11,500	11,200	10,600
36								12,400	11,500	11,000	10,600
39								12,400	11,500	11,000	10,400
45	9,000	8,600	8,600	8,200				11,900	11,400	11,000	10,400
51	9,000	8,600	8,600	8,200	7,500			11,400	11,000	10,700	10,200
57	9,000	8,600	8,600	8,200	7,500	6,600		10,800	10,500	10,400	10,000
63	9,000	8,500	8,500	8,100	7,500	6,600		10,200	10,000	10,000	9,700
69	8,800	8,400	8,400	8,000	7,500	6,600		9,500	9,500	9,500	9,300
75	8,500	8,200	8,200	7,800	7,400	6,600		8,900	9,000	9,100	8,900
81	8,300	7,900	8,000	7,600	7,300	6,600		8,400	8,500	8,600	8,500
87	8,000	7,700	7,700	7,400	7,100	6,500		7,800	8,000	8,200	8,100
93	7,800	7,400	7,500	7,200	6,900	6,400		7,300	7,500	7,700	7,700
99	7,500	7,200	7,300	7,000	6,700	6,300		6,800	7,000	7,300	7,400
105	7,200	6,900	7,000	6,800	6,500	6,100		6,400	6,700	6,900	7,000
111	7,000	6,700	6,800	6,600	6,300	5,900		6,000	6,300	6,500	6,700
117	6,700	6,500	6,600	6,400	6,100	5,700		5,600	5,900	6,200	6,300
123	6,500	6,200	6,400	6,100	6,000	5,600		5,200	5,500	5,900	6,000
129	6,200	6,000	5,600	5,900	5,500	5,000		4,800	5,200	5,500	5,700
135	6,000	5,800	4,700	5,700	4,700	4,100		4,500	4,900	5,300	5,400
141	5,400	5,600	3,800	5,200	3,800	3,300		4,200	4,600	5,000	5,200
147	4,600	5,400		4,500				3,900	4,300	4,700	4,900
153	3,800	5,000		3,700				3,700	4,100	4,400	4,700
159	3,100	4,300		3,000				3,400	3,900	4,200	4,500
165		3,600							3,600	4,000	4,300
171		3,000							3,400	3,800	4,000
177		2,400							3,300	3,600	3,900
183										3,400	3,700
189										3,300	3,600
195											3,400
207											2,900
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		426	426	426	426	426	426	426	426	426	426











070225

21.40

		ft > < lbs		CODE > 0241 < L151 0843 .x(x)							
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	10,100										
33	10,100										
36	10,100	9,500									
39	10,100	9,500	9,000				10,100				
45	10,000	9,300	9,000	8,600	8,200	10,000	9,500	9,000	8,600		
51	9,900	9,100	9,000	8,600	8,200	9,900	9,300	9,000	8,600	7,500	
57	9,800	9,000	9,000	8,600	8,200	9,800	9,300	9,000	8,600	7,500	
63	9,500	9,000	8,900	8,500	8,100	9,700	9,200	9,000	8,500	7,500	
69	9,200	8,900	8,700	8,400	8,000	9,400	9,000	8,800	8,400	7,500	
75	8,800	8,600	8,400	8,200	7,800	9,100	8,800	8,500	8,200	7,400	
81	8,500	8,300	8,200	7,900	7,600	8,800	8,500	8,300	8,000	7,300	
87	8,100	8,000	7,900	7,700	7,400	8,500	8,100	8,000	7,700	7,100	
93	7,800	7,700	7,600	7,400	7,200	8,200	7,500	7,800	7,100	6,800	
99	7,400	7,400	7,300	7,200	7,000	7,800	6,700	7,500	6,400	6,200	
105	7,100	7,100	7,100	6,900	6,800	7,500	6,000	7,200	5,700	5,500	
111	6,800	6,800	6,800	6,700	6,600	7,200	5,400	7,000	5,000	4,800	
117	6,500	6,500	6,500	6,500	6,400	6,900	4,800	6,700	4,400	4,200	
123	6,200	6,200	6,300	6,200	6,100	6,700	4,300	6,500	3,900	3,700	
129	5,900	6,000	6,000	5,800	5,900	6,400	3,800	6,200	3,300	3,200	
135	5,600	5,700	5,800	5,300	5,700	6,100	3,300	6,000		2,700	
141	5,400	5,500	5,600	4,800	5,200	5,600		5,400			
147	5,100	5,300	5,300	4,400	4,500	4,900		4,600			
153	4,900	5,000	5,100	4,000	3,700	4,100		3,800			
159	4,700	4,800	5,000	3,600	3,000	3,400		3,100			
165	4,500	4,600	4,700	3,300							
171	4,400	4,400	4,300	2,900							
177	4,200	4,300	3,700	2,400							
183	4,000	3,900	3,200								
189	3,800	3,300	2,700								
195	3,700	2,700									
207	2,900										
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
%											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		426	426	426	426	426	426	426	426	426	426







070225

21.40

				ft > < lbs		CODE > 0241 <		L151 0843 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57		6,600									
63		6,500	7,600								
69		5,800	7,300	7,300	7,200						
75		4,800	6,800	7,100	7,000	6,600	6,700				
81		3,900	6,300	6,600	6,600	6,500	6,500	6,200	6,200	6,400	
87		3,100	5,900	6,200	6,200	6,300	6,200	6,100	6,100	6,300	5,700
93			5,600	5,900	5,900	5,900	5,900	5,900	5,800	6,100	5,700
99			5,200	5,600	5,600	5,600	5,600	5,600	5,600	5,800	5,500
105			4,900	5,200	5,300	5,400	5,400	5,400	5,400	5,600	5,300
111			4,600	4,900	5,000	5,100	5,100	5,200	5,200	5,400	5,100
117			4,400	4,700	4,800	4,900	4,900	5,000	4,900	5,200	4,900
123			4,200	4,500	4,600	4,700	4,700	4,800	4,800	5,000	4,700
129			4,000	4,300	4,400	4,500	4,500	4,600	4,600	4,800	4,600
135			3,900	4,100	4,200	4,300	4,400	4,400	4,500	4,700	4,500
141			3,700	4,000	4,100	4,200	4,300	4,300	4,300	4,500	4,400
147			3,700	3,800	3,900	4,100	4,100	4,200	4,200	4,400	4,200
153				3,700	3,800	3,900	4,000	4,100	4,100	4,200	4,100
159				3,700	3,700	3,800	3,900	3,900	4,000	4,100	4,000
165					3,700	3,700	3,800	3,900	3,900	4,000	3,900
171					3,600	3,600	3,700	3,800	3,800	3,900	3,800
177					3,600	3,600	3,600	3,700	3,700	3,700	3,800
183						3,600	3,600	3,600	3,600	3,000	3,700
189						3,500	3,500	3,600	3,600	2,400	3,600
195							3,500	3,500	3,500		3,500
207								3,400	3,100		2,600
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		426	433	433	433	433	433	433	433	433	433







070225

21.40

				ft > < lbs		CODE > 0241 <					L151 0843 .x(x)	
ft		157	157	157	171	171	185	197	58	72	86	
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69									7,300	7,200		
75									7,100	7,000	6,600	
81									6,600	6,600	6,500	
87	6,000	5,700	5,500						6,200	6,200	6,300	
93	5,900	5,700	5,500	5,500	5,300				5,900	5,900	5,900	
99	5,700	5,500	5,300	5,500	5,300	5,100			5,600	5,600	5,600	
105	5,500	5,300	5,100	5,300	5,100	5,100			5,200	5,300	5,400	
111	5,300	5,100	4,900	5,100	4,900	4,900	4,600	4,900	5,000	5,100		
117	5,100	5,000	4,900	4,900	4,800	4,700	4,500	4,700	4,800	4,900		
123	4,900	4,900	4,700	4,800	4,700	4,600	4,400	4,500	4,600	4,700		
129	4,800	4,700	4,600	4,700	4,600	4,500	4,400	4,300	4,400	4,500		
135	4,600	4,600	4,500	4,500	4,400	4,400	4,300	4,100	4,200	4,300		
141	4,500	4,400	4,300	4,400	4,300	4,300	4,200	4,000	4,100	4,200		
147	4,400	4,300	4,200	4,300	4,200	4,200	4,100	3,800	3,900	4,100		
153	4,200	4,200	4,100	4,200	4,100	4,100	4,000	3,700	3,800	3,900		
159	4,100	4,100	4,000	4,100	4,000	4,000	3,800	3,700	3,700	3,800		
165	3,900	4,000	3,900	3,800	3,900	3,800	3,400		3,700	3,700		
171	3,200	3,900	3,800	3,000	3,800	3,100			3,600	3,600		
177	2,400	3,500	3,800	2,300	3,500	2,400			3,600	3,600		
183		2,800	3,700		2,900					3,600		
189			3,200		2,300					3,500		
195			2,600									
207												
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
		1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
		2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
		4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
		5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
		%										
		ft /s	23	23	23	23	23	23	23	23	23	
TAB 151			433	433	433	433	433	433	433	433	433	







070225

21.40

				ft > < lbs		CODE > 0241 <					L151 0843 .x(x)	
ft		100	114	128	142	157	171	142	157	157	171	
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75	6,700											
81	6,500	6,200	6,200					6,400				
87	6,200	6,100	6,100	5,700	5,500			6,300	6,000	5,700		
93	5,900	5,900	5,800	5,700	5,500	5,300		6,100	5,900	5,700	5,500	
99	5,600	5,600	5,600	5,500	5,300	5,300		5,800	5,700	5,500	5,500	
105	5,400	5,400	5,400	5,300	5,100	5,100		5,600	5,500	5,300	5,300	
111	5,100	5,200	5,200	5,100	4,900	4,900		5,400	5,300	5,100	5,100	
117	4,900	5,000	4,900	4,900	4,900	4,800		5,200	5,100	5,000	4,900	
123	4,700	4,800	4,800	4,700	4,700	4,700		5,000	4,900	4,900	4,800	
129	4,500	4,600	4,600	4,600	4,600	4,600		4,800	4,800	4,700	4,700	
135	4,400	4,400	4,500	4,500	4,500	4,400		4,700	4,500	4,600	4,300	
141	4,300	4,300	4,300	4,400	4,300	4,300		4,500	4,200	4,400	3,900	
147	4,100	4,200	4,200	4,200	4,200	4,200		4,400	3,700	4,300	3,400	
153	4,000	4,100	4,100	4,100	4,100	4,100		4,200	3,200	4,200	2,900	
159	3,900	3,900	4,000	4,000	4,000	4,000		4,100	2,800	4,100		
165	3,800	3,900	3,900	3,900	3,900	3,900		4,000		4,000		
171	3,700	3,800	3,800	3,800	3,700	3,800		3,900		3,900		
177	3,600	3,700	3,700	3,800	3,300	3,500		3,700		3,500		
183	3,600	3,600	3,600	3,700	3,000	2,900		3,000		2,800		
189	3,500	3,600	3,600	3,600	2,700	2,300		2,400				
195	3,500	3,500	3,500	3,500	2,400							
207		3,400	2,700	2,600								
* n *		1	1	1	1	1	1	1	1	1	1	
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
	1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	
		23	23	23	23	23	23	23	23	23	23	
TAB 151		433	433	433	433	433	433	433	433	433	433	











070225

21.40

				ft > < lbs		CODE > 0241 <		L151 0843 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,400	4,400						
99	5,100			4,400	4,400	4,200	4,200				
105	5,100			4,300	4,300	4,200	4,200				
111	4,900	2,800		4,100	4,200	4,200	4,200	4,100			
117	4,700	2,300		3,900	4,000	4,000	4,100	4,000	4,000	4,000	4,000
123	4,600			3,800	3,900	3,900	4,000	3,900	3,900	3,900	4,000
129	4,500			3,700	3,800	3,800	3,900	3,800	3,800	3,800	3,900
135	4,200			3,700	3,700	3,700	3,800	3,800	3,800	3,700	3,800
141	3,800			3,600	3,700	3,700	3,700	3,700	3,700	3,700	3,700
147	3,300				3,600	3,600	3,600	3,600	3,600	3,600	3,700
153	2,800					3,600	3,600	3,600	3,600	3,600	3,600
159						3,600	3,600	3,500	3,500	3,500	3,600
165							3,600	3,500	3,500	3,500	3,500
171							3,600	3,500	3,500	3,500	3,500
177							3,600	3,500	3,500	3,400	3,400
183								3,500	3,500	3,400	3,400
189								3,500	3,500	3,400	3,400
195									3,500	3,400	3,000
207										3,300	
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
		1	92-	100-	0+	0+	0+	0+	0+	0+	46+
		2	92-	100-	0+	0+	0+	0+	0+	0+	92+
		3	92-	100-	0+	0+	0+	0+	46+	92+	92+
		4	92-	100-	0+	0+	0+	46+	92+	92+	46+
		5	92-	100-	0+	46+	92+	92+	92+	92+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		433	433	440	440	440	440	440	440	440	440







070225

21.40

				ft > < lbs		CODE > 0241 <		L151 0843 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,400	
99										4,400	4,200
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123	3,800	3,800	3,800	3,800						3,900	3,900
129	3,800	3,800	3,800	3,800	3,800	3,500	3,500			3,800	3,800
135	3,700	3,800	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
147	3,600	3,700	3,600	3,600	3,600	3,500	3,500	3,300	3,600	3,600	3,600
153	3,600	3,600	3,600	3,500	3,500	3,500	3,500	3,300			3,600
159	3,500	3,500	3,500	3,500	3,500	3,500	3,400	3,300			3,600
165	3,500	3,500	3,500	3,400	3,400	3,400	3,400	3,300			
171	3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,300			
177	3,400	3,400	3,400	3,400	3,400	3,400	3,300	3,200			
183	3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,200			
189	3,400	2,800	3,400	3,400	2,800	3,300	2,900	2,700			
195	3,400		3,000	3,400		3,100					
207	3,200			2,600							
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
	TAB 151	440	440	440	440	440	440	440	440	440	440










070225

21.40

				ft > < lbs		CODE > 0241 <		L151 0843 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63										
	69										
	75										
	81										
	87										
	93										
99	4,200										
105	4,200										
111	4,200	4,100									
117	4,100	4,000	4,000	4,000					4,000		
123	4,000	3,900	3,900	3,900	3,800	3,800			4,000	3,800	3,800
129	3,900	3,800	3,800	3,800	3,800	3,800	3,500		3,900	3,800	3,800
135	3,800	3,800	3,800	3,700	3,700	3,700	3,500	3,800	3,800	3,800	3,700
141	3,700	3,700	3,700	3,700	3,700	3,700	3,500	3,700	3,700	3,700	3,700
147	3,600	3,600	3,600	3,600	3,600	3,600	3,500	3,700	3,700	3,700	3,600
153	3,600	3,600	3,600	3,600	3,600	3,500	3,500	3,600	3,600	3,600	3,600
159	3,600	3,500	3,500	3,500	3,500	3,500	3,500	3,600	3,500	3,500	3,500
165	3,600	3,500	3,500	3,500	3,500	3,400	3,400	3,500	3,300	3,500	3,500
171	3,600	3,500	3,500	3,500	3,400	3,400	3,400	3,500	2,900	3,400	3,400
177	3,600	3,500	3,500	3,400	3,400	3,400	3,400	3,400	2,400	3,400	3,400
183		3,500	3,500	3,400	3,400	3,400	3,300	3,400			3,400
189		3,500	3,500	3,400	3,400	3,100	3,300	3,400			3,400
195			3,500	3,400	3,400	2,800	3,100	3,000			3,000
207				3,100	3,200						
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
	2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
	3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
	4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
	5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		440	440	440	440	440	440	440	440	440	440





T	NZK xx° 118ft

070225

21.40

		ft	>	<	lbs	CODE > 0241 < L151 0843 .x(x)				
ft	171	185								
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	3,800	3,500								
135	3,700	3,500								
141	3,700	3,500								
147	3,600	3,500								
153	3,500	3,500								
159	3,400	3,400								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
* n *	1	1								
xx	45.0	45.0								
1	92-	92-								
2	92+	92-								
3	92+	92-								
4	92+	92-								
5	46+	92-								
%										
	ft /s	23	23							
TAB 151	440	440								


	T	NZK xx° 118ft	 105,800 lbs	 29 x 18 ft	 360°		




070225

21.40

				ft > < lbs		CODE > 0242 <		L151 0943 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
24	12,600	12,600	11,700								
27	12,500	12,600	11,700	11,200	10,600						
30	12,400	12,500	11,700	11,200	10,600	10,100					
33	12,300	12,400	11,500	11,200	10,600	10,100					
36	12,300	12,400	11,500	11,000	10,600	10,100	9,500				
39	12,100	12,400	11,500	11,000	10,400	10,100	9,500	10,100	9,000		
45	11,500	11,900	11,400	11,000	10,400	10,000	9,300	10,000	9,000	9,500	
51	10,900	11,400	11,000	10,700	10,200	9,900	9,100	9,900	9,000	9,300	
57	10,200	10,800	10,500	10,400	10,000	9,800	9,000	9,800	9,000	9,300	
63	9,500	10,200	10,000	10,000	9,700	9,500	9,000	9,700	8,900	9,200	
69	8,900	9,500	9,500	9,500	9,300	9,200	8,900	9,400	8,700	9,000	
75	8,200	8,900	9,000	9,100	8,900	8,800	8,600	9,100	8,400	8,800	
81	7,600	8,400	8,500	8,600	8,500	8,500	8,300	8,800	8,200	8,500	
87	7,100	7,800	8,000	8,200	8,100	8,100	8,000	8,500	7,900	8,200	
93	6,600	7,300	7,500	7,700	7,700	7,800	7,700	8,200	7,600	8,000	
99	6,200	6,800	7,000	7,300	7,400	7,400	7,400	7,800	7,300	7,700	
105	5,700	6,400	6,700	6,900	7,000	7,100	7,100	7,500	7,100	7,400	
111	5,300	6,000	6,300	6,500	6,700	6,800	6,800	7,200	6,800	7,100	
117	4,900	5,600	5,900	6,200	6,300	6,500	6,500	6,900	6,500	6,900	
123	4,500	5,200	5,500	5,900	6,000	6,200	6,200	6,700	6,300	6,600	
129	4,200	4,800	5,200	5,500	5,700	5,900	6,000	6,400	6,000	6,400	
135	3,900	4,500	4,900	5,300	5,400	5,600	5,700	6,100	5,800	6,100	
141	3,600	4,200	4,600	5,000	5,200	5,400	5,500	5,900	5,600	5,900	
147	3,400	3,900	4,300	4,700	4,900	5,100	5,300	5,600	5,300	5,700	
153		3,700	4,100	4,400	4,700	4,900	5,000	5,400	5,100	5,200	
159		3,400	3,900	4,200	4,500	4,700	4,800	5,200	5,000	4,400	
165			3,600	4,000	4,300	4,500	4,600	5,000	4,800	3,700	
171			3,400	3,800	4,000	4,400	4,400	4,600	4,600	3,000	
177			3,300	3,600	3,900	4,200	4,300	4,000	4,400	2,400	
183				3,400	3,700	4,000	4,200	3,400	4,300		
189				3,300	3,600	3,800	4,000	2,800	4,100		
195					3,400	3,700	3,900	2,300	4,000		
207					3,200	3,400	3,600		3,200		
219							3,000				
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1		0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
2		0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
3		0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4		0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
5		0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		425	425	425	425	425	425	425	425	425	425










070225


21.40

				ft > < lbs		CODE > 0242 <		L151 0943 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
24								12,600	11,700		
27								12,600	11,700	11,200	10,600
30								12,500	11,700	11,200	10,600
33								12,400	11,500	11,200	10,600
36								12,400	11,500	11,000	10,600
39								12,400	11,500	11,000	10,400
45	9,000	8,600	8,600	8,200				11,900	11,400	11,000	10,400
51	9,000	8,600	8,600	8,200	7,500			11,400	11,000	10,700	10,200
57	9,000	8,600	8,600	8,200	7,500	6,600		10,800	10,500	10,400	10,000
63	9,000	8,500	8,500	8,100	7,500	6,600		10,200	10,000	10,000	9,700
69	8,800	8,400	8,400	8,000	7,500	6,600		9,500	9,500	9,500	9,300
75	8,500	8,200	8,200	7,800	7,400	6,600		8,900	9,000	9,100	8,900
81	8,300	7,900	8,000	7,600	7,300	6,600		8,400	8,500	8,600	8,500
87	8,000	7,700	7,700	7,400	7,100	6,500		7,800	8,000	8,200	8,100
93	7,800	7,400	7,500	7,200	6,900	6,400		7,300	7,500	7,700	7,700
99	7,500	7,200	7,300	7,000	6,700	6,300		6,800	7,000	7,300	7,400
105	7,200	6,900	7,000	6,800	6,500	6,100		6,400	6,700	6,900	7,000
111	7,000	6,700	6,800	6,600	6,300	5,900		6,000	6,300	6,500	6,700
117	6,700	6,500	6,600	6,400	6,100	5,700		5,600	5,900	6,200	6,300
123	6,500	6,200	6,400	6,100	6,000	5,600		5,200	5,500	5,900	6,000
129	6,200	6,000	6,100	5,900	5,800	5,400		4,800	5,200	5,500	5,700
135	6,000	5,800	5,900	5,700	5,600	5,300		4,500	4,900	5,300	5,400
141	5,800	5,600	5,700	5,600	5,400	5,200		4,200	4,600	5,000	5,200
147	5,600	5,400	5,500	5,400	5,300	4,900		3,900	4,300	4,700	4,900
153	5,300	5,200	4,900	5,200	4,900	4,400		3,700	4,100	4,400	4,700
159	5,100	5,000	4,200	5,000	4,100	3,600		3,400	3,900	4,200	4,500
165	4,900	4,800	3,400	4,800	3,400				3,600	4,000	4,300
171	4,300	4,700		4,200					3,400	3,800	4,000
177	3,600	4,500		3,600					3,300	3,600	3,900
183	3,000	4,200		3,000						3,400	3,700
189	2,500	3,600		2,400						3,300	3,600
195		3,100									3,400
207											2,900
219											
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		425	425	425	425	425	425	425	425	425	425



21.40


	T	NZK xx° 118ft	 127,900 lbs	 29 x 18 ft	 360°		



070225

21.40

				ft > < lbs		CODE > 0242 <		L151 0943 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
24											
27											
30											
33											
36											
39											
45											
51											
57	6,600										
63	6,500	7,600									
69	5,800	7,300	7,300	7,200							
75	4,800	6,800	7,100	7,000	6,600	6,700					
81	3,900	6,300	6,600	6,600	6,500	6,500	6,200	6,200	6,400		
87	3,100	5,900	6,200	6,200	6,300	6,200	6,100	6,100	6,300	5,700	
93		5,600	5,900	5,900	5,900	5,900	5,900	5,800	6,100	5,700	
99		5,200	5,600	5,600	5,600	5,600	5,600	5,600	5,800	5,500	
105		4,900	5,200	5,300	5,400	5,400	5,400	5,400	5,600	5,300	
111		4,600	4,900	5,000	5,100	5,100	5,200	5,200	5,400	5,100	
117		4,400	4,700	4,800	4,900	4,900	5,000	4,900	5,200	4,900	
123		4,200	4,500	4,600	4,700	4,700	4,800	4,800	5,000	4,700	
129		4,000	4,300	4,400	4,500	4,500	4,600	4,600	4,800	4,600	
135		3,900	4,100	4,200	4,300	4,400	4,400	4,500	4,700	4,500	
141		3,700	4,000	4,100	4,200	4,300	4,300	4,300	4,500	4,400	
147		3,700	3,800	3,900	4,100	4,100	4,200	4,200	4,400	4,200	
153			3,700	3,800	3,900	4,000	4,100	4,100	4,200	4,100	
159			3,700	3,700	3,800	3,900	3,900	4,000	4,100	4,000	
165				3,700	3,700	3,800	3,900	3,900	4,000	3,900	
171				3,600	3,600	3,700	3,800	3,800	3,900	3,800	
177				3,600	3,600	3,600	3,700	3,700	3,800	3,800	
183					3,600	3,600	3,600	3,600	3,800	3,700	
189					3,500	3,500	3,600	3,600	3,700	3,600	
195						3,500	3,500	3,500	3,600	3,500	
207							3,500	3,400	2,800	3,400	
219								3,300		3,200	
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
		ft /s	23	23	23	23	23	23	23	23	23
TAB 151			425	432	432	432	432	432	432	432	432




21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 127,900 lbs	 29 x 18 ft	 360°		




070225

21.40

 ft	CODE > 0242 < L151 0943 .x(x)									
	185	197	44	58	72	86	100	114	128	142
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93			4,400	4,400						
99	5,100		4,400	4,400	4,200	4,200				
105	5,100		4,300	4,300	4,200	4,200				
111	4,900	2,800	4,100	4,200	4,200	4,200	4,100			
117	4,700	2,300	3,900	4,000	4,000	4,100	4,000	4,000	4,000	4,000
123	4,600		3,800	3,900	3,900	4,000	3,900	3,900	3,900	4,000
129	4,500		3,700	3,800	3,800	3,900	3,800	3,800	3,800	3,900
135	4,200		3,700	3,700	3,700	3,800	3,800	3,800	3,700	3,800
141	3,800		3,600	3,700	3,700	3,700	3,700	3,700	3,700	3,700
147	3,300			3,600	3,600	3,600	3,600	3,600	3,600	3,700
153	2,800				3,600	3,600	3,600	3,600	3,600	3,600
159					3,600	3,600	3,500	3,500	3,500	3,600
165						3,600	3,500	3,500	3,500	3,500
171						3,600	3,500	3,500	3,500	3,500
177						3,600	3,500	3,500	3,400	3,400
183							3,500	3,500	3,400	3,400
189							3,500	3,500	3,400	3,400
195								3,500	3,400	3,400
207									3,400	3,300
219										
* n *	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
 %	1	92-	100-	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	46+
 ft /s										
	TAB 151	432	432	439	439	439	439	439	439	439










070225

21.40

				ft > < lbs		CODE > 0242 <		L151 0943 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,400	
99										4,400	4,200
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123	3,800	3,800	3,800	3,800						3,900	3,900
129	3,800	3,800	3,800	3,800	3,800	3,500	3,500			3,800	3,800
135	3,700	3,800	3,700	3,700	3,700	3,500	3,500	3,300		3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
147	3,600	3,700	3,600	3,600	3,600	3,500	3,500	3,300	3,600	3,600	3,600
153	3,600	3,600	3,600	3,500	3,500	3,500	3,500	3,300			3,600
159	3,500	3,500	3,500	3,500	3,500	3,500	3,400	3,300			3,600
165	3,500	3,500	3,500	3,400	3,400	3,400	3,400	3,300			
171	3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,300			
177	3,400	3,400	3,400	3,400	3,400	3,400	3,300	3,200			
183	3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,200			
189	3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,200			
195	3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,100			
207	3,400	2,700	3,300	3,300	2,700	3,300	2,900	2,700			
219				3,100		2,600					
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
		23	23	23	23	23	23	23	23	23	23
TAB 151		439	439	439	439	439	439	439	439	439	439











070225

21.40

				ft > < lbs		CODE > 0242 <		L151 0943 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,200										
105	4,200										
111	4,200	4,100									
117	4,100	4,000	4,000	4,000					4,000		
123	4,000	3,900	3,900	3,900	3,800	3,800			4,000	3,800	3,800
129	3,900	3,800	3,800	3,800	3,800	3,800	3,500	3,900	3,800	3,800	3,800
135	3,800	3,800	3,800	3,700	3,700	3,700	3,500	3,800	3,800	3,800	3,700
141	3,700	3,700	3,700	3,700	3,700	3,700	3,500	3,700	3,700	3,700	3,700
147	3,600	3,600	3,600	3,600	3,600	3,600	3,500	3,700	3,700	3,700	3,600
153	3,600	3,600	3,600	3,600	3,600	3,500	3,500	3,600	3,600	3,600	3,600
159	3,600	3,500	3,500	3,500	3,500	3,500	3,500	3,600	3,500	3,500	3,500
165	3,600	3,500	3,500	3,500	3,500	3,400	3,400	3,500	3,300	3,500	3,500
171	3,600	3,500	3,500	3,500	3,400	3,400	3,400	3,500	2,900	3,400	3,400
177	3,600	3,500	3,500	3,400	3,400	3,400	3,400	3,400	2,400	3,400	3,400
183		3,500	3,500	3,400	3,400	3,400	3,300	3,400		3,400	3,400
189		3,500	3,500	3,400	3,400	3,100	3,300	3,400		3,400	3,400
195			3,500	3,400	3,400	2,800	3,300	3,400		3,400	3,400
207				3,100	3,400		3,300	3,300		3,300	3,300
219							2,600				
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1		0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2		0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3		0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
4		46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
5		92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		439	439	439	439	439	439	439	439	439	439




T	NZK xx° 118ft



070225

21.40

 ft	 ft > < lbs		CODE > 0242 < L151 0943 .x(x)							
	171	185								
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	3,800	3,500								
135	3,700	3,500								
141	3,700	3,500								
147	3,600	3,500								
153	3,500	3,500								
159	3,400	3,400								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
219										
* n *	1	1								
xx	45.0	45.0								
 %	1	92-	92-							
	2	92+	92-							
	3	92+	92-							
	4	92+	92-							
	5	46+	92-							
 ft /s	23	23								
	TAB 151	439	439							




T	NZK xx° 118ft



21.40







	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft	ft > < lbs						CODE > 0243 < L151 0A43.x(x)			
	157	157	171	171	185	197	58	72	86	100
36										
39										
45	9,000	8,600	8,600	8,200				11,400	11,000	10,400
51	9,000	8,600	8,600	8,200	7,500		11,200	11,000	10,700	10,200
57	9,000	8,600	8,600	8,200	7,500		10,800	10,500	10,400	10,000
63	9,000	8,500	8,500	8,100	7,500		10,200	10,000	10,000	9,700
69	8,800	8,400	8,400	8,000	7,500		9,500	9,500	9,500	9,300
75	8,500	8,200	8,200	7,800	7,400		8,900	9,000	9,100	8,900
81	8,300	7,900	8,000	7,600	7,300		8,400	8,500	8,600	8,500
87	8,000	7,700	7,700	7,400	7,100		7,800	8,000	8,200	8,100
93	7,800	7,400	7,500	7,200	6,900		7,300	7,500	7,700	7,700
99	7,500	7,200	7,300	7,000	6,700		6,800	7,000	7,300	7,400
105	7,200	6,900	7,000	6,800	6,500		6,400	6,700	6,900	7,000
111	7,000	6,700	6,800	6,600	6,300		6,000	6,300	6,500	6,700
117	6,700	6,500	6,600	6,400	6,100		5,600	5,900	6,200	6,300
123	6,500	6,200	6,400	6,100	6,000		5,200	5,500	5,900	6,000
129	6,200	6,000	6,100	5,900	5,800		4,800	5,200	5,500	5,700
135	6,000	5,800	5,900	5,700	5,600		4,500	4,900	5,300	5,400
141	5,800	5,600	5,700	5,600	5,400		4,200	4,600	5,000	5,200
147	5,600	5,400	5,500	5,400	5,300		3,900	4,300	4,700	4,900
153	5,300	5,200	5,300	5,200	5,100		3,700	4,100	4,400	4,700
159	5,100	5,000	5,100	5,000	4,900		3,400	3,900	4,200	4,500
165	5,000	4,800	5,000	4,800	4,800			3,600	4,000	4,300
171	4,800	4,700	4,800	4,700	4,600			3,400	3,800	4,000
177	4,600	4,500	4,700	4,500	4,500			3,300	3,600	3,900
183	4,400	4,300	4,500	4,400	4,400				3,400	3,700
189	4,300	4,200	4,400	4,300	4,200				3,300	3,600
195	4,200	4,100	4,200	4,100	4,100					3,400
207	3,900	3,900	3,600	3,900	3,600					2,900
219	3,600	3,700	2,500	3,600	2,500					
231	2,700	3,400		2,800						
243		2,900								
* n *	1	1	1	1	1	0	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%										
ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151	424	424	424	424	424	---	424	424	424	424



21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40


	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40






	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		



070225

21.40

 ft		ft > < lbs		CODE > 0243 < L151 0A43.x(x)							
ft		142	157	157	157	171	171	185	197	58	72
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99											
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123		3,800	3,800	3,800	3,800					3,900	3,900
129		3,800	3,800	3,800	3,800	3,800	3,500	3,500		3,800	3,800
135		3,700	3,800	3,700	3,700	3,700	3,500	3,500		3,700	3,700
141		3,700	3,700	3,700	3,700	3,700	3,500	3,500		3,700	3,700
147		3,600	3,700	3,600	3,600	3,600	3,500	3,500		3,600	3,600
153		3,600	3,600	3,600	3,500	3,500	3,500	3,500			3,600
159		3,500	3,500	3,500	3,500	3,500	3,500	3,400			3,600
165		3,500	3,500	3,500	3,400	3,400	3,400	3,400			
171		3,400	3,400	3,400	3,400	3,400	3,400	3,400			
177		3,400	3,400	3,400	3,400	3,400	3,400	3,300			
183		3,400	3,400	3,400	3,400	3,300	3,300	3,300			
189		3,400	3,400	3,400	3,400	3,300	3,300	3,300			
195		3,400	3,400	3,400	3,400	3,300	3,300	3,300			
207		3,400	3,300	3,300	3,300	3,300	3,300	3,200			
219			3,300	3,300	3,300	3,300	3,300	3,200			
231			2,900	3,300	3,300	3,100	3,300	3,200			
243							2,900				
* n *		1	1	1	1	1	1	1	0	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1		0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
2		46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
3		92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
4		92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
5		92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
%											
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		438	438	438	438	438	438	438	---	438	438




21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 18 ft	 360°		

21.40

Diagram of a lighting fixture with the following specifications:


- Material: T
- Finish: NZK xx°
- Height: 118ft
- Weight: 172,000 lbs
- Dimensions: 29 x 18 ft
- Rotation: 360°



070225

21.40

				ft > < lbs		CODE > 0270 <		L151 0C43.x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	12,600	12,600									
24	12,600	12,600	11,700								
27	12,500	12,600	11,700	11,200	10,600						
30	12,400	12,500	11,700	11,200	10,600	10,100					
33	12,300	12,400	11,500	11,200	10,600	10,100					
36	12,300	12,400	11,500	11,000	10,600	10,100	9,500				
39	12,100	12,400	11,500	11,000	10,400	10,100	9,500	10,100	9,000		
45	11,500	11,900	11,400	11,000	10,400	10,000	9,300	10,000	9,000	9,500	
51	10,900	11,400	11,000	10,700	10,200	9,900	9,100	9,900	9,000	9,300	
57	10,200	10,800	10,500	10,400	10,000	9,800	9,000	9,800	9,000	9,300	
63	9,500	10,200	10,000	10,000	9,700	9,500	9,000	9,700	8,900	9,200	
69	8,900	9,500	9,500	9,500	9,300	9,200	8,900	9,400	8,700	9,000	
75	8,200	8,900	9,000	9,100	8,900	8,800	8,600	9,100	8,400	8,800	
81	7,600	8,400	8,500	8,600	8,500	8,500	8,300	8,800	8,200	8,500	
87	7,100	7,800	8,000	8,200	8,100	8,100	8,000	8,500	7,900	8,200	
93	6,600	7,300	7,500	7,700	7,700	7,800	7,700	8,200	7,600	7,900	
99	6,200	6,800	7,000	7,300	7,400	7,400	7,400	7,800	7,300	7,100	
105	5,700	6,400	6,700	6,900	7,000	7,100	7,100	7,500	7,100	5,800	
111	5,300	6,000	6,300	6,500	6,700	6,800	6,800	6,400	6,800	4,600	
117	4,900	5,600	5,900	6,200	6,300	6,500	6,500	5,300	6,500	3,600	
123	4,500	5,200	5,500	5,900	6,000	6,200	6,200	4,300	6,300		
129	4,200	4,800	5,200	5,500	5,700	5,900	6,000	3,400	5,600		
135	3,900	4,500	4,900	5,300	5,400	5,600	5,600		4,700		
141	3,600	4,200	4,600	5,000	5,200	5,400	5,000		4,000		
147	3,400	3,900	4,300	4,700	4,900	5,100	4,300		3,300		
153		3,700	4,100	4,400	4,700	4,800	3,600				
159		3,400	3,900	4,200	4,500	4,100	3,000				
165			3,600	4,000	4,100	3,500					
171			3,400	3,800	3,500	3,000					
177			3,300	3,600	3,000	2,400					
183				3,200	2,500						
189				2,800							
195											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	404	404	404	404	404	404	404	404	404	404	404



21.40


	T	NZK xx° 118ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

	T	NZK xx° 118ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40


	T	NZK xx° 118ft	 35,300 lbs	 29 x 27 ft	 360°		




070225

21.40

				ft		> <		lbs		CODE > 0270 <		L151 0C43.x(x)	
				157	157	157	171	171	185	197	58	72	86
	21												
	24												
	27												
	30												
	33												
	36												
	39												
	45												
	51												
	57												
	63												
	69									7,300	7,200		
	75									7,100	7,000	6,600	
	81									6,600	6,600	6,500	
	87	6,000	5,700	5,500						6,200	6,200	6,300	
	93	5,900	5,700	5,500	5,500	5,300				5,900	5,900	5,900	
	99	5,700	5,500	5,300	5,500	5,300	5,100			5,600	5,600	5,600	
	105	5,500	5,300	5,100	5,300	5,100	5,100			5,200	5,300	5,400	
	111	5,300	5,100	4,900	5,100	4,900	4,900	4,600	4,900	5,000	5,100		
	117	5,100	5,000	4,900	4,900	4,800	4,700	4,500	4,700	4,800	4,900		
	123	4,900	4,900	4,700	4,800	4,700	4,600	4,400	4,500	4,600	4,700		
129	4,800	4,700	4,600	4,700	4,600	4,500	4,400	4,300	4,400	4,500			
135	4,400	4,600	4,500	4,300	4,400	4,200	3,900	4,100	4,200	4,300			
141	3,700	4,400	4,300	3,600	4,300	3,500	3,100	4,000	4,100	4,200			
147		3,900	4,200		3,800			3,800	3,900	4,100			
153			3,900		3,000			3,700	3,800	3,900			
159			3,300					3,700	3,700	3,800			
165									3,700	3,700			
171										3,600	3,600		
177										3,600	3,600		
183											3,600		
189											3,200		
195													
* n *	1	1	1	1	1	1	1	1	1	1	1		
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+		
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+		
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-		
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+		
													
	ft /s	23	23	23	23	23	23	23	23	23	23		
TAB 151	413	413	413	413	413	413	413	413	413	413	413		






070225


21.40

				ft > < lbs		CODE > 0270 <		L151 0C43.x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	6,700										
81	6,500	6,200	6,200					6,400			
87	6,200	6,100	6,100	5,700	5,500			6,300	6,000	5,700	
93	5,900	5,900	5,800	5,700	5,500	5,300		6,100	5,900	5,700	5,500
99	5,600	5,600	5,600	5,500	5,300	5,300		5,800	5,700	5,500	5,500
105	5,400	5,400	5,400	5,300	5,100	5,100		5,600	5,500	5,300	5,300
111	5,100	5,200	5,200	5,100	4,900	4,900		5,400	5,300	5,100	5,100
117	4,900	5,000	4,900	4,900	4,900	4,800		5,200	5,100	5,000	4,900
123	4,700	4,800	4,800	4,700	4,700	4,700		5,000	4,900	4,900	4,800
129	4,500	4,600	4,600	4,600	4,600	4,600		4,800	4,800	4,700	4,700
135	4,400	4,400	4,500	4,500	4,500	4,400		4,700	4,400	4,600	4,300
141	4,300	4,300	4,300	4,400	4,300	4,300		4,500	3,700	4,400	3,600
147	4,100	4,200	4,200	4,200	4,200	3,800		4,100		3,900	
153	4,000	4,100	4,100	4,100	3,900	3,000		3,300			
159	3,900	3,900	4,000	4,000	3,300						
165	3,800	3,900	3,900	3,600							
171	3,700	3,800	3,700	2,900							
177	3,600	3,700	3,100	2,300							
183	3,500	3,200	2,500								
189	3,000	2,600									
195	2,400										
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
	%										
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		413	413	413	413	413	413	413	413	413	413



21.40







	T	NZK xx° 118ft	 35,300 lbs	 29 x 27 ft	 360°		



070225

21.40

				ft > < lbs		CODE > 0270 <		L151 0C43.x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,400	
99										4,400	4,200
105										4,300	4,200
111										4,200	4,200
117										4,000	4,000
123	3,800	3,800	3,800	3,800						3,900	3,900
129	3,800	3,800	3,800	3,800	3,800	3,500	3,500			3,800	3,800
135	3,700	3,800	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
141	3,700	3,700	3,700	3,700	3,700	3,500	3,500	3,300	3,700	3,700	3,700
147	3,600	3,700	3,600	3,600	3,600	3,500	3,500	3,300	3,600	3,600	3,600
153	3,600	3,600	3,600	3,500	3,500	3,500	3,500	3,300			3,600
159	3,500	3,400	3,500	3,500	3,400	3,500	3,400	3,200			3,600
165	3,500		3,400	3,400		3,400					
171	3,400			3,400		3,000					
177	3,400			3,100		2,300					
183	3,100			2,300							
189	2,400										
195											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	422	422	422	422	422	422	422	422	422	422	422



21.40

	T	NZK xx° 118ft	 35,300 lbs	 29 x 27 ft	 360°		

21.40

Diagram of a 360-degree turntable. The turntable is shown with a central pivot point. The dimensions are 29 inches in diameter and 27 inches in height. The weight is 35,300 lbs. The turntable is labeled with 'T' and 'NZK xx° 118ft'.


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,100	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	6,200	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,600	6,400	5,200	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	5,900	6,100	4,200	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	5,000	5,900	3,400	
153		4,000	4,500	4,900	5,200	5,400	5,500	4,200	5,700		
159		3,800	4,200	4,600	5,000	5,200	5,300	3,500	5,400		
165			4,000	4,400	4,700	5,000	5,100		4,900		
171			3,800	4,200	4,400	4,800	4,900		4,300		
177			3,600	4,000	4,300	4,600	4,700		3,700		
183				3,800	4,100	4,400	4,100		3,100		
189				3,700	3,900	4,200	3,500		2,600		
195					3,800	3,800	3,000				
207					3,500	2,900					
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		506	506	506	506	506	506	506	506	506	506

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

		ft > < lbs					CODE > 0271 < L151 0D43.x(x)				
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	6,800	6,800	6,600	6,100		5,700	6,100	6,500	6,600
129	6,900	6,600	5,900	6,500	5,800	5,300		5,300	5,800	6,100	6,300
135	6,300	6,400	4,900	6,100	4,900	4,300		4,900	5,400	5,800	6,000
141	5,500	6,100	4,000	5,500	4,000	3,500		4,600	5,100	5,500	5,700
147	4,700	5,700		4,600				4,300	4,700	5,200	5,400
153	3,900	5,100		3,800				4,000	4,500	4,900	5,200
159	3,100	4,300		3,100				3,800	4,200	4,600	5,000
165		3,700							4,000	4,400	4,700
171		3,000							3,800	4,200	4,400
177		2,400							3,600	4,000	4,300
183										3,800	4,100
189										3,700	3,900
195											3,800
207											2,900
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
		23	23	23	23	23	23	23	23	23	23
TAB 151		506	506	506	506	506	506	506	506	506	506

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000		11,000	10,400	9,900	9,500	
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,900	9,500	8,300
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,900	9,500	8,300
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,800	9,400	8,300
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,600	9,200	8,200
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,400	9,000	8,200
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	9,100	8,600	8,000
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	8,800	7,900	7,700
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	8,500	7,100	7,000
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	8,200	6,400	6,200
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	8,000	5,700	5,500
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	7,700	5,000	4,800
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	7,400	4,400	4,200
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	7,100	3,900	3,700
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	6,900	3,300	3,200
135	6,200	6,300	6,400	5,300	6,100	6,600	3,300	6,300	6,300		2,700
141	5,900	6,000	6,100	4,800	5,500	5,900		5,500	5,500		
147	5,700	5,800	5,900	4,400	4,600	5,000		4,700	4,700		
153	5,400	5,500	5,700	4,000	3,800	4,200		3,900	3,900		
159	5,200	5,300	5,400	3,600	3,100	3,500		3,100	3,100		
165	5,000	5,100	4,900	3,300							
171	4,800	4,900	4,300	2,900							
177	4,600	4,500	3,700	2,400							
183	4,400	3,900	3,100								
189	4,200	3,300	2,600								
195	3,800	2,700									
207	2,900										
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
	2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-
	3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-
	4	92+	92+	92+	92+	92+	46+	92+	92+	92+	92-
	5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		506	506	506	506	506	506	506	506	506	506

	T	NZK xx° 118ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	3,700	4,100	
183					3,900	3,900	4,000	4,000	3,000	4,000	
189					3,900	3,900	3,900	3,900	2,400	4,000	
195						3,900	3,900	3,900		3,600	
207							3,600	3,100		2,500	
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	100-	0+	0+	0+	0+	0+	0+	0+	46+	0+
	2	100-	0+	0+	0+	0+	0+	0+	0+	92+	46+
	3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+
	4	100-	0+	0+	0+	46+	92+	92+	92+	46+	92+
	5	100-	0+	46+	92+	92+	92+	92+	92+	46+	92+
%											
											
ft / s		23	23	23	23	23	23	23	23	23	23
TAB 151		506	513	513	513	513	513	513	513	513	513

	T	NZK xx° 118ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		157	157	157	171	171	185	197	58	72	86
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69									8,000	7,900	
75									7,800	7,700	7,300
81									7,300	7,300	7,200
87	6,600	6,300	6,100						6,900	6,900	6,900
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100	5,400	5,400	5,500	5,700
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900	5,100	5,100	5,300	5,400
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900	4,900	4,900	5,000	5,200
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800	4,800	4,700	4,800	5,000
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700	4,500	4,500	4,700	4,800
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600	4,400	4,400	4,500	4,600
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500	4,200	4,200	4,300	4,500
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400	4,100	4,100	4,200	4,300
159	4,500	4,500	4,400	4,400	4,400	4,300	4,200	4,000	4,000	4,100	4,200
165	4,000	4,400	4,300	3,900	4,300	3,900	3,500			4,000	4,100
171	3,200	4,300	4,200	3,100	4,200	3,200				4,000	4,000
177	2,500	3,600	4,100	2,400	3,600	2,400				4,000	4,000
183		2,900	3,800		2,900						3,900
189			3,200		2,300						3,900
195			2,600								
207											
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		513	513	513	513	513	513	513	513	513	513

	T	NZK xx° 118ft					
			57,300 lbs	29 x 27 ft	360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	3,600		3,700		3,600	
183	3,900	4,000	4,000	4,000	3,000	2,900		3,000		2,900	
189	3,900	3,900	3,900	4,000	2,700	2,300		2,400			
195	3,900	3,900	3,700	3,600	2,400						
207		3,600	2,700	2,500							
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-
	2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
	3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
	4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
	5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
		23	23	23	23	23	23	23	23	23	23
TAB 151		513	513	513	513	513	513	513	513	513	513

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,700
195									3,800	3,800	3,100
207										3,500	
* n *		1	1	1	1	1	1	1	1	1	1
xx		22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	92-	100-	0+	0+	0+	0+	0+	0+	0+	46+
	2	92-	100-	0+	0+	0+	0+	0+	0+	0+	92+
	3	92-	100-	0+	0+	0+	0+	0+	46+	92+	92+
	4	92-	100-	0+	0+	0+	46+	92+	92+	92+	46+
	5	92-	100-	0+	46+	92+	92+	92+	92+	92+	46+
											
ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		513	513	520	520	520	520	520	520	520	520

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,600	3,700	3,700	3,600	3,600	3,600	3,500			
189	3,700	2,900	3,700	3,700	2,900	3,600	3,000	2,800			
195	3,700		3,100	3,700		3,200					
207	3,300			2,600							
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+
	2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+
	4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+
	5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-
		ft /s	23	23	23	23	23	23	23	23	23
TAB 151			520	520	520	520	520	520	520	520	520

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0271 <		L151 0D43.x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	3,900	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	3,900	4,200	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	4,000	3,900	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,800	3,900	3,300	3,800
171	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800
177	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,600	3,800		3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,700	3,700		3,700
195			3,800	3,800	3,700	2,800	3,200	3,100			3,100
207				3,100	3,300						
* n *		1	1	1	1	1	1	1	1	1	1
xx		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
	2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
	3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
	4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+
	5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
		ft /s	23	23	23	23	23	23	23	23	23
TAB 151			520	520	520	520	520	520	520	520	520


	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

 ft	 ft > < lbs		CODE > 0271 < L151 0D43.x(x)							
	171	185								
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	4,100	3,900								
135	4,100	3,900								
141	4,000	3,900								
147	3,900	3,900								
153	3,800	3,800								
159	3,600	3,500								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
* n *	1	1								
xx	45.0	45.0								
 %	1	92-	92-							
	2	92+	92-							
	3	92+	92-							
	4	92+	92-							
	5	46+	92-							
 ft /s										
TAB 151	520	520								

	T	NZK xx° 118ft	 57,300 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200	
153		4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	5,900	
159		3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,200	
165			4,000	4,400	4,700	5,000	5,100	5,500	5,300	4,400	
171			3,800	4,200	4,400	4,800	4,900	5,200	5,000	3,600	
177			3,600	4,000	4,300	4,600	4,700	4,600	4,800	3,000	
183				3,800	4,100	4,400	4,600	3,900	4,700	2,300	
189				3,700	3,900	4,200	4,400	3,300	4,600		
195					3,800	4,000	4,200	2,700	4,400		
207					3,600	3,700	4,000		3,600		
219							3,500		2,600		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	505	505	505	505	505	505	505	505	505	505	

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,700	5,700	5,500	5,200		4,000	4,500	4,900	5,200
159	5,700	5,500	4,900	5,500	4,900	4,400		3,800	4,200	4,600	5,000
165	5,400	5,300	4,100	5,300	4,100	3,600			4,000	4,400	4,700
171	4,900	5,100	3,400	4,900	3,400				3,800	4,200	4,400
177	4,200	4,900	2,700	4,200	2,700				3,600	4,000	4,300
183	3,600	4,700		3,600						3,800	4,100
189	3,000	4,200		3,000						3,700	3,900
195	2,400	3,600		2,400							3,800
207		2,500									2,900
219											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		505	505	505	505	505	505	505	505	505	505

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000		11,000	10,400	9,900	9,500	
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,900	9,500	8,300
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,900	9,500	8,300
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,800	9,400	8,300
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,600	9,200	8,200
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,400	9,000	8,200
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	9,100	8,600	8,000
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	8,800	7,900	7,700
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	8,500	7,100	7,000
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	8,200	6,400	6,200
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	8,000	5,700	5,500
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	7,700	5,000	4,800
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	7,400	4,400	4,200
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	7,100	3,900	3,700
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	6,900	3,300	3,200
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600	6,600		2,700
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400	6,400		
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100	6,100		
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900	5,900		
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700	5,700		
165	5,000	5,100	5,300	3,300	5,300	5,500		5,400	5,400		
171	4,800	4,900	5,000	3,000	4,900	5,200		4,900	4,900		
177	4,600	4,500	4,800	2,700	4,200	4,600		4,200	4,200		
183	4,400	3,900	4,700		3,600	3,900		3,600	3,600		
189	4,200	3,300	4,600		3,000	3,300		3,000	3,000		
195	4,000	2,700	4,400		2,400	2,700		2,400	2,400		
207	3,700		3,600								
219			2,600								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	505	505	505	505	505	505	505	505	505	505	505





T	NZK xx° 118ft

79,400 lbs

29 x 27 ft

360°




85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,200	3,700	
219								3,600		3,500	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	505	512	512	512	512	512	512	512	512	512	512

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <					L151 0E43.x(x)		
ft		157	157	157	171	171	185	197	58	72	86		
21													
24													
27													
30													
33													
36													
39													
45													
51													
57													
63													
69									8,000	7,900			
75									7,800	7,700	7,300		
81									7,300	7,300	7,200		
87	6,600	6,300	6,100						6,900	6,900	6,900		
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500		
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200		
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900		
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100		5,400	5,500	5,700		
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900		5,100	5,300	5,400		
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900		4,900	5,000	5,200		
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800		4,700	4,800	5,000		
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700		4,500	4,700	4,800		
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600		4,400	4,500	4,600		
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500		4,200	4,300	4,500		
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400		4,100	4,200	4,300		
159	4,500	4,500	4,400	4,500	4,400	4,400	4,300		4,000	4,100	4,200		
165	4,400	4,400	4,300	4,400	4,300	4,300	4,200			4,000	4,100		
171	4,300	4,300	4,200	4,300	4,200	4,200	4,100			4,000	4,000		
177	4,200	4,200	4,100	4,200	4,100	4,100	4,000			4,000	4,000		
183	4,100	4,100	4,000	4,100	4,100	4,000	3,900				3,900		
189	3,900	4,000	4,000	3,800	4,000	3,800	3,500				3,900		
195	3,200	4,000	3,900	3,100	3,900	3,200	2,900						
207		3,100	3,700		3,100								
219			2,900										
* n *	1	1	1	1	1	1	1	1	1	1	1		
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+		
%													
ft /s	23	23	23	23	23	23	23	23	23	23	23		
TAB 151	512	512	512	512	512	512	512	512	512	512	512		





T	NZK xx° 118ft

79,400 lbs

29 x 27 ft

360°




85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,100		3,200		3,100	
219				3,500							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	512	512	512	512	512	512	512	512	512

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	512	512	519	519	519	519	519	519	519	519	519





T	NZK xx° 118ft

79,400 lbs

29 x 27 ft

360°




85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,200	3,600	3,600	3,200	3,600	3,300	3,100			
219			2,800	3,500		3,000					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519

	T	NZK xx° 118ft					
			79,400 lbs	29 x 27 ft	360°		


85%

T	NZK xx° 118ft

070225


21.40

				ft > < lbs		CODE > 0272 <		L151 0E43.x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	3,900	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	3,900	4,200	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	4,000	3,900	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,800	3,900	3,300	3,800
171	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800
177	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,600	3,800		3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,600	3,800		3,700
195			3,800	3,800	3,700	2,800	3,600	3,600	3,700		3,700
207				3,100	3,700		3,600	3,600	3,700		3,600
219								3,000			2,800
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-
2	0+	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	519	519	519	519	519	519	519	519	519	519	519




T	NZK xx° 118ft










85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0272 <		L151 0E43 .x(x)	
ft		171	185						
21									
24									
27									
30									
33									
36									
39									
45									
51									
57									
63									
69									
75									
81									
87									
93									
99									
105									
111									
117									
123									
129		4,100	3,900						
135		4,100	3,900						
141		4,000	3,900						
147		3,900	3,900						
153		3,800	3,800						
159		3,600	3,500						
165		3,100	3,000						
171		2,600							
177		2,200							
183									
189									
195									
207									
219									
* n *		1	1						
xx		45.0	45.0						
1	92-	92-							
2	92+	92-							
3	92+	92-							
4	92+	92-							
5	46+	92-							
%									
ft /s		23	23						
TAB 151		519	519						

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200	
153		4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	6,000	
159		3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,600	
165			4,000	4,400	4,700	5,000	5,100	5,500	5,300	5,000	
171			3,800	4,200	4,400	4,800	4,900	5,300	5,000	4,300	
177			3,600	4,000	4,300	4,600	4,700	5,000	4,800	3,600	
183				3,800	4,100	4,400	4,600	4,500	4,700	2,900	
189				3,700	3,900	4,200	4,400	3,900	4,600	2,300	
195					3,800	4,000	4,200	3,200	4,400		
207					3,600	3,700	4,000		4,000		
219							3,700		3,100		
231											
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	504	504	504	504	504	504	504	504	504	504	

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,900	5,700	5,600	5,400		4,000	4,500	4,900	5,200
159	5,700	5,500	5,500	5,500	5,400	5,000		3,800	4,200	4,600	5,000
165	5,500	5,300	4,800	5,300	4,800	4,300			4,000	4,400	4,700
171	5,300	5,100	4,000	5,100	4,000	3,500			3,800	4,200	4,400
177	4,800	4,900	3,300	4,800	3,300	2,800			3,600	4,000	4,300
183	4,200	4,800	2,700	4,100	2,700					3,800	4,100
189	3,600	4,600		3,500						3,700	3,900
195	3,000	4,200		2,900							3,800
207		3,000									2,900
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		504	504	504	504	504	504	504	504	504	504

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000	11,000	10,400	9,900	9,500		
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,500	8,300	
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,500	8,300	
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,400	8,300	
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,200	8,200	
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,000	8,200	
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	8,600	8,000	
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	7,900	7,700	
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	7,100	7,000	
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	6,400	6,200	
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	5,700	5,500	
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	5,000	4,800	
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	4,400	4,200	
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	3,900	3,700	
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	3,300	3,200	
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600		2,700	
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400			
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100			
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900			
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700			
165	5,000	5,100	5,300	3,300	5,300	5,500		5,500			
171	4,800	4,900	5,000	3,000	5,100	5,300		5,300			
177	4,600	4,500	4,800	2,700	4,800	5,000		4,800			
183	4,400	3,900	4,700		4,100	4,500		4,200			
189	4,200	3,300	4,600		3,500	3,900		3,600			
195	4,000	2,700	4,400		2,900	3,200		3,000			
207	3,700		4,000								
219			3,100								
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-	
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-	
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-	
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	504	504	504	504	504	504	504	504	504	504	504

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,600	3,700	
219								3,600		3,600	
231										2,900	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	504	511	511	511	511	511	511	511	511	511	511

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69									8,000	7,900	
75									7,800	7,700	7,300
81									7,300	7,300	7,200
87	6,600	6,300	6,100						6,900	6,900	6,900
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100		5,400	5,500	5,700
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900		5,100	5,300	5,400
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900	4,900	4,900	5,000	5,200
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800	4,800	4,700	4,800	5,000
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700	4,500	4,500	4,700	4,800
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600	4,400	4,400	4,500	4,600
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500	4,200	4,200	4,300	4,500
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400	4,100	4,100	4,200	4,300
159	4,500	4,500	4,400	4,500	4,400	4,400	4,300	4,000	4,000	4,100	4,200
165	4,400	4,400	4,300	4,400	4,300	4,300	4,200			4,000	4,100
171	4,300	4,300	4,200	4,300	4,200	4,200	4,100			4,000	4,000
177	4,200	4,200	4,100	4,200	4,100	4,100	4,000			4,000	4,000
183	4,100	4,100	4,000	4,100	4,100	4,000	3,900				3,900
189	4,100	4,000	4,000	4,000	4,000	4,000	3,900				3,900
195	3,700	4,000	3,900	3,600	3,900	3,600	3,400				
207	2,500	3,500	3,700		3,600	2,500					
219			3,400								
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,600		3,600		3,500	
219				3,600							
231				2,900							
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	511	511	511	511	511	511	511	511	511

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	511	511	518	518	518	518	518	518	518	518	518

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,500	3,600	3,600	3,500	3,600	3,600	3,400			
219			3,200	3,600		3,400					
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518

	T	NZK xx° 118ft					


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0273 <		L151 0F43 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	4,400	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,200	4,100	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,100	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,900	3,300	3,800	3,800
171	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800	3,800
177	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,800		3,700	3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,800		3,700	3,700
195			3,800	3,800	3,700	2,800	3,600	3,700		3,700	3,700
207				3,100	3,700		3,600	3,700		3,600	3,600
219							3,400				3,200
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	518	518	518	518	518	518	518	518	518	518	518

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 83,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200	
153		4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	6,000	
159		3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,800	
165			4,000	4,400	4,700	5,000	5,100	5,500	5,300	5,600	
171			3,800	4,200	4,400	4,800	4,900	5,300	5,000	5,300	
177			3,600	4,000	4,300	4,600	4,700	5,000	4,800	5,100	
183				3,800	4,100	4,400	4,600	4,900	4,700	5,000	
189				3,700	3,900	4,200	4,400	4,700	4,600	4,500	
195					3,800	4,000	4,200	4,600	4,400	3,900	
207					3,600	3,700	4,000	4,000	4,200	2,700	
219							3,700	2,900	3,900		
231									3,700		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	503	503	503	503	503	503	503	503	503	503	



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40


	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,900	5,700	5,600	5,400		4,000	4,500	4,900	5,200
159	5,700	5,500	5,700	5,500	5,400	5,200		3,800	4,200	4,600	5,000
165	5,500	5,300	5,500	5,300	5,300	5,100			4,000	4,400	4,700
171	5,300	5,100	5,300	5,100	5,100	4,900			3,800	4,200	4,400
177	5,100	4,900	5,100	5,000	4,900	4,800			3,600	4,000	4,300
183	4,900	4,800	4,900	4,900	4,800	4,400				3,800	4,100
189	4,700	4,600	4,300	4,700	4,300	3,800				3,700	3,900
195	4,600	4,500	3,700	4,600	3,700	3,200					3,800
207	3,900	4,300	2,500	4,000	2,500						2,900
219	2,700	3,900		2,800							
231		2,900									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		503	503	503	503	503	503	503	503	503	503

	T	NZK xx° 118ft					

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0274 <	L151 1043 .x(x)				
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000	11,000	10,400	9,900	9,500		
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,500	8,300	
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,500	8,300	
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,400	8,300	
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,200	8,200	
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,000	8,200	
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	8,600	8,000	
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	7,900	7,700	
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	7,100	7,000	
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	6,400	6,200	
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	5,700	5,500	
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	5,000	4,800	
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	4,400	4,200	
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	3,900	3,700	
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	3,300	3,200	
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600		2,700	
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400			
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100			
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900			
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700			
165	5,000	5,100	5,300	3,300	5,300	5,500		5,500			
171	4,800	4,900	5,000	3,000	5,100	5,300		5,300			
177	4,600	4,500	4,800	2,700	5,000	5,000		5,100			
183	4,400	3,900	4,700		4,900	4,900		4,900			
189	4,200	3,300	4,600		4,700	4,700		4,700			
195	4,000	2,700	4,400		4,600	4,600		4,600			
207	3,700		4,200		4,000	4,000		3,900			
219			3,900		2,800	2,900		2,700			
231			3,700								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	92-
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92-
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+	92-
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+	92-
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	503	503	503	503	503	503	503	503	503	503	503



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,900	3,700	
219								3,600	3,600	3,600	
231									2,800	3,600	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	
TAB 151	503	510	510	510	510	510	510	510	510	510	



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0274 <					L151 1043 .x(x)		
ft		157	157	157	171	171	185	197	58	72	86		
21													
24													
27													
30													
33													
36													
39													
45													
51													
57													
63													
69									8,000	7,900			
75									7,800	7,700	7,300		
81									7,300	7,300	7,200		
87	6,600	6,300	6,100						6,900	6,900	6,900		
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500		
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200		
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900		
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100		5,400	5,500	5,700		
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900		5,100	5,300	5,400		
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900		4,900	5,000	5,200		
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800		4,700	4,800	5,000		
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700		4,500	4,700	4,800		
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600		4,400	4,500	4,600		
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500		4,200	4,300	4,500		
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400		4,100	4,200	4,300		
159	4,500	4,500	4,400	4,500	4,400	4,400	4,300		4,000	4,100	4,200		
165	4,400	4,400	4,300	4,400	4,300	4,300	4,200			4,000	4,100		
171	4,300	4,300	4,200	4,300	4,200	4,200	4,100			4,000	4,000		
177	4,200	4,200	4,100	4,200	4,100	4,100	4,000			4,000	4,000		
183	4,100	4,100	4,000	4,100	4,100	4,000	3,900				3,900		
189	4,100	4,000	4,000	4,000	4,000	4,000	3,900				3,900		
195	4,000	4,000	3,900	4,000	3,900	3,900	3,800						
207	3,800	3,800	3,700	3,800	3,800	3,800	3,700						
219	3,200	3,600	3,600	3,200	3,700	3,200	2,900						
231		2,900	3,500		3,100								
* n *	1	1	1	1	1	1	1	1	1	1	1		
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5		
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+		
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+		
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+		
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-		
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+		
%													
ft / s	23	23	23	23	23	23	23	23	23	23	23		
TAB 151	510	510	510	510	510	510	510	510	510	510	510		



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,800		3,900		3,800	
219				3,600		3,700		3,600		3,600	
231				3,600		3,100		2,800		2,900	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	510	510	510	510	510	510	510	510	510



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	510	510	517	517	517	517	517	517	517	517	517

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0274 <		L151 1043 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,600	3,600	3,600	3,600	3,600	3,600	3,400			
219		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
231			3,100	3,600		3,400	3,000	2,800			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	517	517	517	517	517	517	517	517	517	517	517

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0274 <					L151 1043 .x(x)	
ft		86	100	114	128	142	157	171	142	157	157	
21												
24												
27												
30												
33												
36												
39												
45												
51												
57												
63												
69												
75												
81												
87												
93												
99	4,600											
105	4,600											
111	4,600	4,600										
117	4,500	4,400	4,400	4,400					4,400			
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100	
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	3,900	4,300	4,100	4,100	
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	3,900	4,200	4,100	4,100	
141	4,100	4,100	4,100	4,100	4,100	4,100	3,900	3,900	4,100	4,100	4,100	
147	4,000	4,000	4,000	4,000	4,000	3,900	3,900	3,900	4,000	4,000	4,000	
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900	
159	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,800	3,900	3,800	3,900	
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,800	3,900	3,300	3,800	
171	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,700	3,800	2,900	3,800	
177	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,700	3,800	2,400	3,700	
183		3,900	3,800	3,800	3,700	3,500	3,600	3,600	3,800		3,700	
189		3,900	3,800	3,800	3,700	3,100	3,600	3,600	3,800		3,700	
195			3,800	3,800	3,700	2,800	3,600	3,700			3,700	
207				3,100	3,700		3,600	3,700			3,600	
219							3,600				3,600	
231							3,400				3,100	
* n *	1	1	1	1	1	1	1	1	1	1	1	
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-		
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+	
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	
%												
ft /s	23	23	23	23	23	23	23	23	23	23	23	
TAB 151	517	517	517	517	517	517	517	517	517	517	517	

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 101,400 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200	
153		4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	6,000	
159		3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,800	
165			4,000	4,400	4,700	5,000	5,100	5,500	5,300	5,600	
171			3,800	4,200	4,400	4,800	4,900	5,300	5,000	5,300	
177			3,600	4,000	4,300	4,600	4,700	5,000	4,800	5,100	
183				3,800	4,100	4,400	4,600	4,900	4,700	5,000	
189				3,700	3,900	4,200	4,400	4,700	4,600	4,800	
195					3,800	4,000	4,200	4,600	4,400	4,400	
207					3,600	3,700	4,000	4,300	4,200	3,100	
219							3,700	3,300	3,900		
231									3,700		
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	502	502	502	502	502	502	502	502	502	502	

	T	NZK xx° 118ft					

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,900	5,700	5,600	5,400		4,000	4,500	4,900	5,200
159	5,700	5,500	5,700	5,500	5,400	5,200		3,800	4,200	4,600	5,000
165	5,500	5,300	5,500	5,300	5,300	5,100			4,000	4,400	4,700
171	5,300	5,100	5,300	5,100	5,100	4,900			3,800	4,200	4,400
177	5,100	4,900	5,100	5,000	4,900	4,800			3,600	4,000	4,300
183	4,900	4,800	4,900	4,900	4,800	4,700				3,800	4,100
189	4,700	4,600	4,700	4,700	4,700	4,200				3,700	3,900
195	4,600	4,500	4,100	4,600	4,100	3,700					3,800
207	4,200	4,300	3,000	4,200	3,000	2,500					2,900
219	3,200	4,000		3,300							
231		3,300									
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151		502	502	502	502	502	502	502	502	502	502





T	NZK xx° 118ft

105,800 lbs

29 x 27 ft

360°



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000	11,000	10,400	9,900	9,500		
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,500	8,300	
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,500	8,300	
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,400	8,300	
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,200	8,200	
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,000	8,200	
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	8,600	8,000	
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	7,900	7,700	
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	7,100	7,000	
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	6,400	6,200	
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	5,700	5,500	
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	5,000	4,800	
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	4,400	4,200	
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	3,900	3,700	
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	3,300	3,200	
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600		2,700	
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400			
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100			
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900			
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700			
165	5,000	5,100	5,300	3,300	5,300	5,500		5,500			
171	4,800	4,900	5,000	3,000	5,100	5,300		5,300			
177	4,600	4,500	4,800	2,700	5,000	5,000		5,100			
183	4,400	3,900	4,700		4,900	4,900		4,900			
189	4,200	3,300	4,600		4,700	4,700		4,700			
195	4,000	2,700	4,400		4,600	4,600		4,600			
207	3,700		4,200		4,200	4,300		4,200			
219			3,900		3,300	3,300		3,200			
231			3,700								
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-	
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-	
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-	
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	502	502	502	502	502	502	502	502	502	502





T	NZK xx° 118ft

105,800 lbs

29 x 27 ft

360°



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,900	3,700	
219								3,600	3,600	3,600	
231									3,100	3,600	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	502	509	509	509	509	509	509	509	509	509	509



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69									8,000	7,900	
75									7,800	7,700	7,300
81									7,300	7,300	7,200
87	6,600	6,300	6,100						6,900	6,900	6,900
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100		5,400	5,500	5,700
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900		5,100	5,300	5,400
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900	4,900	4,900	5,000	5,200
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800	4,800	4,700	4,800	5,000
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700	4,500	4,500	4,700	4,800
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600	4,400	4,400	4,500	4,600
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500	4,200	4,200	4,300	4,500
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400	4,100	4,100	4,200	4,300
159	4,500	4,500	4,400	4,500	4,400	4,400	4,300	4,000	4,000	4,100	4,200
165	4,400	4,400	4,300	4,400	4,300	4,300	4,200			4,000	4,100
171	4,300	4,300	4,200	4,300	4,200	4,200	4,100			4,000	4,000
177	4,200	4,200	4,100	4,200	4,100	4,100	4,000			4,000	4,000
183	4,100	4,100	4,000	4,100	4,100	4,000	3,900				3,900
189	4,100	4,000	4,000	4,000	4,000	4,000	3,900				3,900
195	4,000	4,000	3,900	4,000	3,900	3,900	3,800				
207	3,800	3,800	3,700	3,800	3,800	3,800	3,700				
219	3,400	3,600	3,600	3,500	3,700	3,500	3,300				
231		3,100	3,600		3,300						
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
4	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+	46-
5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	509	509	509	509	509	509	509	509	509

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,800		3,900		3,800	
219				3,600		3,700		3,600		3,600	
231				3,600		3,300		3,100		3,100	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	509	509	509	509	509	509	509	509	509

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	509	509	516	516	516	516	516	516	516	516	516

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,600	3,600	3,600	3,600	3,600	3,600	3,400			
219		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
231			3,300	3,600	2,900	3,600	3,200	3,000			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft





070225

21.40

				ft > < lbs		CODE > 0275 <		L151 1143 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	4,400	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,200	4,100	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,100	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,900	3,300	3,800	3,800
171	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800	3,800
177	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,800		3,700	3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,800		3,700	3,700
195			3,800	3,800	3,700	2,800	3,600	3,700		3,700	3,700
207				3,100	3,700		3,600	3,700		3,600	3,600
219							3,600			3,600	3,600
231							3,600			3,300	3,300
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	516	516	516	516	516	516	516	516	516	516	516



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

 ft	 ft > < lbs		CODE > 0275 < L151 1143 .x(x)							
	171	185								
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	4,100	3,900								
135	4,100	3,900								
141	4,000	3,900								
147	3,900	3,900								
153	3,800	3,800								
159	3,600	3,500								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
219										
231										
* n *	1	1								
xx	45.0	45.0								
1	92-	92-								
2	92+	92-								
3	92+	92-								
4	92+	92-								
5	46+	92-								
%										
ft /s	23	23								
TAB 151	516	516								

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 105,800 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		44	58	72	86	100	114	128	142	142	157
21	13,800	13,800									
24	13,800	13,800	12,900								
27	13,800	13,800	12,900	12,400	11,600						
30	13,600	13,800	12,800	12,400	11,600	11,200					
33	13,600	13,600	12,600	12,400	11,600	11,200					
36	13,500	13,600	12,600	12,100	11,600	11,200	10,400				
39	13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900		
45	12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400	
51	12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200	
57	11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200	
63	10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100	
69	9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900	
75	9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700	
81	8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400	
87	7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100	
93	7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700	
99	6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500	
105	6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200	
111	5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900	
117	5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600	
123	5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300	
129	4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000	
135	4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700	
141	4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500	
147	3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200	
153		4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	6,000	
159		3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,800	
165			4,000	4,400	4,700	5,000	5,100	5,500	5,300	5,600	
171			3,800	4,200	4,400	4,800	4,900	5,300	5,000	5,300	
177			3,600	4,000	4,300	4,600	4,700	5,000	4,800	5,100	
183				3,800	4,100	4,400	4,600	4,900	4,700	5,000	
189				3,700	3,900	4,200	4,400	4,700	4,600	4,800	
195					3,800	4,000	4,200	4,600	4,400	4,600	
207					3,600	3,700	4,000	4,300	4,200	4,400	
219							3,700	4,000	3,900	4,000	
231								3,800	3,700	3,000	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+	
2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+	
3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+	
4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+	
5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	501	501	501	501	501	501	501	501	501	501	





T	NZK xx° 118ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,900	5,700	5,600	5,400		4,000	4,500	4,900	5,200
159	5,700	5,500	5,700	5,500	5,400	5,200		3,800	4,200	4,600	5,000
165	5,500	5,300	5,500	5,300	5,300	5,100			4,000	4,400	4,700
171	5,300	5,100	5,300	5,100	5,100	4,900			3,800	4,200	4,400
177	5,100	4,900	5,100	5,000	4,900	4,800			3,600	4,000	4,300
183	4,900	4,800	4,900	4,900	4,800	4,700				3,800	4,100
189	4,700	4,600	4,800	4,700	4,700	4,600				3,700	3,900
195	4,600	4,500	4,600	4,600	4,600	4,400					3,800
207	4,300	4,300	4,400	4,300	4,300	4,200					2,900
219	4,100	4,100	4,000	4,100	4,000	3,700					
231	3,800	3,900	2,900	3,900	3,000	2,600					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		501	501	501	501	501	501	501	501	501	501

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000	11,000	10,400	9,900	9,500		
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,500	8,300	
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,500	8,300	
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,400	8,300	
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,200	8,200	
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,000	8,200	
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	8,600	8,000	
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	7,900	7,700	
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	7,100	7,000	
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	6,400	6,200	
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	5,700	5,500	
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	5,000	4,800	
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	4,400	4,200	
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	3,900	3,700	
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	3,300	3,200	
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600		2,700	
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400			
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100			
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900			
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700			
165	5,000	5,100	5,300	3,300	5,300	5,500		5,500			
171	4,800	4,900	5,000	3,000	5,100	5,300		5,300			
177	4,600	4,500	4,800	2,700	5,000	5,000		5,100			
183	4,400	3,900	4,700		4,900	4,900		4,900			
189	4,200	3,300	4,600		4,700	4,700		4,700			
195	4,000	2,700	4,400		4,600	4,600		4,600			
207	3,700		4,200		4,300	4,300		4,300			
219			3,900		4,100	4,000		4,100			
231			3,700		3,900	3,800		3,800			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-	
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-	
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-	
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	501	501	501	501	501	501	501	501	501	501	501





T	NZK xx° 118ft

127,900 lbs

29 x 27 ft

360°



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,900	3,700	
219								3,600	3,600	3,600	
231									3,600	3,600	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	501	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 118ft					
			127,900 lbs	29 x 27 ft	360°		

T	NZK xx° 118ft

21.40


	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69									8,000	7,900	
75									7,800	7,700	7,300
81									7,300	7,300	7,200
87	6,600	6,300	6,100						6,900	6,900	6,900
93	6,500	6,300	6,000	6,100	5,800				6,500	6,500	6,500
99	6,300	6,000	5,800	6,000	5,800	5,600			6,100	6,200	6,200
105	6,100	5,800	5,600	5,800	5,600	5,600			5,800	5,800	5,900
111	5,800	5,600	5,400	5,600	5,400	5,400	5,100	5,400	5,400	5,500	5,700
117	5,600	5,500	5,300	5,400	5,300	5,100	4,900	5,100	5,100	5,300	5,400
123	5,400	5,400	5,200	5,300	5,200	5,100	4,900	4,900	4,900	5,000	5,200
129	5,300	5,200	5,000	5,100	5,000	5,000	4,800	4,700	4,700	4,800	5,000
135	5,100	5,000	4,900	5,000	4,900	4,800	4,700	4,500	4,500	4,700	4,800
141	5,000	4,900	4,800	4,800	4,800	4,700	4,600	4,400	4,400	4,500	4,600
147	4,800	4,700	4,700	4,700	4,600	4,600	4,500	4,200	4,200	4,300	4,500
153	4,700	4,600	4,500	4,600	4,500	4,500	4,400	4,100	4,100	4,200	4,300
159	4,500	4,500	4,400	4,500	4,400	4,400	4,300	4,000	4,000	4,100	4,200
165	4,400	4,400	4,300	4,400	4,300	4,300	4,200			4,000	4,100
171	4,300	4,300	4,200	4,300	4,200	4,200	4,100			4,000	4,000
177	4,200	4,200	4,100	4,200	4,100	4,100	4,000			4,000	4,000
183	4,100	4,100	4,000	4,100	4,100	4,000	3,900				3,900
189	4,100	4,000	4,000	4,000	4,000	4,000	3,900				3,900
195	4,000	4,000	3,900	4,000	3,900	3,900	3,800				
207	3,800	3,800	3,700	3,800	3,800	3,800	3,700				
219	3,600	3,600	3,600	3,700	3,700	3,700	3,600				
231	3,600	3,600	3,600	3,700	3,600	3,500	3,500				
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	1	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
	2	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
	4	46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
	5	46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
%											
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,800		3,900		3,800	
219				3,600		3,700		3,600		3,600	
231				3,600		3,600		3,600		3,600	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	508	508	508	508	508	508	508	508	508

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	508	508	515	515	515	515	515	515	515	515	515

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,600	3,600	3,600	3,600	3,600	3,600	3,400			
219		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
231		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	515	515	515	515	515	515	515	515	515	515	515

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0276 <		L151 1243 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	4,400	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,200	4,100	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	3,900	4,100	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,900	3,300	3,800	3,800
171	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800	3,800
177	3,900	3,900	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,800		3,700	3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,800		3,700	3,700
195			3,800	3,800	3,700	2,800	3,600	3,700		3,700	3,700
207				3,100	3,700		3,600	3,700		3,600	3,600
219							3,600			3,600	3,600
231							3,600			3,600	3,600
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+
5	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	515	515	515	515	515	515	515	515	515	515	515

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

 ft	 ft > < lbs		CODE > 0276 < L151 1243 .x(x)							
	171	185								
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129	4,100	3,900								
135	4,100	3,900								
141	4,000	3,900								
147	3,900	3,900								
153	3,800	3,800								
159	3,600	3,500								
165	3,100	3,000								
171	2,600									
177	2,200									
183										
189										
195										
207										
219										
231										
* n *	1	1								
xx	45.0	45.0								
1	92-	92-								
2	92+	92-								
3	92+	92-								
4	92+	92-								
5	46+	92-								
%										
ft /s	23	23								
TAB 151	515	515								

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 127,900 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

		 ft > < lbs CODE > 0277 < L151 1343 .x(x)									
ft		44	58	72	86	100	114	128	142	142	157
21		13,800	13,800								
24		13,800	13,800	12,900							
27		13,800	13,800	12,900	12,400	11,600					
30		13,600	13,800	12,800	12,400	11,600	11,200				
33		13,600	13,600	12,600	12,400	11,600	11,200				
36		13,500	13,600	12,600	12,100	11,600	11,200	10,400			
39		13,300	13,600	12,600	12,100	11,400	11,200	10,400	11,200	9,900	
45		12,700	13,100	12,500	12,100	11,400	11,000	10,200	11,000	9,900	10,400
51		12,000	12,500	12,100	11,800	11,200	10,900	10,000	10,900	9,900	10,200
57		11,200	11,900	11,600	11,400	11,000	10,800	9,900	10,800	9,900	10,200
63		10,500	11,200	11,000	11,000	10,700	10,500	9,900	10,600	9,800	10,100
69		9,800	10,500	10,400	10,500	10,200	10,100	9,800	10,300	9,600	9,900
75		9,100	9,800	9,900	10,000	9,800	9,700	9,500	10,000	9,300	9,700
81		8,400	9,200	9,300	9,500	9,400	9,300	9,100	9,600	9,000	9,400
87		7,800	8,600	8,800	9,000	8,900	9,000	8,800	9,300	8,700	9,100
93		7,300	8,000	8,200	8,500	8,500	8,600	8,400	9,000	8,400	8,700
99		6,800	7,500	7,700	8,000	8,100	8,200	8,100	8,600	8,100	8,500
105		6,300	7,000	7,300	7,600	7,700	7,800	7,800	8,300	7,800	8,200
111		5,800	6,600	6,900	7,200	7,300	7,500	7,500	8,000	7,500	7,900
117		5,400	6,100	6,500	6,800	6,900	7,100	7,100	7,600	7,200	7,600
123		5,000	5,700	6,100	6,500	6,600	6,800	6,900	7,300	6,900	7,300
129		4,600	5,300	5,800	6,100	6,300	6,500	6,600	7,000	6,700	7,000
135		4,300	4,900	5,400	5,800	6,000	6,200	6,300	6,700	6,400	6,700
141		4,000	4,600	5,100	5,500	5,700	5,900	6,000	6,400	6,100	6,500
147		3,800	4,300	4,700	5,200	5,400	5,700	5,800	6,200	5,900	6,200
153			4,000	4,500	4,900	5,200	5,400	5,500	5,900	5,700	6,000
159			3,800	4,200	4,600	5,000	5,200	5,300	5,700	5,500	5,800
165				4,000	4,400	4,700	5,000	5,100	5,500	5,300	5,600
171				3,800	4,200	4,400	4,800	4,900	5,300	5,000	5,300
177				3,600	4,000	4,300	4,600	4,700	5,000	4,800	5,100
183					3,800	4,100	4,400	4,600	4,900	4,700	5,000
189					3,700	3,900	4,200	4,400	4,700	4,600	4,800
195						3,800	4,000	4,200	4,600	4,400	4,600
207						3,600	3,700	4,000	4,300	4,200	4,400
219								3,700	4,000	3,900	4,100
231									3,800	3,700	3,900
* n *		1	1	1	1	1	1	1	1	1	1
xx		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 %	1	0+	0+	0+	0+	0+	0+	0+	46+	0+	92+
	2	0+	0+	0+	0+	0+	0+	0+	92+	46+	92+
	3	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
	4	0+	0+	0+	46+	92+	92+	92+	46+	92+	46+
	5	0+	46+	92+	92+	92+	92+	92+	46+	92+	46+
 ft /s		23	23	23	23	23	23	23	23	23	23
TAB 151		500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40


	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		157	157	171	171	185	197	58	72	86	100
21								13,800			
24								13,800	12,900		
27								13,800	12,900	12,400	11,600
30								13,800	12,800	12,400	11,600
33								13,600	12,600	12,400	11,600
36								13,600	12,600	12,100	11,600
39								13,600	12,600	12,100	11,400
45	9,900	9,500	9,500	9,000				13,100	12,500	12,100	11,400
51	9,900	9,500	9,500	9,000	8,300			12,500	12,100	11,800	11,200
57	9,900	9,500	9,500	9,000	8,300	7,300		11,900	11,600	11,400	11,000
63	9,800	9,400	9,400	8,900	8,300	7,300		11,200	11,000	11,000	10,700
69	9,600	9,200	9,200	8,800	8,200	7,300		10,500	10,400	10,500	10,200
75	9,400	9,000	9,000	8,600	8,200	7,300		9,800	9,900	10,000	9,800
81	9,100	8,700	8,800	8,400	8,000	7,300		9,200	9,300	9,500	9,400
87	8,800	8,400	8,500	8,200	7,800	7,200		8,600	8,800	9,000	8,900
93	8,500	8,200	8,200	7,900	7,600	7,000		8,000	8,200	8,500	8,500
99	8,200	7,900	8,000	7,700	7,400	6,900		7,500	7,700	8,000	8,100
105	8,000	7,600	7,700	7,500	7,200	6,700		7,000	7,300	7,600	7,700
111	7,700	7,400	7,500	7,200	7,000	6,500		6,600	6,900	7,200	7,300
117	7,400	7,100	7,300	7,000	6,800	6,300		6,100	6,500	6,800	6,900
123	7,100	6,800	7,000	6,800	6,600	6,200		5,700	6,100	6,500	6,600
129	6,900	6,600	6,700	6,500	6,400	6,000		5,300	5,800	6,100	6,300
135	6,600	6,400	6,500	6,300	6,200	5,800		4,900	5,400	5,800	6,000
141	6,400	6,100	6,300	6,100	6,000	5,700		4,600	5,100	5,500	5,700
147	6,100	5,900	6,100	5,900	5,800	5,500		4,300	4,700	5,200	5,400
153	5,900	5,700	5,900	5,700	5,600	5,400		4,000	4,500	4,900	5,200
159	5,700	5,500	5,700	5,500	5,400	5,200		3,800	4,200	4,600	5,000
165	5,500	5,300	5,500	5,300	5,300	5,100			4,000	4,400	4,700
171	5,300	5,100	5,300	5,100	5,100	4,900			3,800	4,200	4,400
177	5,100	4,900	5,100	5,000	4,900	4,800			3,600	4,000	4,300
183	4,900	4,800	4,900	4,900	4,800	4,700				3,800	4,100
189	4,700	4,600	4,800	4,700	4,700	4,600				3,700	3,900
195	4,600	4,500	4,600	4,600	4,600	4,400					3,800
207	4,300	4,300	4,400	4,300	4,300	4,200					2,900
219	4,100	4,100	4,200	4,100	4,100	4,100					
231	3,900	3,900	4,000	3,900	4,000	3,900					
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1	46+	0+	92+	46+	92+	100+	0+	0+	0+	0+
	2	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	3	92+	92+	92+	92+	92+	100+	0+	0+	0+	0+
	4	92+	92+	92+	92+	92+	100+	0+	0+	46-	92-
	5	46+	92+	46+	92+	92+	100+	46-	92-	92+	92+
%											
	ft / s	23	23	23	23	23	23	23	23	23	23
TAB 151		500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 118ft					
			172,000 lbs	29 x 27 ft	360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		114	128	142	157	171	142	157	157	171	185
21											
24											
27											
30	11,200										
33	11,200										
36	11,200	10,400									
39	11,200	10,400	9,900				11,200				
45	11,000	10,200	9,900	9,500	9,000	11,000	10,400	9,900	9,500		
51	10,900	10,000	9,900	9,500	9,000	10,900	10,200	9,900	9,500	8,300	
57	10,800	9,900	9,900	9,500	9,000	10,800	10,200	9,900	9,500	8,300	
63	10,500	9,900	9,800	9,400	8,900	10,600	10,100	9,800	9,400	8,300	
69	10,100	9,800	9,600	9,200	8,800	10,300	9,900	9,600	9,200	8,200	
75	9,700	9,500	9,300	9,000	8,600	10,000	9,700	9,400	9,000	8,200	
81	9,300	9,100	9,000	8,700	8,400	9,600	9,200	9,100	8,600	8,000	
87	9,000	8,800	8,700	8,400	8,200	9,300	8,300	8,800	7,900	7,700	
93	8,600	8,400	8,400	8,200	7,900	9,000	7,500	8,500	7,100	7,000	
99	8,200	8,100	8,100	7,900	7,700	8,600	6,700	8,200	6,400	6,200	
105	7,800	7,800	7,800	7,600	7,500	8,300	6,000	8,000	5,700	5,500	
111	7,500	7,500	7,500	7,400	7,200	8,000	5,400	7,700	5,000	4,800	
117	7,100	7,100	7,200	6,900	7,000	7,600	4,800	7,400	4,400	4,200	
123	6,800	6,900	6,900	6,300	6,800	7,300	4,300	7,100	3,900	3,700	
129	6,500	6,600	6,700	5,800	6,500	7,000	3,800	6,900	3,300	3,200	
135	6,200	6,300	6,400	5,300	6,300	6,700	3,300	6,600		2,700	
141	5,900	6,000	6,100	4,800	6,100	6,400		6,400			
147	5,700	5,800	5,900	4,400	5,900	6,200		6,100			
153	5,400	5,500	5,700	4,000	5,700	5,900		5,900			
159	5,200	5,300	5,500	3,600	5,500	5,700		5,700			
165	5,000	5,100	5,300	3,300	5,300	5,500		5,500			
171	4,800	4,900	5,000	3,000	5,100	5,300		5,300			
177	4,600	4,500	4,800	2,700	5,000	5,000		5,100			
183	4,400	3,900	4,700		4,900	4,900		4,900			
189	4,200	3,300	4,600		4,700	4,700		4,700			
195	4,000	2,700	4,400		4,600	4,600		4,600			
207	3,700		4,200		4,300	4,300		4,300			
219			3,900		4,100	4,000		4,100			
231			3,700		3,900	3,800		3,900			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-	
2	0+	0+	46-	92-	92+	92+	92+	92+	92+	92-	
3	46-	92-	92+	92+	92+	92+	92+	92+	92+	92-	
4	92+	92+	92+	92+	92+	46+	46+	92+	92+	92-	
5	92+	92+	92+	92+	92+	46+	46+	46+	46+	92-	
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	500	500	500	500	500	500	500	500	500	500	500

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		197	44	58	72	86	100	114	128	142	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57	7,300										
63	6,700	8,400									
69	5,800	8,100	8,000	7,900							
75	4,800	7,500	7,800	7,700	7,300	7,300					
81	3,900	7,000	7,300	7,300	7,200	7,200	6,800	6,800	7,000		
87	3,100	6,500	6,900	6,900	6,900	6,800	6,700	6,700	7,000	6,300	
93		6,100	6,500	6,500	6,500	6,500	6,500	6,400	6,700	6,300	
99		5,700	6,100	6,200	6,200	6,200	6,200	6,100	6,400	6,000	
105		5,400	5,800	5,800	5,900	5,900	6,000	5,900	6,100	5,800	
111		5,100	5,400	5,500	5,700	5,700	5,700	5,700	5,900	5,600	
117		4,800	5,100	5,300	5,400	5,400	5,500	5,400	5,700	5,400	
123		4,600	4,900	5,000	5,200	5,200	5,300	5,300	5,500	5,200	
129		4,400	4,700	4,800	5,000	5,000	5,100	5,100	5,300	5,100	
135		4,300	4,500	4,700	4,800	4,800	4,900	4,900	5,100	4,900	
141		4,100	4,400	4,500	4,600	4,700	4,700	4,800	5,000	4,800	
147		4,100	4,200	4,300	4,500	4,500	4,600	4,600	4,800	4,600	
153			4,100	4,200	4,300	4,400	4,500	4,500	4,700	4,500	
159			4,000	4,100	4,200	4,300	4,300	4,400	4,600	4,400	
165				4,000	4,100	4,200	4,200	4,300	4,400	4,300	
171				4,000	4,000	4,100	4,100	4,200	4,300	4,200	
177				4,000	4,000	4,000	4,000	4,100	4,200	4,100	
183					3,900	3,900	4,000	4,000	4,100	4,000	
189					3,900	3,900	3,900	3,900	4,100	4,000	
195						3,900	3,900	3,900	4,000	3,900	
207							3,800	3,700	3,900	3,700	
219								3,600	3,600	3,600	
231									3,600	3,600	
* n *	1	1	1	1	1	1	1	1	1	1	
xx	0.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	
1	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+	0+
2	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+	46+
3	100-	0+	0+	0+	0+	0+	46+	92+	92+	92+	92+
4	100-	0+	0+	0+	46+	92+	92+	92+	92+	46+	92+
5	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+	92+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	
TAB 151	500	507	507	507	507	507	507	507	507	507	




T	NZK xx° 118ft

172,000 lbs

29 x 27 ft

360°



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		157	157	157	171	171	185	197	58	72	86
	21										
	24										
	27										
	30										
	33										
	36										
	39										
	45										
	51										
	57										
	63										
	69								8,000	7,900	
	75								7,800	7,700	7,300
	81								7,300	7,300	7,200
	87	6,600	6,300	6,100					6,900	6,900	6,900
	93	6,500	6,300	6,000	6,100	5,800			6,500	6,500	6,500
	99	6,300	6,000	5,800	6,000	5,800	5,600		6,100	6,200	6,200
	105	6,100	5,800	5,600	5,800	5,600	5,600		5,800	5,800	5,900
	111	5,800	5,600	5,400	5,600	5,400	5,400	5,100	5,400	5,500	5,700
	117	5,600	5,500	5,300	5,400	5,300	5,100	4,900	5,100	5,300	5,400
	123	5,400	5,400	5,200	5,300	5,200	5,100	4,900	4,900	5,000	5,200
	129	5,300	5,200	5,000	5,100	5,000	5,000	4,800	4,700	4,800	5,000
	135	5,100	5,000	4,900	5,000	4,900	4,800	4,700	4,500	4,700	4,800
	141	5,000	4,900	4,800	4,800	4,800	4,700	4,600	4,400	4,500	4,600
	147	4,800	4,700	4,700	4,700	4,600	4,600	4,500	4,200	4,300	4,500
	153	4,700	4,600	4,500	4,600	4,500	4,500	4,400	4,100	4,200	4,300
	159	4,500	4,500	4,400	4,500	4,400	4,400	4,300	4,000	4,100	4,200
	165	4,400	4,400	4,300	4,400	4,300	4,300	4,200		4,000	4,100
	171	4,300	4,300	4,200	4,300	4,200	4,200	4,100		4,000	4,000
	177	4,200	4,200	4,100	4,200	4,100	4,100	4,000		4,000	4,000
	183	4,100	4,100	4,000	4,100	4,100	4,000	3,900			3,900
	189	4,100	4,000	4,000	4,000	4,000	4,000	3,900			3,900
	195	4,000	4,000	3,900	4,000	3,900	3,900	3,800			
	207	3,800	3,800	3,700	3,800	3,800	3,800	3,700			
	219	3,600	3,600	3,600	3,700	3,700	3,700	3,600			
	231	3,600	3,600	3,600	3,700	3,600	3,500	3,500			
	* n *	1	1	1	1	1	1	1	1	1	1
	xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
		1	92+	46+	0+	92+	46+	92+	100+	0+	0+
2		92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3		92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4		46+	92+	92+	92+	92+	92+	100+	0+	0+	46-
5		46+	46+	92+	46+	92+	92+	100+	46-	92-	92+
	%										
	ft /s	23	23	23	23	23	23	23	23	23	23
TAB 151		507	507	507	507	507	507	507	507	507	507

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		100	114	128	142	157	171	142	157	157	171
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75	7,300										
81	7,200	6,800	6,800					7,000			
87	6,800	6,700	6,700	6,300	6,100			7,000	6,600	6,300	
93	6,500	6,500	6,400	6,300	6,000	5,800		6,700	6,500	6,300	6,100
99	6,200	6,200	6,100	6,000	5,800	5,800		6,400	6,300	6,000	6,000
105	5,900	6,000	5,900	5,800	5,600	5,600		6,100	6,100	5,800	5,800
111	5,700	5,700	5,700	5,600	5,400	5,400		5,900	5,800	5,600	5,600
117	5,400	5,500	5,400	5,400	5,300	5,300		5,700	5,600	5,500	5,400
123	5,200	5,300	5,300	5,200	5,200	5,200		5,500	5,400	5,400	5,300
129	5,000	5,100	5,100	5,100	5,000	5,000		5,300	5,100	5,200	4,900
135	4,800	4,900	4,900	4,900	4,900	4,900		5,100	4,700	5,000	4,400
141	4,700	4,700	4,800	4,800	4,800	4,800		5,000	4,200	4,900	3,900
147	4,500	4,600	4,600	4,600	4,700	4,600		4,800	3,700	4,700	3,400
153	4,400	4,500	4,500	4,500	4,500	4,500		4,700	3,200	4,600	2,900
159	4,300	4,300	4,400	4,400	4,400	4,400		4,600	2,800	4,500	
165	4,200	4,200	4,300	4,300	4,000	4,300		4,400		4,400	
171	4,100	4,100	4,200	4,200	3,700	4,200		4,300		4,300	
177	4,000	4,000	4,100	4,100	3,300	4,100		4,200		4,200	
183	3,900	4,000	4,000	4,000	3,000	4,100		4,100		4,100	
189	3,900	3,900	3,900	4,000	2,700	4,000		4,100		4,000	
195	3,900	3,900	3,700	3,900	2,400	3,900		4,000		4,000	
207		3,800	2,700	3,700		3,800		3,900		3,800	
219				3,600		3,700		3,600		3,600	
231				3,600		3,600		3,600		3,600	
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
1	0+	0+	0+	0+	0+	46-	46-	92-	46-	92-	92-
2	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+
3	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+	92+
4	92-	92+	92+	92+	92+	92+	46+	46+	92+	92+	92+
5	92+	92+	92+	92+	92+	92+	46+	46+	46+	46+	46+
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	507	507	507	507	507	507	507	507	507	507	507

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		185	197	44	58	72	86	100	114	128	142
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93				4,800	4,900						
99	5,600			4,800	4,800	4,600	4,600				
105	5,600			4,700	4,800	4,600	4,600				
111	5,400	2,800		4,500	4,600	4,600	4,600	4,600			
117	5,100	2,300		4,300	4,400	4,400	4,500	4,400	4,400	4,400	4,400
123	5,100			4,200	4,300	4,300	4,400	4,300	4,300	4,300	4,400
129	4,800			4,100	4,200	4,200	4,200	4,200	4,200	4,200	4,300
135	4,300			4,000	4,100	4,100	4,100	4,100	4,100	4,100	4,200
141	3,800			4,000	4,000	4,100	4,100	4,100	4,100	4,100	4,100
147	3,300				4,000	4,000	4,000	4,000	4,000	4,000	4,000
153	2,800					4,000	3,900	3,900	3,900	3,900	4,000
159						3,900	3,900	3,900	3,900	3,900	3,900
165							3,900	3,900	3,900	3,800	3,900
171							3,900	3,900	3,800	3,800	3,800
177							3,900	3,900	3,800	3,800	3,800
183								3,900	3,800	3,800	3,800
189								3,900	3,800	3,800	3,800
195									3,800	3,800	3,700
207										3,800	3,700
219											
231											
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	22.5	22.5	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	46+
2	92-	100-	0+	0+	0+	0+	0+	0+	0+	0+	92+
3	92-	100-	0+	0+	0+	0+	0+	0+	46+	92+	92+
4	92-	100-	0+	0+	0+	0+	46+	92+	92+	92+	46+
5	92-	100-	0+	46+	92+	92+	92+	92+	92+	92+	46+
%											
ft / s											
TAB 151	507	507	514	514	514	514	514	514	514	514	514



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40


	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft




070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		142	157	157	157	171	171	185	197	58	72
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93										4,900	
99										4,800	4,600
105										4,800	4,600
111										4,600	4,600
117										4,400	4,400
123	4,100	4,100	4,100	4,100						4,300	4,300
129	4,100	4,100	4,100	4,100	4,100	3,900	3,900			4,200	4,200
135	4,100	4,100	4,100	4,100	4,100	3,900	3,900	3,600		4,100	4,100
141	4,100	4,100	4,100	4,000	4,000	3,900	3,900	3,600		4,000	4,100
147	4,000	4,000	4,000	3,900	3,900	3,900	3,900	3,600		4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,600			4,000
159	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,600			3,900
165	3,800	3,800	3,800	3,800	3,800	3,800	3,700	3,600			
171	3,800	3,800	3,800	3,700	3,700	3,700	3,700	3,600			
177	3,800	3,700	3,700	3,700	3,700	3,700	3,600	3,600			
183	3,700	3,700	3,700	3,700	3,700	3,600	3,600	3,600			
189	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,600			
195	3,700	3,700	3,700	3,700	3,600	3,600	3,600	3,400			
207	3,700	3,600	3,600	3,600	3,600	3,600	3,600	3,400			
219		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
231		3,600	3,600	3,600	3,600	3,600	3,600	3,400			
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	0+	0+	0+
2	46+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
3	92+	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	46+	92+	46+	92+	92+	100+	46-	92-	92-
%											
ft / s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft





070225

21.40

				ft > < lbs		CODE > 0277 <		L151 1343 .x(x)			
ft		86	100	114	128	142	157	171	142	157	157
21											
24											
27											
30											
33											
36											
39											
45											
51											
57											
63											
69											
75											
81											
87											
93											
99	4,600										
105	4,600										
111	4,600	4,600									
117	4,500	4,400	4,400	4,400					4,400		
123	4,400	4,300	4,300	4,300	4,100	4,100			4,400	4,100	4,100
129	4,200	4,200	4,200	4,200	4,100	4,100	3,900	3,900	4,300	4,100	4,100
135	4,100	4,100	4,100	4,100	4,100	4,100	3,900	3,900	4,200	4,100	4,100
141	4,100	4,100	4,100	4,100	4,100	4,100	4,000	3,900	4,100	4,100	4,100
147	4,000	4,000	4,000	4,000	4,000	4,000	3,900	3,900	4,000	4,000	4,000
153	3,900	3,900	3,900	3,900	3,900	3,900	3,900	3,900	4,000	3,900	3,900
159	3,900	3,900	3,900	3,900	3,900	3,900	3,800	3,800	3,900	3,800	3,900
165	3,900	3,900	3,900	3,800	3,800	3,800	3,800	3,800	3,900	3,300	3,800
171	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,900	3,800
177	3,900	3,900	3,800	3,800	3,800	3,800	3,700	3,700	3,800	2,400	3,700
183		3,900	3,800	3,800	3,700	3,500	3,600	3,600	3,800		3,700
189		3,900	3,800	3,800	3,700	3,100	3,600	3,600	3,800		3,700
195			3,800	3,800	3,700	2,800	3,600	3,600	3,700		3,700
207				3,100	3,700		3,600	3,600	3,700		3,600
219							3,600				3,600
231							3,600				3,600
* n *	1	1	1	1	1	1	1	1	1	1	1
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
1	0+	0+	0+	0+	0+	0+	46-	46-	92-	46-	46-
2	0+	0+	0+	0+	46-	92-	92+	92+	92+	92+	92+
3	0+	0+	46-	92-	92+	92+	92+	92+	92+	92+	92+
4	46-	92-	92+	92+	92+	92+	92+	92+	46+	46+	92+
5	92+	92+	92+	92+	92+	92+	92+	92+	46+	46+	46+
%											
ft /s	23	23	23	23	23	23	23	23	23	23	23
TAB 151	514	514	514	514	514	514	514	514	514	514	514



T	NZK xx° 118ft



T	NZK xx° 118ft

21.40


	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		


85%

T	NZK xx° 118ft

070225

21.40

	 ft > < lbs		CODE > 0277 < L151 1343 .x(x)							
	ft	171	185							
21										
24										
27										
30										
33										
36										
39										
45										
51										
57										
63										
69										
75										
81										
87										
93										
99										
105										
111										
117										
123										
129		4,100	3,900							
135		4,100	3,900							
141		4,000	3,900							
147		3,900	3,900							
153		3,800	3,800							
159		3,600	3,500							
165		3,100	3,000							
171		2,600								
177		2,200								
183										
189										
195										
207										
219										
231										
* n *		1	1							
xx		45.0	45.0							
	1	92-	92-							
	2	92+	92-							
	3	92+	92-							
	4	92+	92-							
	5	46+	92-							
%										
	ft /s	23	23							
TAB 151		514	514							

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		

T	NZK xx° 118ft

21.40

	T	NZK xx° 118ft	 172,000 lbs	 29 x 27 ft	 360°		